

**काठमाडौं महानगरपालिका**  
**नगर कार्यपालिकाको कार्यालय**  
**दररेट सिफारिस समितिको प्रतिवेदन**  
**२०८१**

**पृष्ठभूमि:**

काठमाडौं महानगरपालिका नगर कार्यपालिकाको कार्यालय अन्तर्गतका कार्यालयहरूले चालु आर्थिक वर्ष २०८१/८२ को लागि खरिद गरिने मालसामान, सेवा, निर्माण सामग्री, ढुवानी, मेशिन तथा उपकरणको भाडा र कामदारको ज्याला खरिद प्रयोजनको लागि मिति २०८१।०४।०८ निर्णयानुसार (प्रमुख प्रशासकीय स्तरीय) तपशिल बमोजिमको सात सदस्यीय दररेट सिफारिस समिति गठन भएको ।


**तपशिल:**

निर्देशक श्री नमराज ढकाल	- संयोजक -
उपनिर्देशक श्री सुरेश कुमार राई	- सदस्य
ईन्जिनियर (अधिकृतस्तर नवौं) श्री पुशकर भट्टराई	- सदस्य
बरिष्ठ इन्जिनियर श्री रबिन्द्र रिजाल	- सदस्य
मेडिकल अधिकृत डा. श्री दिवश न्यौपाने	- सदस्य
बरिष्ठ शाखा अधिकृत श्री सुशील कुँवर	- सदस्य
सूचना प्रविधि अधिकृत श्री विकास ओझा	- सदस्य - सचिव

**दररेट अध्ययन विधि:**

काठमाडौं महानगर पालिकाले चालु आर्थिक वर्ष २०८१।८२ मा खरिद गरिने मालसामान, सेवा, निर्माण सामग्री, ढुवानी, मेशिन तथा उपकरणको भाडा र कामदारको ज्याला फुटकर खरिद, सिलबन्दी दरभाउपत्र, बोलपत्र तथा अन्य विधिबाट खरिद प्रकृयाको लागि तयार गरिने लागत इस्टिमेटको लागि आवश्यक पर्ने दररेट तयार गर्दा निम्नानुसारको विधि अबलम्बन गरी सोबाट प्राप्त भएको विवरणलाई आधार लिईएको छ ।

१. काठमाडौं महानगरपालिका नगर कार्यपालिकाको कार्यालयले गत आर्थिक वर्षमा स्वीकृत गरेको दररेट
२. अन्य सरकारी निकायहरूले खरिद गरेको मालसामान, सेवा आदिको दररेट
३. मालसामान तथा सेवा आपूर्तिकर्ताहरूले पेश गरेको दररेट
४. बजारको प्रचलित दरभाउ
५. E-commerce site हरूमा Published दररेटहरू
६. सार्वजनिक खरिद नियमावलीको नियम १४८ बमोजिम गठित काठमाडौं जिल्लाको जिल्ला दररेट निर्धारण समितिले तोकेको दररेट ।



### सुझाव एवं सिफारिस:

काठमाडौं महानगरपालिकाले आर्थिक वर्ष २०८१/८२ मा फुटकर रुपमा खरिद गर्ने मालसामान, सेवा, निर्माण सामाग्री, ढुवानी, मेशिन तथा उपकरणको भाडा र कामदारको ज्याला सिलबन्दी दरभाउपत्र वा बोलपत्रको माध्यमबाट खरिद कार्य गर्दा लागत स्टिमेटको लागि न्यूनतम दररेट सम्बन्धमा यस समितिले अध्ययन विश्लेषण र उपलब्ध भए सम्मको स्पेशिफिकेशन समेत समावेश गरी आवश्यक मालसामान, सेवा, निर्माण सामाग्री, ढुवानी, सामाग्री, मेशिन तथा उपकरणको भाडा र कामदारको ज्याला विभिन्न वर्गमा विभाजन गरी यस प्रतिवेदनमा समावेश गरिएको छ । स्थानीय सरकार संचालन ऐन, २०७४ को दफा १३ बमोजिम यस प्रतिवेदनमा सिफारिस भएका दररेट नगर कार्यपालिकाबाट स्वीकृत गराई कार्य गर्न निम्न अनुसारको सिफारिस सहित पेश गरिएको छ ।

१. काठमाडौं महानगरपालिकालाई आवश्यक पर्ने फुटकर रुपमा मालसामान, सेवा, निर्माण सामाग्री, ढुवानी, मेशिन तथा उपकरणको भाडा र कामदारको ज्याला खरिद गर्न वा सिलबन्दी दरभाउपत्र तथा बोलपत्रको माध्यमबाट खरिद गर्दा तयार गरिने लागत इस्टिमेटको लागि यस प्रतिवेदनमा उल्लेखित दररेटलाई आधार लिई कार्य गर्नुपर्ने ।
२. उल्लेखित प्रतिवेदनमा कुनै Item समावेश नभएको पाइएमा काठमाडौं जिल्लाको जिल्ला दररेट र अन्य सरकारी निकायले प्रयोग गरेको दररेट वा बजारबाट प्रचलित दरलाई आधार लिई कार्य गर्नुपर्ने ।
३. महानगरपालिकाबाट फुटकर रुपमा खरिद गरिने मालसामान, सेवा, निर्माण सामाग्री, ढुवानी, मेशिन तथा उपकरणको भाडा र कामदारको ज्याला माथि उल्लेखित दररेट, जिल्ला दररेटमा समेत उल्लेख भएमा जुन दररेटमा कम दर तोकिएको छ सोही दररेटलाई आधार लिने । जिल्ला दररेट तथा यस प्रतिवेदन दुबैमा उल्लेख नभएको दररेटको सम्बन्धमा बजारबाट प्रचलित दरका कम्तिमा तिनवटा कोटेशन लिई उक्त कोटेशनहरु मध्ये सबैभन्दा कम दररेट कबोल गर्ने फर्म संस्थाको दररेटलाई सम्बन्धित विभागीय प्रमुख, एकाई प्रमुख वा वडा सचिवले स्वीकृत गरी खरिद कार्य गर्नु पर्ने ।
४. यस प्रतिवेदनमा उल्लेखित मालसामान, सेवा, निर्माण सामाग्री, ढुवानी, मेशिन तथा उपकरणको भाडा र कामदारको ज्याला भ्याट बाहेकको दररेटमा उल्लेख गरिएको छ ।
५. Essential Medicine को सूचीमा समावेश नभएका औषधीहरुको दर स्वास्थ्य विमा बोर्डको सुबिधा थैलीमा उल्लेख भए बमोजिम हुनेछ ।
६. यस प्रतिवेदनमा उल्लेखित कुनै मालसामान, सेवा, निर्माण सामाग्री, ढुवानी, मेशिन तथा उपकरणको भाडा र कामदारको ज्यालामा हेरफेर गर्नु परेमा श्रीमान् प्रमुखज्यूको निर्णयानुसार हुनेछ ।

उपहार सम्बन्धी सामाग्रीहरू

क्र.स.	मालसामानको विवरण	स्पेशिफिकेसन	एकाई	आ.व.०८०/८१ को दररेट	आ.व.०८१/८२ को दररेट
१	टोपी	क्याप टोपी (मल्टिकर)	प्रति थान	500	400
२	खादा	ढाकाको विभिन्न कलरको	प्रति थान	150	120
३	सल	पस्मिना / दोसल्ला	प्रति थान	3000	3000
४	टोपी	भादगाडैले	प्रति थान	450	450
५	टोपी	ढाका	प्रति थान	900	900
६	पर्स	ढाका	प्रति थान	500	500
७	थैली	कपडाको	प्रति थान	500	400
८	खुकुरी दाप सहित	६ ईञ्च	प्रति थान	2500	2500
९	खुकुरी दाप सहित	८ ईञ्च	प्रति थान	4000	4000
१०	खुकुरी दाप सहित	१० ईञ्च	प्रति थान	5000	5000
११	करुवा	०.५ लिटर कलामक ढलौट	प्रति थान	1500	1500
१२	करुवा	7" hight and Plane design	प्रति थान	3500	3500
१३	मुर्ति	बुद्धको का.म.पा.को नाम र लोगो ईचिड गरी सिसा भित्र ६ ईञ्चको	प्रति थान	3000	2000
१४	मुर्ति	बुद्धको का.म.पा.को नाम र लोगो ईचिड गरी सिसा भित्र ८ ईञ्चको	प्रति थान	4000	3000
१५	मुर्ति	बुद्धको का.म.पा.को नाम र लोगो ईचिड गरी सिसा भित्र १२ ईञ्चको	प्रति थान	7000	5000
१६	मुर्ति	बुद्धको का.म.पा.को नाम र लोगो ईचिड गरी बक्स सहित ४ ईञ्चको ढलौटको	प्रति थान	2200	2200
१७	मुर्ति	बुद्धको का.म.पा.को नाम र लोगो ईचिड गरी बक्स सहित ६ ईञ्चको ढलौटको	प्रति थान	4000	4000
१८	मुर्ति	बुद्धको का.म.पा.को नाम र लोगो ईचिड बक्स सहित ८ ईञ्चको ढलौटको कलात्मक	प्रति थान	5000	5000
१९	मन्दिर	पशुपतिनाथको मन्दिर का.म.पा.को नाम र लोगो ईचिड सहित सिसा भित्र ६ ईञ्चको कलात्मक	प्रति थान	3000	3000
२०	मन्दिर	पशुपतिनाथको मन्दिर का.म.पा.को नाम र लोगो ईचिड सहित सिसा भित्र ८ ईञ्चको कलात्मक	प्रति थान	4000	4000
२१	मन्दिर	पशुपतिनाथको मन्दिर का.म.पा.को नाम र लोगो ईचिड सहित सिसा भित्र १२ ईञ्चको	प्रति थान	6800	6800
२२	मन्दिर	स्वयम्बुको आकृतिमा का.म.पा.को नाम र लोगो ईचिड सहित सिसा भित्र ६ ईञ्चको	प्रति थान	3000	3000
२३	मन्दिर	स्वयम्बुको आकृतिमा का.म.पा.को नाम र लोगो ईचिड सहित सिसा भित्र ८ ईञ्चको	प्रति थान	3800	3800
२४	मन्दिर	स्वयम्बुको आकृतिमा का.म.पा.को नाम र लोगो ईचिड सहित सिसा भित्र १२ ईञ्चको	प्रति थान	7000	7000
२५	मयुर झ्याल	काठको मयुर झ्याल ६ ईञ्चको कलात्मक	प्रति थान	3000	3000
२६	मयुर झ्याल	काठको मयुर झ्याल १० ईञ्चको कलात्मक	प्रति थान	5000	5000
२७	मयुर झ्याल	काठको मयुर झ्याल १२ ईञ्चको कलात्मक	प्रति थान	7000	7000
२८	मञ्जु श्री मुर्ति	का.म.पा.को नाम र लोगो ईचिड सहित ६ ईञ्चको कलात्मक ढलौट	प्रति थान	4500	4500
२९	माला	सयपत्री फुलको	प्रति थान	120	120
३०	बुके	टेबुल	प्रति थान	1050	1050
३१	बुके	बास्केट	प्रति थान	850	850
३२	गुच्छा	फुलको	प्रति थान	125	125
३३	रिवन(Ribbon)	कपडाको	प्रति मिटर		8
३४	पानस	ढलौट/ पितलको गणेशको मुर्ति भएको २७ इन्च अग्लो	प्रति थान		18000
३५	फुलको रिद		प्रति थान		3000
३६	फुल	विभिन्न दिवसमा हलिकप्टरबाट खसाल्ने	प्रति के जी		550
३७	बेलुन	विभिन्न दिवसमा उडाउने/सजाउने	प्रति थान		30

1

स्टेशनरी सम्बन्धी सामग्रीहरू

क्र.स.	मालसामानको विवरण	स्पेशिफिकेसन	एकाई	आ.व.०८०/८१ को दररेट	आ.व.०८१/८२ को दररेट
१	कार्यालयको छाप	बाक्लो फममा गोलो र चारपाटे सेल्फ ईड्क	प्रति थान	600	400
२	कार्यालयको छाप (खर स्ट्याम्प)	बाक्लो खरमा गोलो र चारपाटे	प्रति थान	400	250
३	नाम तथा पद लेखेको छाप	चारपाटे सेल्फ ईड्क	प्रति थान	450	400
४	नेम प्लेट	प्लास्टिकको मिडियम साईज (८*१२ ईञ्च)	प्रति थान	1500	1000
५	नेम प्लेट	प्लास्टिकको ठुलो साईज (१८*२४ ईञ्च)	प्रति थान	3500	2500
६	नेम प्लेट	तामा/पितलमा इचिड गरेको मिडियम साईज (८*१२ ईञ्च)	प्रति थान		5000
७	नेम प्लेट	तामा/पितलमा इचिड गरेको ठुलो साईज (१८*२४ ईञ्च)	प्रति थान		7500
८	टेबल नेम प्लेट	आलमुनियमको	प्रति थान		1500
९	टेबल नेम प्लेट	काठको	प्रति थान		600
१०	स्टाम्प प्याड	कालो / निलो ११० ७० एम एम	प्रति थान	50	50
११	ब्याचहरु रिबन (१) कलर	विभिन्न कलरको रिबन	प्रति थान	80	80
१२	ब्याचहरु रिबन (२) कलर	विभिन्न कलरको रिबन	प्रति थान	125	125
१३	ब्याचहरु रिबन (४) कलर	विभिन्न कलरको रिबन	प्रति थान	200	200
१४	प्रमाणपत्र कलर	कलर A4 साईज	प्रति थान	110	50
१५	प्रमाणपत्रको फ्रेम	साधारण	प्रति थान	500	350
१६	प्रमाणपत्रको फ्रेम	गोल्डेन	प्रति थान	800	500
१७	फ्लेक्स ब्यानर विभिन्न साईज तथा डिजाईनको (प्रिन्ट मात्र)	मल्टिकलर	प्रति वर्ग फिट	60	30
१८	फ्लेक्स ब्यानर विभिन्न साईज तथा डिजाईनको (प्रिन्ट तथा फलामको फ्रेम सहित)	मल्टिकलर	प्रति वर्ग फिट	160	100
१९	भिजिटिङ्ग कार्ड	मल्टिकलर	प्रति थान	7	3
२०	निमन्त्रणा कार्ड	१ कलर	प्रति थान	15	5
२१	निमन्त्रणा कार्ड	मल्टिकलर	प्रति थान	20	8
२२	कपडाको ब्यानर	विभिन्न साईज (सुती)	प्रति मिटर	600	400
२३	महानगर झण्डा	६ फिट	प्रति थान	1200	1200
२४	महानगर झण्डा	४ फिट	प्रति थान	800	800
२५	महानगर झण्डा	१ फिट	प्रति थान	800	800
२६	महानगर झण्डा	१ फिट काठको स्टेण्ड सहित	प्रति थान	800	800
२७	नेपालको राष्ट्रिय झण्डा	६ फिट	प्रति थान	1200	1200
२८	नेपालको राष्ट्रिय झण्डा	४ फिट	प्रति थान	800	800
२९	नेपालको राष्ट्रिय झण्डा	१ फिट काठको स्टेण्ड सहित	प्रति थान	800	800
३०	नेपालको राष्ट्रिय झण्डा	१ फिट पित्तलको स्टेण्ड सहित	प्रति थान	1200	1200
३१	नेपालको राष्ट्रिय झण्डा	१० मिटर	प्रति थान		31000
३२	नेपालको राष्ट्रिय झण्डा	८ मिटर	प्रति थान		27000
३३	नेपालको राष्ट्रिय झण्डा	६ मिटर	प्रति थान		19000
३४	नेपालको राष्ट्रिय झण्डा	४ मिटर	प्रति थान		10000
३५	भित्ते घडी	काँटा भएको small size 12inch diameter	प्रति थान		1150
३६	भित्ते घडी	काँटा भएको medium size 18 inch diameter	प्रति थान		1700
३७	भित्ते घडी	काँटा भएको large size 24 inch diameter	प्रति थान		2200
३८	डायरी	एजुकेटिभ / महानगर	प्रति थान	700	500
३९	डायरी	स्पाइरल	प्रति थान		100
४०	रजिस्टर	५० पाने ८० ग्राम पेपर उड फ्री	प्रति थान		300
४१	रजिस्टर	१०० पाने ८० ग्राम पेपर उड फ्री	प्रति थान		450
४२	माईन्सुट रजिष्टर	बाहिरी कभरमा कपडाले बाइन्डिङ गरिएको १००पाने	प्रति थान	1050	1050
४३	खाम	भिन्न कपडा भएको फाइल Size नेपाली कागजमा का.म.पा.को नाम र लोगो प्रिन्ट भएको	प्रति थान	25	25
४४	खाम	A4 Size नेपाली कागजमा का.म.पा.को नाम र लोगो प्रिन्ट भएको	प्रति थान	20	20

४५	खाम	7"*5" इन्चको नेपाली कागजमा का.म.पा.को नाम र लोगो प्रिन्ट भएको	प्रति थान		
४६	ट्रान्सपरेन्ट पेपर	A4 Size	प्रति थान	20	10
४७	रबर	1के जी को	प्रति थान	20	20
४८	Photocopy	single side	प्रति प्याकेट		1100
४९	Photocopy	both side	प्रति पेज	3.5	3.5
५०	Photocopy Binding	250 पेज सम्मको टेप बाइण्डिङ	प्रति थान	5	5
५१	Photocopy	A3 Size	प्रति थान	60	60
५२	टोनर रिफिल/cartridge Refill	refilling with original ink for cartridges used in all types of printers	प्रति थान		15
५३	बाइन्डिङ टेप(Banding Tape)	१ इन्ची	प्रति थान	700	500
५४	बाइन्डिङ टेप(Banding Tape)	२ इन्ची	प्रति थान	300	150
५५	टेप	कार्टुन	प्रति थान	400	250
५६	टेप	सेलो सानो	प्रति थान	400	400
५७	टेप	सेलो मझौला	प्रति थान	20	20
५८	टेप	सेलो ठुलो	प्रति थान	100	100
५९	पेपर कटर	paper cutter with blade	प्रति थान	200	200
६०	पेन होल्डर/पेन स्ट्याण्ड	काठको	प्रति थान	200	200
६१	नेपाली पेपर	A4 Size २० ग्राम, १०० पानाको प्याड	प्याड	1800	1800
६२	नेपाली पेपर	A4 Size ४० ग्राम, १०० पानाको प्याड	प्याड	600	400
६३	मेटा कार्ड	Breath 22.5cm and length 10.1cm Multi Color	प्रति प्याकेट	1200	800
६४	कार्ड होल्डर	डोरी सहित साधारण	प्रति थान	50	50
६५	स्ट्याम्प प्याड	११०*७० वर्ग मि.मि.	प्रति थान	150	100
६६	टेबल च्याक	प्लाष्टिकको तिन लेयर	प्रति थान	50	50
६७	डटपेन	मोनटेक्स वा सो सरह	प्रति थान	1800	1800
६८	जेलपेन	सेलो प्वाइन्टेक्स ०.५ कालो र रातो वा सो सरह	प्रति थान		15
६९	पाइलट पेन	V5 JF वा सो सरह कालो निलो रातो र हरियो	प्रति थान		35
७०	पाइलट पेन	V7 JF वा सो सरह कालो निलो रातो र हरियो	प्रति थान		135
७१	पाइलट पेन	V10 Grip Hi-Techpoint वा सो सरह कालो र रातो	प्रति थान		145
७२	मारकर	बोर्ड मारकर विभिन्न कलरका Snowman वा सो सरह	प्रति थान		165
७३	परमानेन्ट मारकर	विभिन्न कलरको Snowman वा सो सरह	प्रति थान		50
७४	बोर्ड इस्टर		प्रति थान		60
७५	हाइलाइटर	विभिन्न कलरको स्टलर वा सो सरह	प्रति थान		60
७६	साइज पेन		प्रति थान		50
७७	पेन्सिल	HB	प्रति थान		40
७८	इरेजर		प्रति थान		12
७९	पेन्सिल कटर		प्रति थान		10
८०	टोनर मसि	black	प्रति थान		10
८१	इन्डेक्स फाइल	प्लाष्टिक हार्ड कभर	प्रति थान		250
८२	फोल्डर फायल	नमुनानुसार प्लाष्टिकको	प्रति थान		230
८३	रिंग फायल	ए ४ साइज २ Ring Binder	प्रति थान		40
८४	फाइल तुना		प्रति थान		210
८५	रेकर्ड फाइल		प्रति मुठा		30
८६	कोब्रा फाइल		प्रति थान		10
८७	बक्स फाइल		प्रति थान		65
८८	नेपाली फाइल		प्रति थान		150
८९	फाइल बाइन्डिङ		प्रति थान		20
९०	फाइल स्ट्याण्ड		प्रति थान		140
९१	खाम	चेक साइज सादा	प्रति थान		1500
९२	कारबन पेपर	केमेल वा सो सरह	प्रति थान		3
९३	फोटोकपी पेपर	ए ४ साइज ८० gsm जे.के Copier वा सो सरह	प्रति प्याकेट		350
९४	फोटोकपी पेपर	ए २ साइज जे.के Copier वा सो सरह	प्रति रिम		685
९५	फोटोकपी पेपर	ए ४ साइज ८० gsm जे.के Copier वा सो सरह कलरमा	प्रति रिम		1500
					700

१६	फोटोकपी पेपर	ए ४ साइज ७० gsm जे.के Copier वा सो सरह	प्रति रिम		500
१७	पोसिड पेपर	टाँस्ने ५० सिट	प्रति थान		52
१८	थर्मल पेपर	e ticket को लागि प्रयोग हुने, 3 inch, 80 mm	प्रति रोल		300
१९	पेपर क्लीप	प्लास्टिकको १०० पिसको १ प्याकेट	प्रति प्याकेट		150
१००	वाईन्डिङ्ग कभर पेपर	१०० पिस प्रति प्याकेट	प्रति प्याकेट		600
१०१	थम्बपिन	प्रति प्याकेट	प्रति प्याकेट		100
१०२	प्लास्टिक स्केल	15 cm	प्रति थान		30
१०३	प्लास्टिक स्केल	30 cm	प्रति थान		60
१०४	My Clear bag	प्लास्टिकको बटन भएको	प्रति थान		25
१०५	पन्चिड मेशिन ठूलो	कंगारो ८०० वा सो सरह	प्रति थान		2500
१०६	पन्चिड मेशिन मझौला	८ सि.एम कंगारो ६०० वा सो सरह	प्रति थान		500
१०७	स्टाप्पर मेशिन	सानो (No1-1m) कंगारो वा सो सरह	प्रति थान		80
१०८	स्टाप्पर मेशिन	मझौला ६०० HD-45 कंगारो वा सो सरह	प्रति थान		350
१०९	स्टाप्पर मेशिन	ठूलो HD-23S 25 कंगारो वा सो सरह	प्रति थान		3000
११०	स्टाप्पर पिन	मझौला २४/६ कंगारो वा सो सरहको १ बट्टामा २० प्याकेट भएको	प्रति प्याकेट		600
१११	स्टाप्पर पिन ठूलो	ठूलो कंगारो वा सो सरहको १ बट्टामा २० प्याकेट भएको	प्रति प्याकेट		2000
११२	स्टाप्पर पिन	सानो कंगारो वा सो सरहको १ बट्टा २० प्याकेट भएको	प्रति प्याकेट		535
११३	ग्लु स्टिक	Amos Korean वा सो सरह ३५ ग्रम	प्रति थान		90
११४	स्केल	स्टिल १८ इन्चको	प्रति थान		90
११५	टिप्पणी फाइल		प्रति थान		7
११६	टिपेक्स		प्रति थान		100
११७	सवारी लगबुक	60 ग्राम पेपरमा १०० पानाको प्याड	प्रति प्याड		220
११८	आगन्तुक परिचय पत्र	फोटो र बार कोड प्रिन्ट सहितको नाम र लोगो प्रिन्ट सहितको डोरी भएको	प्रति थान		320
११९	आगन्तुक परिचय पत्र	साधारण प्लास्टिक कभर भएको			100
१२०	कर्मचारी अस्थायी परिचय पत्र		प्रति थान		13
१२१	बारकोड स्टीकर		प्रति रोल		1000
१२२	पिन रिम्भर		प्रति थान		450
१२३	पुस पिन		प्रति प्याकेट		189
१२४	हार्डकभर बाइन्डिङ		प्रति थान		500
१२५	भिनाइल स्टीकर		प्रति ब फि		130
१२६	स्टिकर		प्रति ब फि		120
१२७	सम्मान पत्र र प्रमाण पत्र		प्रति थान		178
१२८	टेबल घन्टी		प्रति थान		1200
१२९	आगन्तुक परिचय पत्र डोरी	नाइलन विभिन्न कलरको	प्रति के.जी.		800
१३०	बाइन्डिङ्ग टेप	2 इन्च	प्रति थान		75
१३१	वाइन्डिङ्ग टेप	इन्च १.५	प्रति थान		65

कार्यालय मालसामान सम्बन्धी सामग्रीहरू

क्र.स.	मालसामानको विवरण	स्पेशिफिकेसन	एकाई	आ.व.०८०/८१ को दररेट	आ.व.०८१/८२ को दररेट
१	Automatic Room Spray	liquid with Machine	प्रति थान	1200	1200
२	Automatic Room Spray	liquid only	प्रति थान	400	300
३	Avdominal Towel		प्रति थान		500
४	Dust Bin	१० लिटर क्षमता	प्रति थान		500
५	Dust Bin	१५ लिटर क्षमता	प्रति थान		650
६	Dust Bin	२० लिटर क्षमता	प्रति थान		850
७	Dust Bin	२५ लिटर क्षमता	प्रति थान		1700
८	Dust Bin	८० लिटर क्षमताको पाङ्ग्रा भएको	प्रति थान	4500	4500
९	Insect Killer Bat	rechargable	प्रति थान	600	500
१०	Mosquito Repellent Machine	device with 45 ml liquid	प्रति थान		
११	mosquito repellent liquid	४५ एम एल		300	300
					80

१२	Paint(पेन्ट)	इनामेल	प्रति लिटर		700
१३	Paper Glass		प्रति थान		3
१४	अबिर	५० ग्राम	प्रति प्याकेट	25	25
१५	Toilet Cleaner	एरोम्याक्स वा सो सरह	थान	225	225
१६	एसिड	dilute HCl	प्रति लिटर	250	250
१७	कमोट स्प्रे		प्रति थान		1200
१८	कास्टिक सोडा		प्रति के जी		380
१९	कुचो	अग्निसो	प्रति थान	100	110
२०	कुचो	खरेटो/नरिवल वा सो सरह	प्रति थान	100	110
२१	कुशन		प्रति थान		1000
२२	क्याल्कुलेटर(Calculator)		प्रति थान		2000
२३	क्याल्कुलेटर(Calculator)	scientific calculator fx 991 es plus or equivalent	प्रति थान		750
२४	गमबुट		प्रति थान		300
२५	रिवल्विड चियरको चक्का		प्रति के जी		50
२६	चुना		प्रति थान	1250	1200
२७	छाता	XXL Size radius 30"	प्रति थान	600	600
२८	छाता	सानो	प्रति थान		3000
२९	छाता	७ फिट अग्लो गार्डेनिङ छाता	प्रति थान		1650
३०	जर्सी	सेटमा	प्रति लिटर	300	300
३१	झोल साबुन		प्रति थान	50	50
३२	साबुन	हात धुने/ नुहाउने 75 gram	प्रति वर्ग मि		50
३३	टेन्ट भाडामा		प्रति थान		250
३४	टेबुल लक		प्रति थान		2000
३५	ट्यांका	२ फिटको	प्रति थान		4000
३६	ट्यांका	४ फिटको			
३७	ट्याकसुट सेट (Tracksuit set)	का.म.पा. को नाम र लोगो प्रिन्ट भएको	प्रति थान		3000
३८	बर्षादी (Rain coat)	single piece / two pice	प्रति थान	2500	2500
३९	ट्वाइलेट क्लिनर	500 ml	प्रति थान	150	150
४०	ट्वाइलेट ब्रस		प्रति थान	200	200
४१	डोर क्लोजर	हाइड्रोलिक	प्रति थान		3000
४२	तकिया (सिरानी)	खोल सहित	प्रति थान	800	800
४३	तन्ना	Single Bed	प्रति थान	800	800
४४	तन्ना	Double bed	प्रति थान	1200	1200
४५	ताल्चा	Key Normal SS Link Lock, Padlock Size: 40 mm,	प्रति थान		700
४६	ताल्चा	padlock size 75 mm	प्रति थान		1100
४७	त्रिपाल		प्रति स्वचार मि		10
४८	दराज लक(Drarwer Lock)		प्रति थान		1500
४९	धुप (अगरबती)		प्रति प्याकेट	90	60
५०	पछाडी बोक्ने ब्याग		प्रति थान	3000	3000
५१	पञ्जा	रबर	जोडी	225	225
५२	पितलको गमला	7.5 inch high and 8 in diameter	प्रति थान		1700
५३	पुनिङ स	320 mm long, Permanently filed teeth , triple edge with plastic/wood handle	प्रति थान	800	800
५४	पेपर वेट		प्रति थान		200
५५	प्रमाण पत्रको काठको मैयुर फ्रेम		प्रति थान		1700
५६	प्रोजेक्टर पोइन्टर	rechargable, laser	प्रति थान		2500
५७	फिनेल	सेतो झोल	प्रति लिटर	230	230
५८	फिनेल	दाना १/२ के.जी.	प्रति प्याकेट	450	450
५९	फिनेल	कालो झोल	प्रति लिटर	750	750
६०	बाटा	२० लिटर	प्रति थान	500	500
६१	बाटा	१० लिटर	प्रति थान	350	350
६२	बाल्टिन	२० लिटर	प्रति थान	500	500
६३	बाल्टिन	१० लिटर	प्रति थान	350	350

६४	बेगन स्प्रे		प्रति थान	650	650
६५	बेतको लाठी		प्रति थान		350
६६	सुटकेश	18 inch	प्रति थान		5000
६७	सुटकेश	22 inch	प्रति थान		8000
६८	सुटकेश	24 Inch	प्रति थान		10000
६९	Hand Carry Bag		प्रति थान		3000
७०	भाडा धुने साबुन	65 gm	प्रति थान	15	15
७१	भाडा माइने पाउडर	भिम वा सो सरह 1/2 के जी	प्रति प्याकेट	50	50
७२	भुईं पुछने कपडा		प्रति थान	90	90
७३	मस्क्यूटो क्याइल(Mosquito Coil)		प्रति थान		60
७४	मेजरिड टेप	१०० मिटर कोमेलन वा सो सरह	प्रति थान		9500
७५	मेजरिड टेप	५० मिटर कोमेलन वा सो सरह	प्रति थान		7000
७६	मेजरिड टेप	३० मिटर कोमेलन वा सो सरह	प्रति थान		5500
७७	मेजरिड टेप	२५ मिटर कोमेलन वा सो सरह	प्रति थान		4500
७८	मेजरिड टेप	५ मिटर	प्रति थान		500
७९	रिफ्लेक्टर ज्याकेट	का.म.पा. को नाम र लोगो प्रिन्ट गरेको	प्रति थान		800
८०	रुम स्प्रे		प्रति थान	225	225
८१	रुम स्प्रे	एरोविक	प्रति थान	550	550
८२	टावेल / तौलिया		प्रति थान	600	600
८३	ग्यास लाइटर		प्रति थान		150
८४	लिनिकवड हेण्ड वास	२०० एम.एल.	प्रति थान	225	225
८५	कपडा धुने साबुन	100 ग्राम	प्रति थान	30	30
८६	लेदर अफिस ब्याग	W15"*H11"*B5"	प्रति थान	15000	15000
८७	वाईपर	डण्डी सहित	प्रति थान	450	450
८८	मोफ	डण्डी सहित	प्रति थान		600
८९	डिटरजेन्ट पाउडर	1/2 के जी	प्रति प्याकेट	50	50
९०	डिटरजेन्ट पाउडर	1 के जी	प्रति प्याकेट	100	100
९१	सिङ्गी		प्रति थान		150
९२	सिरक	Single Bed खोल सहित	प्रति थान	3000	3000
९३	सिरक	Double bed खोल सहित	प्रति थान		4000
९४	Blankets	Single Bed	प्रति थान		2500
९५	Blankets	Double bed	प्रति थान		3500
९६	डसना	Single Bed खोल सहित	प्रति थान	2500	2000
९७	डसना	Single Bed खोल सहित	प्रति थान		2500
९८	सुतली		प्रति के जी		400
९९	टवाइलेट पेपर	१० रोलको	प्याकेट		880
१००	सेफ्टी हेलमेट		प्रति थान		900
१०१	स्टिलको गमला		प्रति थान		2500
१०२	स्प्रे प्रिन्ट	४०० एम एल	प्रति थान		550
१०३	दराजमा राख्ने हेडगर		प्रति थान		250
१०४	Rat Poison/Rat Cake		थान		300
१०५	Air Freshener	ओडोनिल वा सो सरह	प्याकेट		350
१०६	कोरा कपडा		प्रति मिटर		90
१०७	फलाटिन कपडा		प्रति मिटर		50
१०८	ग्लास किलनर	कोलिन वा सो सरह 500 ml	थान	150	150
१०९	युरिन प्याड		थान		320
११०	झुल	डबल बेड	थान		800
१११	पि फर्म	8mm	प्रति वर्ग मिटर		200
११२	पि फर्म	10mm	प्रति वर्ग मिटर		225
११३	पि फर्म	12mm	प्रति वर्ग मिटर		255
११४	बेट टिस्यु		प्याकेट		200
११५	सिल टेप(Seal Tape)		थान		140
११६	सेनिटाइजर	100ml	थान		80
११७	कागजको गिलास	200 ml	थान	2	2



११८	सिक्रि	फलामको	प्रति मिटर	325	325
-----	--------	--------	------------	-----	-----

किचनमा प्रयोग हुने सामग्रीहरू

क्र.स.	मालसामानको विवरण	स्पेशिफिकेसन	एकाई	आ.व.०८०/८१ को दररेट	आ.व.०८१/८२ को दररेट
१	Hotcase	5 litre	थान		3500
२	Rice cooker	5 litre	थान	4500	4500
३	Rice cooker	10 litre	थान	9500	9500
४	Rice cooker	3 litre	थान	3000	3000
५	Tray/ किस्ती	plastic	थान	350	350
६	Tray/ किस्ती	स्टिलको	थान		800
७	अम्बोरा	तामाको	थान		500
८	ईलेक्ट्रिक थर्मस	५ लिटर	थान	5000	5000
९	ईलेक्ट्रिक थर्मस	३.८ लिटर	थान	4000	4000
१०	थर्मस	१ लिटर	थान	1400	1400
११	एप्रोन	कपडाको भाँडा माइदा प्रयोग गर्ने	थान	300	300
१२	कचौरा	मेलामाइनको	थान		200
१३	कचौरा	ठुलो स्टिलको	थान	150	200
१४	कचौरा	सेरामिक्स	थान		200
१५	कचौरा	सानो स्टिलको	थान		120
१६	कप	सिसाको ६ पिसको १ सेट	सेट	1200	1000
१७	कप	सेरामिक्स ६ पिसको १ सेट	सेट		450
१८	प्लेट	मेलामाइन	थान	400	400
१९	प्लेट	सेरामिक्स	थान		500
२०	प्लेट	स्टिलको ठुलो	थान		200
२१	प्लेट	स्टिलको सानो	थान		120
२२	कपसेट	स्टिलको ६ पिसको १ सेट	सेट		1200
२३	कफि	१ केजी प्याकेट	के.जी	1400	1400
२४	कफि बिन्स		के.जी		2500
२५	कोरेशा		थान		300
२६	कितली		थान		1400
२७	खलो		थान		1000
२८	खुर्पा		थान		650
२९	हसिया		थान		580
३०	चक्कु	काठको विँड भएको	थान		500
३१	गाग्री	तामाको २ केजीको १८ इन्च उचाई भएको	थान		7500
३२	ग्यास चुलो	साधारण दुइ मुखे	थान	2500	2500
३३	ग्यास चुलो	अटोमेटिक	थान	5500	4900
३४	ग्यास पाइप	ISO certified ३ मिटरको	थान	300	700
३५	ग्यास रेगुलेटर	Iso certified	थान	750	750
३६	ग्रिन टी	प्रति के.जी.	थान	3000	2000
३७	ग्रिन टी पट	१०० एम एल	थान	1000	1000
३८	चपिड बोर्ड		थान		750
३९	चप्पल		जोर		300
४०	चम्चा		थान		120
४१	चिम्टा	स्टिलको	थान		500
४२	चिया छान्ने जाली		थान		200
४३	चिया पत्ति		प्रति के.जी	1200	1200
४४	चुलो	ईण्डक्सन १वर्नर	प्रति थान	5000	5000
४५	चुलो	ईन्फ्रारेड १वर्नर	प्रति थान		3500
४६	जर्किन १० लिटर		थान		350
४७	जर्किन २० लिटर		थान		525
४८	झाझर		थान		300
४९	टि म्याट	६ थानको सेट	सेट		300

५०	टिस्यू पेपर	100 pulls	थान		135
५१	ट्वाइलेट पम्प		थान		200
५२	डस्ट पिकर(Dust Picker)	प्लास्टिकको	थान		100
५३	डस्ट पिकर(Dust Picker)	स्टिलको	थान		250
५४	डाडु	स्टिलको	थान	300	300
५५	पन्थु	स्टिलको	थान	300	300
५६	डिब्बा	मसला राख्ने प्लास्टिकको	थान		500
५७	डेक्ची	१० लिटर, आल्मोनियम/सिल्लभर	थान		8000
५८	डेक्ची	५ लिटर	थान		4800
५९	डेक्ची	३ लिटर	थान		2500
६०	ड्रम	प्लास्टिकको १०० लिटर	थान		2000
६१	ताप्ले	स्टिलको २ लिटर	थान	2000	2000
६२	ताप्ले	स्टिलको ३ लिटर	थान		2400
६३	ताप्ले	ननस्टिकी २ लिटर	थान	2500	2500
६४	तावा	फलामको	थान		950
६५	थाल	स्टिलको	थान	450	450
६६	पानी खाने गिलास	स्टिलको	थान	150	150
६७	पानी खाने गिलास	सिसाको	थान		65
६८	पानी खाने बोटल	भिन्न बाहिर तामा भएको १ लिटर क्षमताको	थान	1800	1800
६९	पानी खाने बोटल	प्लास्टिकको	थान	225	225
७०	पानी खाने सिसाको जग	1 लिटर	थान	1200	1500
७१	पानी खाने स्टिलको जग	1 लिटर	थान		550
७२	मग	प्लास्टिकको	थान		92
७३	प्रेसर कुकर	५ लिटर	थान	3000	3000
७४	प्रेसर कुकर	१० लिटर	थान	5500	5500
७५	प्रेसर कुकर	३ लिटर	थान	2500	2500
७६	प्रेसर कुकर ननस्टिकी	५ लिटर नन स्टिक	थान	5500	4900
७७	प्रेसर कुकर ननस्टिकी	१० लिटर	थान	6500	6500
७८	प्रेसर कुकर ननस्टिकी	३ लिटर	थान	3500	3500
७९	कराइ	३ लिटर नन स्टिक	थान		3200
८०	कराइ	५ लिटर नन स्टिक	थान		4880
८१	पिताम्बरी	१०० ग्राम	प्याकेट		390
८२	प्लाष्टिक मिनी स्टुल		थान		350
८३	प्लाष्टिकको कुर्चि		थान		870
८४	फ्राइप्यान	ननस्टिक	थान		1500
८५	बेलना चौकी		थान		1500
८६	भिन्न तामा भएको जग	१ लिटर	थान		2000
८७	भुइ पुच्छने रुमाल		थान		150
८८	रबर पन्जा		जोर		220
८९	फ्लोवर क्लिनर	लाइजोल वा सो सरह ५०० एम एल	थान		650
९०	लाईटर	ग्याँस चुलो बाल्ने	थान	200	200
९१	लाईटर	साधारण	थान		25
९२	वाटर डिस्पेन्सर	तातो चिसो आउने इलेक्ट्रोनिक	थान	10500	10500
९३	स्टील उल(भाडा माइने झाली)		थान		63
९४	इलेक्ट्रिक जग	१.५ लिटर	थान	1800	1800
९५	gaskate	प्रेसर कुकरको	थान	130	130

फर्निचर जन्य सामग्रीहरू

क्र.स.	मालसामानको विवरण	स्पेशिफिकेशन	एकाई	आ.व.०८०/८१ को दररेट	आ.व.०८१/८२ को दररेट
१	हवाईट बोर्ड	4X 2 वर्ग फिट	थान	3000	3000
२	कुर्सी	हात भएको काठको	थान	5500	5500
३	कुर्सी	हात नभएको काठको	थान	5000	5000
४	कुर्सी	फोल्डिङ गर्न मिल्ने स्टिलको	थान		4000
५	Revolving Chair	साधारण	थान	8500	8500
६	Revolving Chair	Heavy	थान	22000	22000
७	Revolving Chair	Executive	थान		30000
८	Tea Table	2*5 sq feet	थान	12000	12000
९	Table	Executive	थान		40000
१०	Office Table	2.5X4 वर्ग फिट	थान	7000	9000
११	office table	३*५ वर्ग फिट	थान		16000
१२	Table	कम्प्युटर	थान	8000	8000
१३	Table	चार खुट्टा भएको 2.5*3 वर्ग फिटको	थान		8000
१४	दराज	Steel 20 Guage, 5 फिट उचाई भएको	थान	15000	16500
१५	दराज	Steel 20 Guage, 4.5 फिट उचाई भएको	थान	12500	12500
१६	दराज	Glass Door 20 Guage, ६ फिट उचाई भएको	थान	20500	20500
१७	File Cabinet	४ खण्ड	थान	16500	16500
१८	Rack	Open Steel	थान	7500	7500
१९	Rack	open wood फरमाइका जडान गरेको फिटिङ्ग समेत १८ एम एम को बोर्ड भएको	प्रति वर्ग फिट		1400
२०	डोर म्याट	अल्टिमेट वा सो सरह	प्रति वर्ग मिटर		2400
२१	डोर म्याट	साधारण 2X3	थान	950	950
२२	डोर म्याट	Fancy	थान		1200
२३	कार्पेट	फिटिङ सहित साधारण	वर्ग मिटर	30	30
२४	कार्पेट	फिटिङ सहित बुडेदार	वर्ग मिटर	100	100
२५	कार्पेट	फिटिङ सहित डिलक्स	वर्ग मिटर		150
२६	टाट/प्लास्टिक कार्पेट	फिटिङ सहित	वर्ग मिटर		85
२७	पर्दा	फिटिङ सहित साधारण	वर्ग मिटर	100	100
२८	पर्दा	फिटिङ सहित कटन	वर्ग मिटर	150	150
२९	पर्दा	फिटिङ सहित डिलक्स	वर्ग मिटर		235
३०	पर्दा	फिटिङ सहित भर्टिकल	वर्ग मिटर		280
३१	सोफा सेट	५ सिटर क्षमता रेक्विजन जडान गरीएको फिटिङ सहित	सेट	45000	45000
३२	चकटी कुसन	1"5*15"	थान	400	400
३३	पर्दाको डण्डी	इनामेल कोटेड	मिटर	100	100
३४	Flag Stand	5 feet wood's stand	थान		9000
३५	Plastic Chair on rent		थान	8	20
३६	साइन बोर्ड		प्रति वर्ग फिट		250
३७	उजुरी पेटिका	काठको	थान		950
३८	सूचना पाटी notice board.		प्रति वर्ग फिट		550
३९	भन्याड	आलमुनिमको नन फोल्डिङ १२ फिट	थान		10200
४०	भन्याड	आलमुनिमको नन फोल्डिङ १८ फिट	थान		13350
४१	भन्याड	आलमुनिमको नन फोल्डिङ २४ फिट	थान		20300
४२	भन्याड	आलमुनिमको नन फोल्डिङ ६ फिट	थान		6050
४३	भन्याड	आलमुनिमको फोल्डिङ १२ फिट	थान	18000	18000
४४	भन्याड	आलमुनिमको फोल्डिङ १८ फिट	थान	25000	25000
४५	भन्याड	आलमुनिमको फोल्डिङ २४ फिट	थान		40350
४६	भन्याड	काठको १२ फिट	थान		12000
४७	भन्याड	आलमुनिम डबल साईड ६ फिट	थान		14200
४८	भन्याड	आलमुनिम डबल साईड ८ फिट	थान		22800
४९	कोट हेंगर	काठको	थान		8000
५०	कोट हेंगर	स्टिलको	थान		3000
५१	इस्टुल	स्टिलको	थान		1100

५२	भाडा राख्ने रयाक	स्टिलको	थान		5000
५३	Visitor bench	3 seater	सेट		16000
५४	पर्दा सपोर्ट		थान		60
५५	ग्रिप पेच		थान		3
५६	फलामको बेड	सिंगल बेड	थान		7000
५७	Mattress	Single bed	थान		6500
५८	Mattress	Double bed	थान		18000
५९	काठको पलड	सिंगल बेड	थान		28000
६०	काठको पलड	डबल बेड	थान		42000
६१	लो बेड	सिंगल बेड	थान		6500
६२	लो बेड	डबल बेड	प्रति वर्ग फिट		500
६३	टेबुल सिसा	8 mm	प्रति थान	6500	6500
६४	Canvas Mirror (traffic)	18 Inch	प्रति थान	10000	10000
६५	Canvas Mirror (traffic)	24 Inch			



### विद्युतीय सामग्रीहरू

क्र.स.	मालसामानको विवरण	स्पेसिफिकेसन	एकाई	आ.व.०८०/८१ को दररेट	आ.व.०८१/८२ को दररेट
१	AC/DC Digital Clamp Meter	Data Hold Display :6000 counts LCD with double color backlight AC Current:4A/40A/400A/600A AC Voltage:4V/40V/400V/600V DC Voltage:400mV/4V/40V/400V/600V Resistance: 400Ω/4kΩ/40kΩ/400kΩ/4MΩ/40MΩ Capacitance:4nf/40nf/400nf/4μF/40μF/400μF/4mf Non-contact voltage detection, Diode test Data Hold Auto power off With backlight function With flash light function With lower battery indication function	प्रति थान		7200
२	Battery	AA	प्रति जोर	50	50
३	Battery	AAA	प्रति जोर	150	150
४	Tester	Voltage: AC 100-500V; Overall Size: 131 x 15mm /5.16 x 0.6 Inch(L*D)	प्रति थान		120
५	एक्सटेन्सन कर्ड	copper with surge protector having 6 port 4000 Watt (16A) Universal Authentic Extension Multiplug	प्रति थान		1500
६	पंखा	वाल	प्रति थान		4600
७	पंखा	Adjustable fan/stand fan	प्रति थान		6000
८	पावर सकेट	बक्स सहित १६ एम्पियर	प्रति थान		1500
९	पेचकस	सेट, 31 in 1 magnetic multifunction standard screw driver set	प्रति सेट		600
१०	होल्डर	Bulb Holder B22 to E27 pin to Screw	प्रति थान		80
११	फोकस लाइट		प्रति थान		2120
१२	फ्रिजको ग्याँस refill गरेको		प्रति थान		2000
१३	ए सी को ग्याँस refill गरेको	up to 1.5 ton	प्रति थान		5000
१४	ए सी को ग्याँस refill गरेको	2 ton	प्रति थान		6000
१५	Electric Kettle	stainless steel Electric kettle, 2 liter	थान		800
१६	केवल टाई	100 pcs/packet 2.5mm*150mm self-Locking Nylon wire Cable Zip Ties Cable Ties	थान		250
१७	क्ल्याम्पर	3 in 1 Heavy duty crimping tool and stripper	थान		730
१८	Flash/Touch Light	Rechargeable Led Flash/touch Light	थान		1400
१९	Plier	High Leverage Plier	थान		580
२०	Multimeter	Multimeter Voltage, Current, Resistance Tester Buzzer Lcd Backlight With Non Contact Buzzer	थान		1500




२१	Lux Meter	Measure in lux or foot-candles, with one button to switch between display options Measuring range up to 200,000 Lux or 20,000 foot candles Data hold to freeze reading on the digital display Min/max ability to show high and low readings Auto power off to save battery life Includes protective sensor cap	थान		4850
२२	Contractor	Heavy duty power contactor with silver alloy contacts - Volts 220 AC - 3 Pole - Copper coil heavy duty Contactor with silver alloy Wire Connector (32 Amps 3pole)   32 Amps 3pole	थान		4200
२३	ProgramableTimer Switch for Street Light   Prking lights   Glow Sign Boards	Digital ProgramableTimer switch provides user to set single ON - OFF time between 24 Hrs User friendly Keypad & LED display helps user to set ON OFF & Real timings from 00.00 to 23.59 Hrs. Timer works on single phase supply voltage 190VAc to 250VAc Timer is suitable for Output load capacity upto 32 Amps Auto/Manual mode operations available mainly usefull for street lights,parking lights,led glow sign boards,water motors & many more	थान		5500
२४	Street Light Timer Astronomical	Big LCD Display with backlight shows Date, Time, On Time, Off Time Simple and Easy To Understand Intutive Keys on the font panel Basement Mode enables user to advance On Time and prolong Off Time by 15 Min. This mode is specifically designed to address challenges of Low Light Areas like Starcases, Basement Parking etc Most Suuitable for Street Lights, Staircase/ Parking Lights On-Off, Hoarding Lights On-Off, Water Pump/ Sprinkler On-Off, load capacity upto 32 Ams	थान		9500
२५	25 sq mm 3 core ABC Cable	3 core, 25 sq mm	र.मि.		150
२६	Street light arms/stand, minimum 0.7 mtr long		set		700
२७	Installation of street light		set		600
२८	Day night sensor for auto on-off for street light and other light		Nos		925
२९	Bed switch		Nos		30
३०	Bulb cover umbrella		Pcs		450
३१	16 amp contractor 3/4p		Nos		1200
३२	Safety gloves		pair		600
३३	Pendent holder screw type		nos		35
३४	Pendent holder pin type		nos		35
३५	Metal body street light bulb cover		nos		950
३६	Plastic body street light bulb cover		nos		750
३७	Light number plate		nos		55
३८	22-30 watt printed circuit board (PCB) Osram, Philips or equivalent		set		4
					750

३९	40-50 watt printed circuit board (PCB) Osram, Philips or equivalent	set	1350
४०	100-120 watt printed circuit board (PCB) Osram, Philips or equivalent	set	1600
४१	20-30 watt high quality LED powered driver	set	1080
४२	40-50 watt high quality LED powered driver	set	1350
४३	100-120 watt high quality LED powered driver	set	1580
४४	Installation of street light (with minimal maintenance)	set	1500

व्यायम सम्बन्धी सामग्रीहरु





S.N.	Items	Specification	Unit	आ.व.०८०/८१ को दररेट	आ.व.०८१/८२ को दररेट
1	 Single rower	<ol style="list-style-type: none"> <li>Materials: Galvanized Mild steel pipes</li> <li>Dimension: 1320mmx990mmx1140mm</li> <li>Main frame pipe 114mm with thickness 3.5mm</li> <li>Handle frame 32mm and other frame 48mm pipe with thickness 3.5mm.</li> <li>Bearing holder 60mm pipe with thickness 4.5mm.</li> <li>Step shaft EN8.8 shaft of diameter 32mm used with step of 25mm.</li> <li>Mild steel seat, back seat and foot cover with 2mm thickness.</li> <li>Permanent lubricated sealed bearing of Japanese brand: Nachi for maintenance free usage.</li> <li>All open ends of pipe either sealed or closed by MS/LLDPE cap for user safety.</li> <li>Rubber handle cover with best grip.</li> <li>Paint: Electrostatic oven cooked Powder Coated Paint.</li> <li>Thickness of Base plate for fixing 8 mm with 4 ribs.</li> <li>Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod</li> </ol>	No.	62000	62000
2	 Air Walker	<ol style="list-style-type: none"> <li>Materials: Galvanized Mild steel pipes</li> <li>Dimension: 1320mmx440mmx1200mm</li> <li>Main frame pipe 114mm with thickness 3.5mm.</li> <li>Handle frame 32mm and other frame 48mm pipe with thickness 3.5mm. Bearing holder 60mm pipe with thickness 4.5mm.</li> <li>Step EN8.8 shaft of 32mm used with step of 25mm.</li> <li>Mild steel foot cover with thickness 2mm on frame.</li> <li>Permanent lubricated sealed bearing of Japanese brand: Nachi for maintenance free usage.</li> <li>All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety.</li> <li>Paint: Electrostatic oven cooked Powder Coated Paint.</li> <li>Thickness of Base plate for fixing 8 mm with 4 ribs.</li> </ol>	No.	61000	61000

*[Handwritten signature]*

		11. Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod			
3	Push and pull chair/Double Shoulder press	 <ol style="list-style-type: none"> <li>1. Materials: Galvanized Mild steel pipes</li> <li>2. Dimension: 2100mm x 710mm x 1870mm</li> <li>3. Main frame pipe 114mm with thickness 3.5mm.</li> <li>4. Handle frame 32mm and other frame 48mm pipe with thickness 3.5mm. Bearing holder 60mm pipe with thickness 4.5mm.</li> <li>5. Step EN8.8 shaft of 32mm used with step of 25mm.</li> <li>6. Mild steel seat and back seat with thickness 2mm on frame.</li> <li>7. Permanent lubricated sealed bearing of Japanese brand: Nachi for maintenance free usage.</li> <li>8. All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety.</li> <li>9. Rubber handle cover with best grip.</li> <li>10. Paint: Electrostatic oven cooked Powder Coated Paint..</li> <li>11. Thickness of Base plate for fixing 8 mm with 4 ribs.</li> <li>12. Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod</li> </ol>	No.	93000	93000
4	Double Elliptical trainer	 <ol style="list-style-type: none"> <li>1. Materials: Galvanized Mild steel pipes</li> <li>2. Dimension: 1265mm x 550mm x 1780mm</li> <li>3. Main frame pipe 114mm with thickness 3.5mm.</li> <li>4. Handle frame 32mm and other frame 48mm pipe with thickness 3.5mm. Bearing holder 60mm pipe with thickness 4.5mm.</li> <li>5. Step EN8.8 shaft of 32mm used with step of 25mm.</li> <li>6. Mild steel foot cover with thickness 2mm on frame.</li> <li>7. Permanent lubricated sealed bearing of Japanese brand: Nachi for maintenance free usage.</li> <li>8. All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety.</li> <li>9. Rubber handle cover with best grip.</li> <li>10. Paint: Electrostatic oven cooked Powder Coated Paint..</li> <li>11. Thickness of Base plate for fixing 8 mm with 4 ribs.</li> <li>12. Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod.</li> </ol>	No.	75500	75500
5	Air Swing/Double surf board	 <ol style="list-style-type: none"> <li>1. Materials: Galvanized Mild steel pipes</li> <li>2. Dimension: 1465mm x 932mm x 1348mm</li> <li>3. Main frame pipe 114mm with thickness 3.5mm.</li> <li>4. Handle frame 32mm and other frame 48mm pipe with thickness 3.5mm. Bearing holder 60mm pipe with thickness 4.5mm.</li> <li>5. Step EN8.8 shaft of 32mm used with step of 25mm.</li> <li>6. Mild steel foot cover with thickness 2mm on frame.</li> </ol>		72000	72000



*[Handwritten signature]*

*[Handwritten signature]*

		<p>7. Permanent lubricated sealed bearing of Japanese brand: Nachi for maintenance free usage.</p> <p>8. All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety.</p> <p>9. Rubber handle cover with best grip.</p> <p>10. Paint: Electrostatic oven cooked Powder Coated Paint..</p> <p>11. Thickness of Base plate for fixing 8 mm with 4 ribs.</p> <p>12. Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod.</p>	<p>No.</p>		
<p>6</p>	<p>Double Splits machine</p> 	<p>1. Materials: Galvanized Mild steel pipes</p> <p>2. Dimension:1000mmx850mmx1248mm</p> <p>3. Main frame pipe 114mm with thickness 3.5mm.</p> <p>4. Handle frame 32mm and other frame 48mm pipe with thickness 3.5mm. Bearing holder 60mm pipe with thickness 4.5mm.</p> <p>5. Step EN8.8 shaft of 32mm used with step of 25mm.</p> <p>6. Mild steel foot cover with thickness 2mm on frame.</p> <p>7. Permanent lubricated sealed bearing of Japanese brand: Nachi for maintenance free usage.</p> <p>8. All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety.</p> <p>9. Rubber handle cover with best grip.</p> <p>10. Paint: Electrostatic oven cooked Powder Coated Paint..</p> <p>11. Thickness of Base plate for fixing 8 mm with 4 ribs.</p> <p>12. Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod.</p>	<p>No.</p>	<p>72000</p>	<p>72000</p>
<p>7</p>	<p>Sit-Up-board single/abdominal fitness combo</p> 	<p>1. Materials: Galvanized Mild steel pipes</p> <p>2. Dimension:1700mmx1350mmx800mm</p> <p>3. Main frame pipe 114mm with thickness 3.5mm.</p> <p>4. Handle frame 32mm and other frame 48mm pipe with thickness 3mm.</p> <p>5. All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety.</p> <p>6. Paint: Paint: Electrostatic oven cooked Powder Coated Paint..</p> <p>7. Thickness of Base plate for fixing 8 mm with 4 ribs.</p> <p>8. Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod.</p>	<p>No.</p>	<p>42500</p>	<p>42500</p>
<p>8</p>	<p>Push Up bar, Leg lifter and Dip station</p> 	<p>1. Materials: Galvanized Mild steel pipes</p> <p>2. Dimension:1480mmx1680mmx2100mm</p> <p>3. Main frame pipe 114mm with thickness 3.5mm.</p> <p>4. Handle frame 32mm and other frame 48mm pipe with thickness 3.5mm. Bearing holder 60mm pipe with thickness 4.5mm.</p> <p>5. Step EN8.8 shaft of 32mm used with step of 25mm.</p> <p>6. Mild steel seat and back seat with thickness 2mm on frame.</p>		<p>75000</p>	<p>75000</p>

*[Handwritten signature]*






		<p>7. Permanent lubricated sealed bearing of Japanese brand: Nachi for maintenance free usage.</p> <p>8. All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety.</p> <p>9. Rubber handle cover with best grip.</p> <p>10. Paint: Electrostatic oven cooked Powder Coated Paint.</p> <p>11. Thickness of Base plate for fixing 8 mm with 4 ribs.</p> <p>12. Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod.</p>	No.		
9	Treadmill	 <p>1. Materials: Galvanized Mild steel pipes</p> <p>2. Dimension: 1200mmx750mmx1400mm</p> <p>3. Main frame rectangle pipe 80x40mm with thickness 3.5mm.</p> <p>4. Handle frame 32mm and other frame 48mm pipe with thickness 3.5mm. Bearing holder 60mm pipe with thickness 4.5mm.</p> <p>5. EN8.8 shaft of 16mm used with step of 15mm.</p> <p>6. Permanent lubricated sealed bearing of Japanese brand: Nachi for maintenance free usage.</p> <p>7. All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety.</p> <p>8. Paint: Electrostatic oven cooked Powder Coated Paint.</p> <p>9. Thickness of Base plate for fixing 8 mm with 4 ribs.</p> <p>10. 73 Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod</p>	No.	64500	64500
10	Thai Chi Spinner/Arm and shoulder wheel	 <p>1. Materials: Galvanized Mild steel pipes</p> <p>2. Dimension: 1370mmx890mmx1480mm</p> <p>3. Main frame pipe 114mm with thickness 3.5mm.</p> <p>4. Handle frame 32mm and other frame 48mm pipe with thickness 3.5mm. Bearing holder 60mm pipe with thickness 4.5mm.</p> <p>5. Step EN8.8 shaft of 32mm used with step of 25mm.</p> <p>6. Permanent lubricated sealed bearing of Japanese brand: Nachi for maintenance free usage.</p> <p>7. All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety.</p> <p>8. Rubber handle cover with best grip.</p> <p>9. Paint: Electrostatic oven cooked Powder Coated Paint.</p> <p>10. Thickness of Base plate for 8 mm.</p> <p>11. Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod.</p>	No.	64000	64000
11	Leg extension (Stepper) and fitness rider cycle	<p>1. Materials: Galvanized Mild steel pipes</p> <p>2. Dimension: 1700mmx550mmx1548mm</p> <p>3. Main frame pipe 114mm with thickness 3.5mm.</p> <p>4. Handle frame 32mm and other frame 48mm pipe with thickness 3.5mm. Bearing holder 60mm pipe with thickness 4.5mm.</p> <p>5. Step EN8.8 shaft of 32mm used with step of 25mm.</p>		65000	65000




*[Handwritten signature]*

*[Handwritten signature]*


*[Handwritten signature]*

	<ol style="list-style-type: none"> <li>Mild steel seat, foot cover and foot peddle with thickness 2mm on frame.</li> <li>Permanent lubricated sealed bearing of Japanese brand: Nachi for maintenance free usage.</li> <li>All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety.</li> <li>Paint: Electrostatic oven cooked Powder Coated Paint..</li> <li>Thickness of Base plate for fixing 8 mm with 4 ribs.</li> <li>Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod.</li> </ol>	<p>No.</p>			
<p>12 Horse Rider</p> 	<ol style="list-style-type: none"> <li>Materials: Galvanized Mild steel</li> <li>Dimension: 1000mmx700mmx1000mm</li> <li>Main frame pipe 114mm with thickness 3.5mm.</li> <li>Handle frame 32mm and other frame 48mm pipe with thickness 3.5mm. Mild steel Flat of 50x10mm used. Bearing holder 60mm pipe with thickness 4.5mm.</li> <li>Step EN8.8 shaft of 32mm used with step of 25mm.</li> <li>Mild steel seat with thickness 2mm on frame.</li> <li>Permanent lubricated sealed bearing of Japanese brand: Nachi for maintenance free usage.</li> <li>All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety.</li> <li>Nylon stopper 1 inch diameter</li> <li>Rubber handle cover with best grip.</li> <li>Paint: Electrostatic oven cooked Powder Coated Paint..</li> <li>Thickness of Base plate for fixing 8 mm with 4 ribs.</li> <li>Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod.</li> </ol>	<p>No.</p>		<p>65000</p>	<p>65000</p>
<p>13 Double cross walker, Skier</p> 	<ol style="list-style-type: none"> <li>Materials: Galvanized Mild steel</li> <li>Dimension: 1380mm x 570mm x 1620mm</li> <li>Main frame rectangle pipe 80X40mm with thickness 3.5mm.</li> <li>Handle frame 32mm and other frame 48mm pipe with thickness 3.5mm. Bearing holder 60mm pipe with thickness 4.5mm.</li> <li>Step EN8.8 shaft of 32mm used with step of 25mm.</li> <li>Mild steel foot cover with thickness 2mm on frame.</li> <li>Permanent lubricated sealed bearing of Japanese brand: Nachi for maintenance free usage.</li> <li>All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety.</li> <li>Rubber handle cover with best grip.</li> <li>Paint: Electrostatic oven cooked Powder Coated Paint.</li> <li>Thickness of Base plate for fixing 8 mm with 4 ribs.</li> <li>Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod.</li> </ol>	<p>No.</p>		<p>85500</p>	<p>85500</p>
<p>14 Triple Twister sitting and standing</p>	<ol style="list-style-type: none"> <li>Materials: Galvanized Mild steel pipes</li> <li>Dimension: 1680mmx1680mmx1348mm</li> </ol>			<p>75000</p>	<p>75000</p>

*[Handwritten signature]*

		<ol style="list-style-type: none"> <li>Main frame pipe 114mm with thickness 3.5mm.</li> <li>Handle frame 32mm and other frame 48mm pipe with thickness 3.5mm. Bearing holder 60mm pipe with thickness 4.5mm.</li> <li>Twister plate of mild steel thickness 10mm.</li> <li>Step EN8.8 shaft of 32mm used with step of 25mm.</li> <li>Mild steel seat with thickness 2mm on frame.</li> <li>Permanent lubricated sealed bearing of Japanese brand: Nachi for maintenance free usage.</li> <li>All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety.</li> <li>Paint: Electrostatic oven cooked Powder Coated Paint.</li> <li>Thickness of Base plate for fixing 8 mm with 4 ribs.</li> </ol> <p>Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod.</p>			
			No.		
15	Back Extension	<ol style="list-style-type: none"> <li>Materials: Galvanized Mild steel pipes</li> <li>Dimension: 1000mmx550mmx500mm</li> <li>Main frame rectangle pipe 80x40mm with thickness 3.5mm.</li> <li>Handle frame 32mm and other frame 48mm pipe with thickness 3.5mm.</li> <li>Mild steel seat and foot cover with thickness 2mm on frame.</li> <li>All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety.</li> <li>Rubber handle cover with best grip.</li> <li>Paint: Electrostatic oven cooked Powder Coated Paint.</li> <li>Thickness of Base plate for fixing 8 mm with 4 ribs.</li> </ol> <p>Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod.</p>			
			No.		
				57000	57000
16	Outdoor cycle	<ol style="list-style-type: none"> <li>Materials: Galvanized Mild steel pipes</li> <li>Dimension: 1050mmx548mmx1470mm</li> <li>Safe Play Area: 1.5 Meter x 1 Meter</li> <li>Main frame pipe 114mm with thickness 3.5mm.</li> <li>Handle frame 32mm and other frame 48mm pipe with thickness 3.5mm. Bearing holder 60mm pipe with thickness 4.5mm.</li> <li>Step EN8.8 shaft of 32mm used with step of 25mm.</li> <li>Mild steel seat and foot peddle with thickness 2mm on frame.</li> <li>Permanent lubricated sealed bearing of Japanese brand: Nachi for maintenance free usage.</li> <li>All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety.</li> <li>Rubber handle cover with best grip.</li> <li>Paint: Electrostatic oven cooked Powder Coated Paint.</li> <li>Thickness of Base plate for fixing 8 mm with 4 ribs.</li> </ol> <p>Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod.</p>			
			No.		
				53000	53000
17	Double Leg press	<ol style="list-style-type: none"> <li>Materials: Galvanized Mild steel pipe</li> <li>Dimension: 1700mmx380mmx1550mm</li> <li>Main frame pipe 114mm with thickness 3.5mm.</li> </ol>			
				66000	66000

		<p>4. Handle frame 32mm and other frame 48mm pipe with thickness 3.5mm. Bearing holder 60mm pipe with thickness 4.5mm.</p> <p>5. Step EN8.8 shaft of 32mm used with step of 25mm.</p> <p>6. Mild steel seat and back seat with thickness 2mm on frame.</p> <p>7. Permanent lubricated sealed bearing of Japanese brand: Nachi for maintenance free usage.</p> <p>8. All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety.</p> <p>9. Paint: Electrostatic oven cooked Powder Coated Paint.</p> <p>10. Thickness of Base plate for fixing 8 mm with 4 ribs.</p> <p>Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod.</p>	No.		
18	Weight lifter 	<p>1. Materials: Galvanized Mild steel pipes</p> <p>2. Dimension: 1625mmx448mmx2515mm</p> <p>3. Main frame pipe 114mm with thickness 3.5mm.</p> <p>4. Handle frame 32mm and other frame 48mm pipe with thickness 3.5mm.</p> <p>5. All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety.</p> <p>6. Paint: Electrostatic oven cooked Powder Coated Paint.</p> <p>7. Thickness of Base plate for fixing 8 mm with 4 ribs.</p> <p>Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod</p>	No.	65000	65000
19	Leg press, Air walker and Twister 	<p>1. Materials: Galvanized Mild steel pipes</p> <p>2. Dimension: 3200mmx500mmx1200mm</p> <p>3. Main frame pipe 114mm with thickness 3.5mm.</p> <p>4. Handle frame 32mm and other frame 48mm pipe with thickness 3.5mm. Bearing holder 60mm pipe with thickness 4.5mm.</p> <p>5. Twister plate of mild steel thickness 10mm.</p> <p>6. Step EN8.8 shaft of 32mm used with step of 25mm.</p> <p>7. Mild steel seat, back seat and foot cover with thickness 2mm on frame.</p> <p>8. Permanent lubricated sealed bearing of Japanese brand: Nachi for maintenance free usage.</p> <p>9. All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety.</p> <p>10. Paint: Electrostatic oven cooked Powder Coated Paint.</p> <p>11. Thickness of Base plate for fixing 8 mm with 4 ribs.</p> <p>Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod</p>	No.	13000	13000
20	Pull up, Dip station and leg lifter 	<p>1. Materials: Galvanized Mild steel pipe</p> <p>2. Dimension: 1.2mmx1mmx2100mm</p> <p>3. Main frame pipe 114mm with thickness 3.5mm.</p> <p>4. Handle frame 32mm pipe with thickness 3mm.</p> <p>5. All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety.</p> <p>6. Rubber handle cover with best grip.</p>	No.	66000	66000

		7. Paint: Electrostatic oven cooked Powder Coated Paint.		
		8. Thickness of Base plate for fixing 8 mm with 4 ribs.		
		Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod.		
21	Parallel bar workout	 <p>1. Materials: Galvanized Mild steel pipe 2. Dimension: 2580mmx800mmx1600mm Main frame pipe 114mm with thickness 3.5mm. 3. Handle frame 32mm pipe with thickness 3mm. 4. All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety. 5. Paint: Electrostatic oven cooked Powder Coated Paint. 6. Thickness of Base plate for fixing 8 mm with 4 ribs. Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod.</p>	No.	46000 46000
22	Jungle gym workout	<p>1. Materials: Galvanized Mild steel pipe 2. Dimension: 8500mmx1800mmx1800mm 3. Main frame pipe 114mm with thickness 3.5mm. 4. Handle frame 32mm pipe with thickness 3mm. 5. All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety. 6. Paint: Electrostatic oven cooked Powder Coated Paint. 7. Thickness of Base plate for fixing 8 mm with 4 ribs. Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod.</p>	No.	110000 110000

**बोटबिरुवा र उद्यान सामग्री**

क्र.स.	मालसामानको विवरण	स्पेशिफिकेसन	एकाई	आ.व.०८०/८१ को दररेट	आ.व.०८१/८२ को दररेट
१	Blade घाँस काट्ने मेसिनको	घाँस काट्ने	थान		3000
२	औषधी छर्ने पम्प	प्लाष्टिकको ५ लिटरको	प्रति थान		1800
३	औषधी छर्ने पम्प	प्लाष्टिकको ८ लिटरको	प्रति थान		2800
४	औषधी छर्ने पम्प	प्लाष्टिकको १० लिटरको	प्रति थान		3500
५	औषधी छर्ने पम्प	प्लाष्टिकको १६ लिटरको	प्रति थान		6500
६	औषधी छर्ने पम्प	अटोमेटिक १६ लिटरको चार्ज गर्ने वाला	प्रति थान		9900
७	औषधी छर्ने पम्प	अटोमेटिक १० लिटरको चार्ज गर्ने वाला	प्रति थान		6950
८	हजारी	10 Ltr. plastic	PC		560
९	हजारी	5 Ltr. plastic	PC		420
१०	मौपी गोला चार सहित		GHAAR		18000
११	COPPER OXYCHLORIDE		KG		1540
१२	सिकेचर	JAPANESE FOLCON वा सो सरह	PC		3800
१३	निमको पिना		KG		150
१४	मिपको तेल		100ML		190
१५	कोकोपिट		KG		120
१६	किंग पाम	२ फिट भन्दा माथि	प्रति बोट		1800
१७	न्याबिज पाम	२ फिट भन्दा माथि	प्रति बोट		1942
१८	स्नेक पाम	२ फिट भन्दा माथि	प्रति बोट		1440
१९	धुपी	४ फिटको	प्रति बोट		1456
२०	समी	५ फिटको	प्रति बोट		2500
२१	कप्पूर	५ फिटको	प्रति बोट		1800
२२	असारे	५ फिटको	प्रति बोट		1700
२३	असोका	५ फिटको	प्रति बोट		1900
२४	गुलाफ	२-३ फिटको	प्रति बोट		1560
२५	बेगमवेली बन्साई	२-३ फिटको	प्रति बोट		1000
२६	बेगमवेली	२-३ फिटको	प्रति बोट		647
२७	डाइफन भेसिया	२-३ फिटको	प्रति बोट		1040

२८	फिलोडेन्डण	२-३ फिटको	प्रति बोट	1600
२९	इन्डोर प्लान्ट	२-३ फिटको	प्रति बोट	1500
३०	चाइनिज मचेरा	२-३ फिटको	प्रति बोट	3000
३१	ड्रेसिना	२-३ फिटको	प्रति बोट	1420
३२	लाक्की बेम्बो	२-३ फिटको	प्रति बोट	1450
३३	भेरिकेटोर ड्रेसिना	२-३ फिटको	प्रति बोट	1500
३४	फिडल लिफ	२-३ फिटको	प्रति बोट	1600
३५	एलोनिमा	२-३ फिटको	प्रति बोट	1550
३६	जिजि प्लार	२-३ फिटको	प्रति बोट	1600
३७	सेप्लोरिया	२-३ फिटको	प्रति बोट	1460
३८	मिस लिली	२-३ फिटको	प्रति बोट	1540
३९	स्पाथि फेलम	१ फिटको	प्रति बोट	1800
४०	आँप	३ फिटको	प्रति बोट	960
४१	कागती	३ फिटको	प्रति बोट	800
४२	सुन्तला	३ फिटको	प्रति बोट	800
४३	मुन्तला	३ फिटको	प्रति बोट	800
४४	आरु बखडा	३ फिटको	प्रति बोट	800
४५	जापानीज हलुवावेद	३ फिटको	प्रति बोट	1000
४६	स्याउको बोट	३ फिटको	प्रति बोट	880
४७	ओखरको बोट	३ फिटको	प्रति बोट	950
४८	कागजी बदाम बोट	३ फिटको	प्रति बोट	1100
४९	आरुबखडाको बोट	३ फिटको	प्रति बोट	800
५०	लिचिको बोट	३ फिटको	प्रति बोट	950
५१	खुर्पानीको बोट	३ फिटको	प्रति बोट	900
५२	आरुको बोट	३ फिटको	प्रति बोट	960
५३	नास्यातीको बोट	३ फिटको	प्रति बोट	960
५४	अंगुरको बोट	३ फिटको	प्रति बोट	600
५५	जैतूनको बोट	३ फिटको	प्रति बोट	500
५६	पिकानटको बोट	३ फिटको	प्रति बोट	950
५७	निमको बोट	३ फिटको	प्रति बोट	800
५८	सिमेटको गमला	३० इन्चको ठूलो	थान	4000
५९	सिमेटको गमला	२४ इन्चको ठूलो	थान	2500
६०	सिमेटको गमला	२० इन्चको ठूलो	थान	2400
६१	माटोको गमला	१० इन्चको	थान	160
६२	माटोको गमला	१२ इन्चको	थान	280
६३	माटोको गमला	१४ इन्चको	थान	400
६४	माटोको गमला	१६ इन्चको	थान	640
६५	सेरामिकको गमला प्लेट सहित	१० इन्चको	थान	800
६६	सेरामिकको गमला प्लेट सहित	१२ इन्चको	थान	1500
६७	सेरामिकको गमला प्लेट सहित	१४ इन्चको	थान	1800
६८	सेरामिकको गमला प्लेट सहित	१६ इन्चको	थान	1850
६९	फाइबरको गमला प्लेट सहित	३० इन्चको ठूलो	थान	3800
७०	फाइबरको गमला प्लेट सहित	२४ इन्चको ठूलो	थान	3500
७१	फाइबरको गमला प्लेट सहित	१० इन्चको	थान	900
७२	फाइबरको गमला प्लेट सहित	१२ इन्चको	थान	1000
७३	फाइबरको गमला प्लेट सहित	१४ इन्चको	थान	1200
७४	फाइबरको गमला प्लेट सहित	१६ इन्चको	थान	1800
७५	फाइबरको गमला प्लेट सहित	२४ इन्चको	थान	2500
७६	फाइबरको गमला प्लेट सहित	३० इन्चको	थान	3500
७७	सयपत्री	६ इन्चको पोलिब्याग	प्रति बोट	50
७८	गोदावरी	६ इन्चको पोलिब्याग	प्रति बोट	200
७९	भ्यागुते फूल	६ इन्चको पोलिब्याग	प्रति बोट	50
८०	जिनिया	६ इन्चको पोलिब्याग	प्रति बोट	50
८१	भिन्का	६ इन्चको पोलिब्याग	प्रति बोट	80
८२	डालिया	६ इन्चको पोलिब्याग	प्रति बोट	120
८३	कोलियस	६ इन्चको पोलिब्याग	प्रति बोट	120
८४	कार्नेशन	६ इन्चको पोलिब्याग	प्रति बोट	120
८५	सयपत्री बोनान्जा	६ इन्चको पोलिब्याग	प्रति बोट	50
८६	जरबेरा	६ इन्चको पोलिब्याग	प्रति बोट	250
८७	पित्तुनिया डबल सिंगल	६ इन्चको पोलिब्याग	प्रति बोट	100
८८	असर्फी	६ इन्चको पोलिब्याग	प्रति बोट	80
८९	दियानथस	६ इन्चको पोलिब्याग	प्रति बोट	80
९०	पेन्जी	६ इन्चको पोलिब्याग	प्रति बोट	80
९१	बाग्मुखी	६ इन्चको पोलिब्याग	प्रति बोट	60
९२	सिनेरिया	६ इन्चको पोलिब्याग	प्रति बोट	50
९३	प्राईमरोज	६ इन्चको पोलिब्याग	प्रति बोट	50
९४	दालिया	६ इन्चको पोलिब्याग	प्रति बोट	50

९५	सिजनल फुल	६इन्चको पोलिब्याग	प्रति बोट		50
९६	डी ए पि मल		के जी		120
९७	युरिया मल		के जी		60
९८	पोटास मल		के जी		80
९९	चिनी मल		के जी		90
१००	हड्डी मल		के जी		90
१०१	खरानीको धूलो		के जी		10
१०२	पिटमस		के जी		10
१०३	बलौटे माटो		घन मि		250
१०४	हर्न मिल		के जी		200
१०५	फिसमिल		के जी		260
१०६	१ इन्च को लुलो पाइप बगैचामा पानी हाल्ने		रोल		3000
१०७	तार ब्रश		गोटा		161
१०८	६ फिट अग्लो १.५ इन्च मोटाई को बास को भाटा		गोटा		60
१०९	कृषि चुन		के जी		60
११०	कम्पोस्ट मल	प्याकेट	प्रति केजी		35
१११	भर्वा कम्पोस्ट मल		के जी		70
११२	माछाको दाना		के जी		290
११३	एल डी पोली		के जी		400
११४	नीलकाडा हेज	६ इन्चको पोलिब्याग	प्रति बोट		60
११५	हसिया	बिंड सहित	गोटा		675
११६	खुर्पा	बिंड सहित	गोटा		875
११७	कुटो	बिंड सहित	गोटा		600
११८	३ फिट सम्मको धूपीको बोट trimming गरि साईट सफा गर्ने		गोटा		50
११९	३-५ फिट सम्मको धूपीको बोट trimming गरि साईट सफा गर्ने		गोटा		125
१२०	५ फिट भन्दा ठुलो धूपीको बोट trimming गरि साईट सफा गर्ने		गोटा		350
१२१	हेज trimming गरि साईट सफा गर्ने		र मिटर		80
१२२	५ फिट सम्मको रुख साईज मिलायर trimming गरि साईट सफा गर्ने कार्य		गोटा		100
१२३	५-१०फिट सम्मको रुख साईज मिलायर trimming गरि साईट सफा गर्ने कार्य		गोटा		225
१२४	१० फिट भन्दा ठुलो रुख साईज मिलायर trimming गरि साईट सफा गर्ने कार्य		गोटा		500
१२५	टिगाई निकाल्ने र टेकु सम्म पुर्याउनेकार्य		प्रति गोटा		480

### निर्माण सम्बन्धी सामाग्रीहरू

क्र.स.	मालसामानको विवरण	स्पेशिफिकेसन	एकाई	आ.व.०८०/८१ को दररेट	आ.व.०८१/८२ को दररेट
1	Telia brick (2")	8"x8"	थान		115
2	Machine Cutting Stone (3")		sq.feet		310
3	Machine Cutting stone (4")		sq.feet		398
4	Sensor Mini Concealed Type (SNR-STL-51083)		set		13681
5	Urinal (Back inlet) with fixing Accessories, Size 385*325*635 mm (URS-WHT-13253N)		सेट		12274
6	४ इन्च बाक्लो इटा साइजको मेशिन कटिङ्ग ढुङ्गा (९ इन्च * ४ इन्च)		piece		106
7	३ इन्च बाक्लो इटा साइजको मेशिन कटिङ्ग ढुङ्गा (९ इन्च * ४ इन्च)		piece		88

8	Rectangular Interlock Pavers Multi Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 (NS Standard)		per sqm		2130
---	--	--	---------	--	------

वाद्य वादनका समाग्रीको विवरण

क्र.स.	मालसामानको विवरण	स्पेशिफिकेसन	एकाई	आ.व.०८०/८१ को दररेट	आ.व.०८१/८२ को दररेट
१	धिमै	काठको ठुलो	थान	18000	18000
२	धिमै	काठको मझौला	थान	14000	14000
३	धिमै	काठको सानो	थान	10000	10000
४	धिमै	पित्तलको ठुलो	थान	30000	30000
५	धिमै	पित्तलको मझौला	थान	25000	25000
६	धा:	ठुलो	थान	10000	10000
७	धा:	मझौला	थान	9000	9000
८	नायोखिं		थान	7000	7000
९	भुस्या:	ठुलो	थान	11000	11000
१०	भुस्या:	मझौला	थान	9000	9000
११	छुस्या:		थान	8000	8000
१२	खिं	ठुलो	थान	22000	22000
१३	खिं	मझौला	थान	18000	18000
१४	खिं	सानो	थान	16000	16000
१५	कोचाखिं		थान	12000	12000
१६	पछिमा	ठुलो	थान	21000	21000
१७	पछिमा	मझौला	थान	19000	19000
१८	मादल	ठुलो	थान	5000	5000
१९	मादल	मझौला	थान	4000	4000
२०	मादल	सानो	थान	3000	3000
२१	ता:	ठुलो	थान	10000	10000
२२	ता:	सानो	थान	7000	7000
२३	बबूचा जोडी		थान	5000	5000
२४	घौ	घण्टी	थान	5000	5000
२५	जोर नगरा	माटोको ठुलो	थान	18000	18000
२६	जोर नगरा	तामाको ठुलो	थान	30000	30000
२७	जोर नगरा	तामाको मझौला	थान	25000	25000
२८	कान्ता डबडब	धातुको	थान	12000	12000
२९	कान्ता डबडब	काठको	थान	8000	8000
३०	बाँसुरी	काठको (घोर)	थान	8000	8000
३१	बाँसुरी	काठको (माझवाल)	थान	6000	6000
३२	बाँसुरी	काठको (तीप)	थान	4000	4000
३३	बाँसुरी	प्लाष्टिकको D Scale	थान	1000	1000
३४	बाँसुरी	बाँसको ठुलो G Scale	थान	5000	5000
३५	बाँसुरी	बाँसको मध्यम D Scale	थान	3000	3000
३६	बाँसुरी	बाँसको सानो G Scale	थान	1500	1500
३७	बय्	काठको	थान	4000	4000
३८	चिम्टा झ्याली	नेवारी	जोर	15000	15000
३९	चक्का झ्याली	नेवारी	जोर	5000	5000
४०	पोंगा सेट	तामाको	थान	13000	13000
४१	पञ्चैबाजा सेट		थान	115000	115000
४२	सारङ्गी परम्परागत		थान	9000	9000
४३	सारङ्गी शास्त्रिय		थान	25000	25000
४४	सारङ्गी कलात्मक		थान	12000	12000
४५	द्वयांग्रो ठुलो		थान	9000	9000



४६	द्व्यांग्रो सानो		थान	7000	7000
४७	खैजडी		थान	4000	4000
४८	दः (६ कुने)		थान	8000	8000
४९	धोलक स्टण्डर्ड		थान	12000	12000
५०	धोलक नेवारी		थान	10000	10000
५१	मुर्चुङ्गा ठुलो		थान	800	800
५२	मुर्चुङ्गा मझौला		थान	600	600
५३	हार्मोनियम स्केल चेन्चर		थान	120000	120000
५४	हार्मोनियम बिणा १७		थान	42000	42000
५५	हार्मोनियम बिणा ५		थान	25000	25000
५६	तबला सेट	माटोको	थान	10000	10000
५७	तबला सेट	तामाको	थान	30000	30000
५८	तबला सेट	स्टिलको	थान	18000	18000
५९	मंजिरा		थान	2000	2000
६०	मुहालि		थान	13000	13000
६१	कर्ताल	काठको	थान	2500	2500

खेलकुद सम्बन्धी सामाग्रीहरु

क्र.स.	मालसामानको विवरण	स्पेशिफिकेसन	एकाई	आ.व.०८०/८१ को दररेट	आ.व.०८१/८२ को दररेट
१	भलिबल नेट	Standard Size	प्रति थान	3000	3000
२	भलिबल	५ नं.	प्रति थान	3000	3000
३	भलिबल पोल		प्रति थान		6400
४	भलिबल म्याट		प्रति थान		4550
५	फुटबल	५ नं.	प्रति थान	3500	3500
६	ब्याटमिन्टन च्याकेट	भेनस वा सरह राम्रोमा	प्रति थान	4000	4000
७	ब्याटमिन्टन जाली	भेनस वा सो सरह	प्रति थान	3500	3500
८	ब्याटमिन्टन कक	भेनस वा सो सरह	प्रति थान	100	100
९	ब्याटमिन्टन पोल		प्रति थान		3600
१०	क्यारमबोर्ड	मिडियम गोटी सहित	प्रति थान	5000	5000
११	T-Shirt Print भएको	साधारण	प्रति थान	250	395
१२	T-Shirt	Colour	प्रति थान	500	855
१३	चेस	गोटी सहित	प्रति थान		820
१४	चेस	गोटी मात्र	प्रति थान		170
१५	क्रिकेट बल		प्रति थान		565
१६	लुडो		प्रति थान		570
१७	क्यारमबोर्ड गोटी		प्रति थान		370
१८	Skipping Rope(स्किपिङ रोप)		प्रति थान		260
१९	क्रिकेट ब्याट		प्रति थान		1265
२०	क्रिकेट स्टम्प		प्रति थान		3600
२१	क्रिकेट हेलमेट		प्रति थान		2350
२२	क्रिकेट ग्लोव्स		प्रति थान		2500
२३	क्रिकेट प्याड		प्रति थान		3855
२४	क्रिकेट गार्ड		प्रति थान		490
२५	आर्म प्याड		प्रति थान		1210
२६	क्यारम बोर्ड	4*4 वर्ग फिटको	प्रति थान		4400
२७	क्यारमबोर्ड पाउडर		के जी		70
२८	टेबल टेनिस बल		प्रति थान		40
२९	टेबल टेनिस ब्याट		प्रति थान		1400
३०	टेबल टेनिस बोर्ड	9*5 वर्ग फिट	प्रति थान		56000
३१	टेबल टेनिस नेट		प्रति थान		2600
३२	कराते म्याट		प्रति थान		3155
३३	जर्सी	का.म.पा.को नाम र लोगो प्रिन्ट सहित	प्रति थान		3845

३४	बुट		प्रति थान	3520
३५	मोजा		प्रति थान	110
३६	क्याप	का.म.पा.को नाम र लोगो प्रिन्ट सहित	प्रति थान	655
३७	सिटी	डोरी सहित	प्रति थान	280
३८	फुटबल गोल पोष्ट		थान	11000
३९	फुटबल कोन		थान	2450
४०	फुटबल नेट		थान	3560
४१	बास्केट बल		थान	3055
४२	बास्केट बल नेट		थान	650
४३	किप्पर ग्लोभ्स		जोर	1120
४४	Chlorine		के जी	950
४५	फस्ट एड बक्स		थान	6600
४६	बक्सिड ग्लोभ्स		जोर	3455

कम्प्युटर तथा विद्युतीय सामग्रीहरू

क्र.स.	मालसामानको विवरण	स्पेशिफिकेसन	एकाई	आ.व.०८०/८१ को दररेट	आ.व.०८१/८२ को दररेट
1	Projector	DLP, XGA, 1024 x 768 pixels, 3500 Lumens or better, minimum one Year Warranty	प्रति थान		50000
2	Projector	DLP, WXGA, 1280 x 800 pixels, 4000 Lumens or better, minimum one Year Warranty	प्रति थान		58000
3	Projector Screen	120 " diagonal , 4:3 ratio	प्रति थान		9900
4	Antivirus	1 User	प्रति थान	1000	600
5	Antivirus	3 User	प्रति थान	1400	900
6	External Harddisk (SSD)	4 TB	प्रति थान		56000
7	External Harddisk (SSD)	2 TB	प्रति थान		28000
8	External Harddisk (SSD)	1 TB	प्रति थान		18000
9	External Harddisk (SSD)	512 GB	प्रति थान		12000
10	Internal hard Disk (SSD)	1 TB	प्रति थान		6500
11	Internal hard Disk (SSD)	512 GB	प्रति थान		3200
12	SSD M.2 SATA	2 TB	प्रति थान		19000
13	SSD M.2 SATA	1 TB	प्रति थान		11000
14	SSD M.2 SATA	512 GB	प्रति थान		6900
15	SSD M.2 SATA	256 GB	प्रति थान		4100
16	ATX Power supply	450W/500W	प्रति थान		6000
17	Computer Keyboard	English/Nepali, USB/PS2	प्रति थान	500	450
18	Laptop Keyboard	USB Wired Keyboard (English International Keyboard)	प्रति थान		1000
19	Wireless Keyboard	Wireless Keyboard (English International Keyboard)	प्रति थान		1500
20	Wireless Keyboard & Mouse (Combo Pack)		प्रति थान		2600
21	Computer Mouse Pad	साधारण	प्रति थान	200	80
22	Wireless Mouse	Wireless Support	प्रति थान		750
23	Computer Mouse	Optical USB/PS2	प्रति थान	400	200
24	RAM	4 GB DDR3	प्रति थान	2700	2400
25	RAM	4 GB DDR4	प्रति थान		3200
26	RAM	8 GB DDR3	प्रति थान	3500	3500
27	RAM	8 GB DDR4	प्रति थान		4500
28	RAM	16 GB DDR4	प्रति थान		8000
29	Laptop Charger	All Brand	प्रति थान	4000	2400
30	laptop battery	All Brand	प्रति थान	6000	4200
31	Laptop Cooler Pad	Compatible For 14" and 15.6 "	प्रति थान		1300
32	Laptop Screen	All Brand	प्रति थान		6000

33	Laptop Casing	All Brand	प्रति थान		2500
34	Printer Cable	1.5 meter, USB Type	प्रति थान	400	350
35	Power Cable	1.5 meter, For Computer/ Printer	प्रति थान	400	150
36	UPS	750 VA, 1 Year Warranty	प्रति थान	7500	7500
37	UPS	1250 VA, 1 Year Warranty	प्रति थान	12500	12500
38	Printer	Canon LBP 2900 वा सो सरह, 1 Year Warranty	प्रति थान	30000	29000
39	Printer	Canon LBP 3010 वा सो सरह, 1 Year Warranty	प्रति थान	40000	32000
40	3-in-1 Printer	Print/copy -20PPM or more , 128MB memory, Print/copy resolution- 600*600 or more, Scan resolution- 1200*1200 dpi, Flatbed scanner or better, cartridge included, support mac, windows 10,11 OS, Duplex Printing, USB and Network printing support. 1 Year Warranty.	प्रति थान		32000
41	Vacuum Cleaner	Type- Drum, 2000W, 20 liter (minimum)	प्रति थान		20000
42	Smart TV	55" 4K(3840 x 2160 pixels) Smart TV, 2 GB RAM, 16 GB ROM, Android 9 or better, 1* Ethernet, 2*USB, 1*HDMI (min), wall mount kit with basic required accessories. 1year warranty .	प्रति थान		75000
43	Trolley Speaker 8 "	Speaker Size 8 Inch, Sound Output: 30W Wireless Mic, Mic Input 1 Year Warranty, 6 Months on Battery	प्रति थान		11500
44	Trolley Speaker 12 "	Speaker Size 12 Inch, Sound Output: 40W Bluetooth, Mic Input, Rechargeable Battery, 2 wireless Mic, USB /TF input function, 1 Year Warranty, 6 Months on Battery	प्रति थान		17000
45	Trolley with Stand ( for LED SMART Board)	Minimum Holding Capacity - 100 KG Support to 65", 75" and 86"	प्रति थान		32000
46	Firewall Device	Interface- 1*USB Port, 1*1Gigabit WAN , 4 *1Gigabit LAN RJ45 interface or more, IPV4 Firewall Throughput- 4.5 Gbps or more, Concurrent connections / Sessions per sec - *400K or more concurrent connections. *34K or more sessions per second., IPsec VPN Throughput- 3.0 Gbps or more, Protocols- *The firewall should support SNMP protocols, static routes and dynamic routing protocols (OSPF, BGP), 1-year warranty on product.	प्रति थान		55000
47	Access Point (AP)	Dual Band Enterprise Access Point, 2 x 2 MU-MIMO packs a max transmit power of 25 dBm, 802.11a/b/g/n/ac Wave 2 or better, SSIDS supporting 128 concurrent users or more, 2.4 GHz 400 Mbps, 5 GHz 860 Mbps or better, Cloud and On-premises standalone AP management. 1 year Warranty.	प्रति थान		17000
48	Wifi Router	Dual band Router, Speed- 300 mbps or better, External antennas , WAN Port -1 , LAN Port -2 (min)	प्रति थान		2800
49	Card Reader Multimedia	Multicard reader, with min: 4 slots	प्रति थान		500
50	USB Hub	USB Ports: 4, Multiple USB3.0 interface, Data Transfer Rate: Upto 4Gbps	प्रति थान		800
51	USB C to Multi Port converter	8 in 1 hub, Ports -HDMI, ETHERNET, USB, SD CARD, Tf CARD & 2 Type-C.	प्रति थान		2500
52	VGA Cable	1 Meters	प्रति थान		350
53	VGA Cable	5 Meters	प्रति थान		1000

54	HDMI Cable	5 meter,HDMI Cable 4K High Speed for All HDMI Devices, Laptop, Computer, UHD TV, Monitor, Projector	प्रति थान	1200
55	HDMI Cable	10 Meters, HDMI Cable 4K High Speed for All HDMI Devices, Laptop, Computer, UHD TV, Monitor, Projector	प्रति थान	1800
56	Portable Speaker	For Computer and Laptop, 6W (minimum) total output with 2.0 channel USB plug. Frequency response of 20Hz-20KHz .	प्रति थान	1500
57	रिमोट	टेलिभिजन (universal)	प्रति थान	500
58	रिमोट	एयर कन्डिसनर (universal)	प्रति थान	1000
59	पावर बैंक	22.5 W, 10000 MAH capacity or better, battery-Li-polymer, Output-USB, Type C, Fast Charging- yes, Warranty-1 Year	प्रति थान	3000
60	मेमोरी कार्ड/SD Card	8 GB	प्रति थान	400
61	मेमोरी कार्ड/SD Card	16 GB	प्रति थान	700
62	मेमोरी कार्ड/SD Card	32 GB	प्रति थान	1000
63	मेमोरी कार्ड/SD Card	64 GB	प्रति थान	1700
64	64 GB Pendrive	Interface: USB 3.0, transfer speed of up to 100 MB/s ,USB Connector Type: Standard, Warranty: 1 year	प्रति थान	1600
65	32 GB Pendrive	Interface: USB 3.0, transfer speed of up to 100 MB/s ,USB Connector Type: Standard, Warranty: 1 year	प्रति थान	900
66	16 GB Pendrive	Interface: USB 3.0, transfer speed of up to 100 MB/s ,USB Connector Type: Standard, Warranty: 1 year	प्रति थान	700
67	8 GB Pendrive	Interface: USB 3.0, transfer speed of up to 100 MB/s ,USB Connector Type: Standard, Warranty: 1 year	प्रति थान	600
68	Telephone Wire	2 pair, 1 Roll (100m)	प्रति थान	1800
69	Telephone Wire	2 Pair , 10 meter	प्रति थान	600
70	Electric Room Heater	Halogen Heater, 3 rod, 1200W	प्रति थान	3600
71	Rj45 LAN Cable Tester	Network Cable Tester Rj45 Rj11 Rj12 Cat5 Utp Lan Cable Tester Networking Tool,Led indication	प्रति थान	1600
72	DSLR Camera Charger	For Canon/Nikon/Sony or similar	प्रति थान	2500
73	Headphone	Type: Closed Back Dynamic Overhead Headphones, noise-cancelling with microphone, long cables, volume controller, Warranty: 1 year or more	प्रति थान	9500
74	PDU extension	Metal body, 6 way, 15A	प्रति थान	4000
75	PDU extension	Metal body, 8 way, 15A	प्रति थान	6500
76	PDU extension (for Server Rack)	Metal body, 24 way, 25A	प्रति थान	25000
77	Extension Cord/ Multiplug	15 A or more , 5 plug or more heavy duty, Warranty 1 year or more	प्रति थान	1000
78	माइक्रो ओभन	23liter / 24 liter, Type-solo, Touch Key Pad, 1 Year Product Warranty	प्रति थान	21000
79	Rj-45 jack Connector	50 PCS Packed. Cat6 Ethernet cable Flat RJ45 Connector	प्रति थान	500
80	RJ-11 Jack Connector	25 PCS Pack.	प्रति थान	150

81	24 inch Monitor	Display Type: LED-backlit LCD monitor, Viewable Size: 23.8 inch or higher Aspect Ratio: 16:9 or higher Full HD (1080p) 1920 × 1080 at 75 Hz Brightness: 250 cd/m2 or higher, Connectivity: Interface 2 × HDMI, Audio line-out, Warranty: 1 year or more	प्रति थान	16000
----	-----------------	--	-----------	-------

### Medical General Equipment

S.n	Items	Specification	Unit	Rate for fiscal year 2081/82	Remarks
1	Adult MUAC tape	• Suitable for measuring adults middle upper arm circumference (56cm or more) • Material should be non-tear stretch-resistant plasticized paper or synthetic paper.	Pcs	45	
2	Artery Forcep	• Straight Artery forceps • Made up of stainless steel • Approx. 16 cm	Pcs	260	
3	Biomedical West Bin	As Per Detail Specification from DoHS (15 & 30 Ltrs set ) 15 Ltrs (3bin set) : 9000/ 30 Ltrs ( 3 bin set )	Pcs	15,000	
4	Cheatle forcep with Jar	• Cheatle forceps 10 Inch With Cheatle Jar • Made up of stainless steel.	Pcs	18,850	
5	Digital Thermometer	• Power Source: Battery • With LCD Display • Temperature in °C and °F • Should come with Safety Case • Auto Shut OFF	Pcs	400	
6	Disposable wooden tongue depressor	• Made up of wood with smooth texture • Tasteless and order less • Should come in pack of 100 pcs	Pcs	2	
7	Dressing Trolley	As Per Detail Specification from DoHS	Pcs	18,200	
8	Duck Speculum	• Made up of stainless steel • Size: 80*32mm, 90*37mm and 115*37mm	Pcs	850	
9	Examination Lamp	• Height approx.: 100cm with approx.. 75cm articulating arm. • Operating voltage: 220V-240V • Light Source: LED or incandescent bulb	Pcs	12,500	
10	Examination Table(Fixed Height)	As Per Detail Specification from DoHS	Pcs	11,100	
11	Fetoscope	• Made up of stainless steel or aluminium • Diameter 2 cm and length 30 cm	Pcs	200	
12	Flash light/Torch Light	• LED light • AA battery operated • Approx. 10 cm length	Pcs	400	
13	Foetal Heart Ultrasound Detector	As Per Detail Specification from DoHS	Pcs	35,000	
14	Foot step	• Double step • Made up of mild steel/ SS	Pcs	3,575	
15	Gauze Drum	• Stainless steel drum • Approx size: 5"*12"	Pcs	2,470	
16	Handheld Pulse Oximeter	As Per Detail Specification from DoHS	Pcs	45,000	
17	Ice Lined Refrigerator (ILR)110 ltr	As Per Detail Specification from DoHS	Pcs	500,000	
18	Kidney Tray	• Set of 4 stainless steel kidney tray • Size 6", 8", 10" and 12"	Pcs	200	
19	Knee Jerk hammer	• Should come with triangular rubber head and flat stainless-steel handle • Size: approx. 12"	Pcs	200	

20	Mackintosh Sheet	<ul style="list-style-type: none"> <li>• Made of High Quality Natural Rubber</li> <li>• Soft &amp; High quality Breaking &amp; Tearing Strength</li> <li>• Size: Approx. 36"*84"</li> </ul>	Pcs	165
21	Nebulizer	As Per Detail Specification from DoHS	Pcs	4,000
22	Needle Destroyer	As Per Detail Specification from DoHS	Pcs	3,500
23	Otoscope Set	As Per Detail Specification from DoHS	Pcs	2,800
24	Pillow With Cover	<ul style="list-style-type: none"> <li>• Waterproof pillow with cover</li> <li>• Approx. size: 16"*22"</li> </ul>	Pcs	550
25	Protoscope	<ul style="list-style-type: none"> <li>• Made up of stainless steel</li> <li>• Size: Medium</li> </ul>	Pcs	1,900
26	Scale Baby Weighing (100Gm-25 KG)	As Per Detail Specification from DoHS	Pcs	12,400
27	Scale with Height Measuring (Digital)	As Per Detail Specification from DoHS	Pcs	3,300
28	Scissors	<ul style="list-style-type: none"> <li>• Made up of Stainless steel</li> <li>• Size: 8" and 12"</li> </ul>	Pcs	455
29	Screen	<ul style="list-style-type: none"> <li>• Movable 3 fold folding screen</li> <li>• Size: approx. 8"*5'</li> <li>• Frame made of Stainless steel or high strength mild steel</li> </ul>	Pcs	7,300
30	Snellen's chart	<ul style="list-style-type: none"> <li>• SNELLEN eye chart for visual acuity and vision test.</li> <li>• Size: Approx. 23 x 35.5 cm</li> </ul>	Pcs	3,250
31	Speculum	<ul style="list-style-type: none"> <li>• Made up of stainless steel material</li> <li>• Size: Medium</li> </ul>	Pcs	595
32	Sphygmamometer (BP apparatus)	As Per Detail Specification from DoHS	Pcs	3,800
33	Stapler Remover	• Reusable stapler remover	Pcs	850
34	Sterile Dressing set	<ul style="list-style-type: none"> <li>• Standard Dressing set with <ul style="list-style-type: none"> <li>o Tooth forcep</li> <li>o Artery forcep</li> <li>o Suture cutting scissor</li> <li>o Needle holder</li> <li>o Kidney tray with wrapper and other items including covering bag</li> </ul> </li> </ul>	Set	2,000
35	Sterile Suture removal set	<ul style="list-style-type: none"> <li>• Standard suture removing set with <ul style="list-style-type: none"> <li>o Tooth forcep</li> <li>o Suture cutting scissors</li> <li>o Kidney tray with wrapper and other items including covering bag</li> </ul> </li> </ul>	Set	2,000
36	Sterile suture set	<ul style="list-style-type: none"> <li>• Stainless steel sterile suture set in covering bag including: <ul style="list-style-type: none"> <li>o Bowl- small-1pcs</li> <li>o Sponge holding forceps 8"-1pcs</li> <li>o Needle holder-6"- 1 pcs</li> <li>o Artery forceps, curved. 6"- 1 pcs</li> <li>o Allies Tissue Forceps, 6"- 1 pcs</li> <li>o Dissecting forceps, plain, 6"- 1pcs</li> <li>o Dissecting forceps, tooth, 6"- 1pcs</li> <li>o Suture cutting scissor-1 pcs</li> <li>o Instrument tray with cover of 10"*12"- 1 pcs</li> </ul> </li> </ul>	Set	2,800
37	Stethoscope	As Per Detail Specification from DoHS	Pcs	1,800
38	Stop watch /Timer	• Timer with LCD display	Pcs	750
39	Surgical drum	<ul style="list-style-type: none"> <li>• Stainless steel drum</li> <li>• Approx size: 15"*12"</li> </ul>	Pcs	5,900

40	Tape to measure fundal height	• 100 cm long	Pcs	270	
41	Tray with cover	• Stainless steel tray of approx. 20*25*2 CM	Pcs	845	
42	Tuning fork	• 256 Hz for for medical and hearing testing	Pcs	325	
43	Weighing And Height Scale infant (Pan Type) Electronic	As Per Detail Specification from DoHS	Pcs	12,350	

### Lab Equipment And Reagent

Sn	Items	Specification	Unit	Rate for fical year 2081/82	Remarks
1	Alkaline Phosphate Reagent	100 Tests/Box (ISO, CE/USFDA approved)	Box	5,000	(2*125 mL Pack size)
2	Bamboo stick	Length 6 cm 100/Pkt (ISO/ CE/USFDA approved)	Pkt	600	
3	Beaker (200, 500ml capacity)	Diameter 8 cm, Height 12 cm (ISO/ CE/USFDA approved)	Pcs	650	
4	Bilirubin Test Reagent	Plastic Brush with Metal Handle (ISO, CE/USFDA approved)	Box	5,242	(5*100 mL Pack size)
5	Binocular Microscope Compound	ISO, CE/USFDA approved)	Set	80,000	
6	Blood Grouping Test Kit	200 Tests/Box (ISO, CE/USFDA approved)	Ltr	1,100	
7	Centrifuge Desktop 8 tubes 10-15 ml	Carbon brush less, digital type. ISO, CE/USFDA approved)	Set	47,000	
8	Colorimeter	ISO, CE/USFDA approved)	Set	18,000	
9	Cover slip for microscopy	22mm*22mm 50/pack (ISO/ CE/USFDA approved)	pkt	3,500	
10	Creatinine Reagent	150 Tests/Box (ISO, CE/USFDA approved)	Pcs	2,912	(4* 100 mL Pack size)
11	CRP Reagent	100 Tests/Box (ISO, CE/USFDA approved)	Pcs	2,912	100 test pack size
12	Diluent Solution		Bottle	11,500	20 Ltr.bottle
13	Distilled water	Air proof cap with ph 7 (ISO/ CE/USFDA approved)	Ltr	46	
14	DLC Counter manual	ISO, CE/USFDA approved)	Pcs	2,500	
15	Drabkins Solution	1 Lit/Bottle (ISO, CE/USFDA approved)	Box	700	
16	Dried Blood Spot (DBS) card	3200 Watt Dryers (ISO/CE/USFDA approved)	Pcs	565	
17	Dropper	5 ml capacity (ISO, CE/USFDA approved)	Box	9	
18	EDTA Vail	5ml/Vial (ISO, CE/USFDA approved)	Pcs	9	
19	ESR Tube	Windrope Tube (ISO, CE/USFDA approved)	Box	700	
20	Glass slides	7.5cm*2.5 cm 1*50/pack (ISO/CE/USFDA approved)	pkt	130	
21	Glucose Test Reagent	1 Lit. (ISO, CE/USFDA approved)	Box	3,302	(1*1000 mL pack size)
22	Hand resting pad	hand cussion (ISO/ CE/USFDA approved)	Pcs	335	
23	HBSAg Kit	ISO, (CE/USFDA approved)	Pcs	35	
24	HCV Kit	ISO, (CE/USFDA approved)	Pcs	35	
25	Hematology Analyser,22 Parameter	3 part differential, ISO, CE or USFDA approved)	Pcs	650,000	
26	HIV Kit	ISO, CE/USFDA approved	Box	15,000	
27	Hot Air oven Small	Digital type, >30 ltr, ISO, CE/USFDA approved	Set	21,000	
28	HTI Enzymatic Cleaner		Bottle	18,500	1ltrs
29	HTI Lytic Reagent		Bottle	18,500	1ltrs
30	Lancet	1 mm pick size (ISO/CE/USFDA approved)	Pcs	4	
31	Lipid Profile (cholesterol, TG, HDL) Reagent:	100 Tests (ISO, CE/USFDA approved)			
	Cholesterol (4*250 mL) Packsize		Box	16,000	
	Triglycerides TG ( 5*100 mL) Packsize		Box	20,000	
	HDL (4* 60 mL) Packsize with Calibrator		Box	33,500	
32	Micropipette Set	ISO, CE/USFDA approved)	Pcs	7,500	
33	Micropipette stand(Holder)	6 pipette/Stand (ISO, CE/USFDA approved)	Box	2,100	
34	Neubauer Counting Chamber	ISO, CE/USFDA approved),	Pcs	2,100	
35	Pregnancy Test Kit	Strip in Box (ISO, CE/USFDA approved)	Box	19	
36	RA Factor Test Kit	100 Tests (ISO, CE/USFDA approved)	Box	26,000	

37	Rack ESR 5 Positions	ISO, CE/USFDA approved)	Pcs	350	
38	Reagent Bottle	50ml Plastic (ISO, CE/USFDA approved)	Pcs	205	
39	Refrigerator Cum Deep Freezer( double door)	Total 240L or more Capacity. Refrigerator >180 ltr, deep freezer>60 ltr, ISO, CE/USFDA approved)	Pcs	95,000	
40	Semi-Automated Biochemistry Analyzer	Semiautomatic biochemistry analyzer, ISO, CE or USFDA approved)	Pcs	200,000	
41	SGOT Reagent	500ml (ISO, CE/USFDA approved)	Box	8,927	4*125 mL Packsize
42	SGPT Reagent	500ml (ISO, CE/USFDA approved)	Box	8,927	4*125 mL Packsize
43	Sodium hypochloride	4%, W/V ( ISO/ CE/USFDA approved)	Ltr	250	
44	Spirit lamp	20-50 ml capacity (ISO/CE/USFDA approved)	Pcs	175	
45	Staining Rack	Fixed Metal Rod (ISO/CE/USFDA approved)	Pcs	205	
46	Test Tubes And Rack	12*75/12*100 (ISO, CE/USFDA approved)	Box	600	
47	Tips of different sizes (Small And Big)	Small 5-200 ul Large 100-1000 ul (ISO/CE/USFDA approved)	Pcs	2	
48	Tourniquet	Rubber (ISO/ CE/USFDA approved)	Pcs	55	
49	Tube Brush	Plastic Brush with Metal Handle (ISO, CE/USFDA approved)	Pcs	40	
50	Tube Roller Mixer	Speed range 20-100rpm;digital;7 rollers with 12 tubes capacity	Pcs	12,500	
51	Urea Reagent	150 Tests/Box (ISO, CE/USFDA approved)	Pcs	5,362	2*125 mL Packsize
52	Uric Acid Reagent	150 Tests/Box (ISO, CE/USFDA approved)	Box	12,887	5*100 mL Packsize
53	Urine and stool containers	Disposable bottle (ISO/CE/USFDA approved)	Pcs	5	
54	Uristics	100 Pieces/ Packet (ISO, CE/USFDA approved)	Box	185	
55	Vacutainers	5 ml capacity with good vacume (ISO/CE/USFDA approved)	Pcs	21	
56	VDRL Test Kit	50 Tests/Box (ISO, CE/USFDA approved)	Bottle	1,250	
57	Water bath	Digital water bath, capacity: >20 ltr, ISO, CE/USFDA approved)	Set	41,000	
58	WBC Diluting Fluid 500 ml	500 ml/Bottle (ISO, CE/USFDA approved)	Box	700	
59	Widal Test Kit	150 Tests/Box (ISO, CE/USFDA approved)	Box	600	
60	Wright Stain	250 ml/Bottle (ISO, CE/USFDA approved)	Pcs	575	
61	Virex II 256	5 LTR	Per Jar	7,500	
	Broad Spectrum Environmental Disinfectant	Composition			
		. Didecyl dimethyl ammonium chloride : 8.7%			
		. n-alkyl dimethyl benzyl ammonium chloride : 8.19%			
		. Lauryl amine amine oxide			
		. Ethylene diamine tetra acetic acid sodium salt			
		. Sodium bicarbonate			
		. Aldehyde free product			
		. Cleaner and disinfectant			
		. Appearance Blue Liquid			
		. pH 8.5-10.5			
		. Density 0.98-1.04 gm/cm3			
62	Feminine Sanitary Dustbin	21 liter	Per Piece	5,700	
		Features			
		. Made polypropylene in built pedal mechanism			
		. Discreet disposal of napkins			
		. Anti-microbial & non anti-microbial versions available			
		. Stackable in semi knock down			
		Colors -White & Grey Other colors can be made on MOQ			

**Diagnostic Equipment**

S.N.	Items	Specification	Unit	Rate for fical year 2081/82	Remarks
------	-------	---------------	------	-----------------------------	---------



1	LED View Box Sigle Flim	<ul style="list-style-type: none"> <li>o View box used for viewing the images of X-ray, CT/MRI at healthcare facilities.</li> <li>o LED backlit and shall have separate on/off function with separate rotary continuous adjustable brightness control at the bottom of panel for convenient operation.</li> <li>o Shall be able to hold one full large size CT/MR films at a time with film has maximum size of 43cmX 35cm.</li> <li>o Must submit ISO 9001 or ISO 13485 and CE or USFDA approved product certificate</li> </ul>	Pcs	10,500.00	
2	ECG Machine 3 Channel	<ul style="list-style-type: none"> <li>o Portable digital ECG machine must be able to acquire Simultaneous 3 channel ECG recording with 12 lead simultaneous acquisition with auto summary</li> <li>o Minimum 3.5 inch TFT Color LCD Display</li> <li>o Battery operation – Lithium Ion Battery - minimum 3 Hrs continuous work, with fully charged battery</li> <li>o Should have pacemaker detection facility</li> <li>o Should be supplied with all standard accessories</li> <li>o ISO13485 for Medical Devices with CE (93/42 EEC Directives) or USFDA approved product certificate</li> </ul>	Pcs	65,000.00	

#### Essential Medicines

S.N.	Particulars	Specifications	Qty	Rate for fiscal year 2081/82	Remarks
1	Acetylsalicylic acid (aspirin)	Tablet	75mg	1.03	
2	Adrenaline (epinephrine)	Injection	1mg in 1ml	20.5	
3	Albendazole	Chewable Tablet	400mg	8.62	
4	Albendazole	Suspension	200mg/5ml	18	
5	Aluminium hydroxide + Magnesium Hydroxide (antacid)	Tablet	250mg + 250mg	2.57	
6	Amitriptyline	Tablet	10mg	2.06	
7	Amitriptyline	Tablet	25mg	3.27	
8	Amlodipine	Tablet	5mg	4.31	
9	Amoxicillin	Oral Capsule	500mg	6.89	
10	Amoxicillin	Powder for oral suspension	125mg/5ml, 100 ml	77	
11	Amoxicillin	Dispersible Tablets	125mg	2.57	
12	Amoxicillin	Dispersible Tablets	250mg	4.31	
13	Ampicillin	Powder for IV/IM injection	250mg vial	39	
14	Ampicillin	Powder for IV/IM injection	500mg vial	45	
15	Atropine	Injection	0.6mg in 1ml ampoule	9.47	
16	Azithromycin	Tablets	250mg	17.24	
17	Azithromycin	Tablets	500mg	25.86	
18	Calamine	Lotion	15% w/v, 30ml	65	
19	Calcium gluconate	Injection	1gm per 10ml (100mg/ml of 10 ml )	43	
20	Carbamazepine	Tablets	100mg	1.72	
21	Carbamazepine	Tablets	200mg	2.41	
22	Cefixime	Tablet	400 mg	34.4	
23	Cefixime	Tablet	200mg	17.24	
24	Cefixime	Oral suspension	100mg/5ml (30ml)	103.44	
25	Ceftriaxoné	Powder for Injection	250mg/ vial	41.37	
26	Ceftriaxoné	Powder for Injection	500mg/vial	51.72	
27	Ceftriaxoné	Powder for Injection	1gm w/vial	77.57	
28	Cetirizine HCL	Tablet	10mg	2.57	
29	Cetirizine HCL	syrup	5mg/5ml (30ml)	43.1	
30	Charcoal, activated	Powder in sachet	10gm	47.4	

31	Chlorhexidine (CHX)	Solution	Solution, 0.2% oral 50ml	86.2
32	Chlorhexidine (CHX)	Ointment	4% .5gm	73.27
33	Chloroquine (CQ)	Tablet	150mg	3
34	Ciprofloxacin	Tablet	250mg	4.31
35	Ciprofloxacin	Tablets	500mg	6.89
36	Ciprofloxacin	Tablets	0.3%w/v, 5ml ,	25.86
37	Ciprofloxacin	Eye/Ear Drops	0.3%, 5g	12.93
38	Ciprofloxacin	Eye ointment	200mg/100ml	74
39	Ciprofloxacin	Injection	1%, 25g	25.86
40	Clotrimazole	skin cream	100mg	11.6
41	Clotrimazole	Vaginal Tablets	1%w/v ,15 ml	103.44
42	Clotrimazole	Mouth Paint	5ml	25.86
43	Clove Oil	Liquid	250mg	4.31
44	Cloxacillin	Capsules	500mg	8.62
45	Cloxacillin	Capsules	125mg/5ml in100ml	103.44
46	Cotrimoxazole (Sulphamethoxazole and Trimethoprim 5:1)	Powder for oral liquid	400 mg + 80mg	3.01
47	Cotrimoxazole (Sulphamethoxazole and Trimethoprim 5:1)	Tablets	800mg + 160mg	5.6
48	Cotrimoxazole (Sulphamethoxazole and Trimethoprim 5:1)	Tablets	200mg + 40mg/5ml, 50ml	51.72
49	Dexamethasone	syrup	4mg in 1ml ampoule	24.13
50	Dextrose (glucose)	Injection	5%,500ml	45.67
51	Dextrose (glucose)	Injection/soln	25% of 50ml Amp	35
52	Diazepam	Injection/soln	2ml amp (5mg/ml)	30.17
53	Diazepam	Injection	5mg	4.31
54	Diazepam	Tablet	50mg,	4.31
55	Diclofenac sodium	Tablet	3ml ampoule (25mg/ml)	25.86
56	Diclofenac sodium	Injection	100mg	4.31
57	Doxycycline	capsule	60mg elemental iron plus 400mcg folic acid	1.72
58	Ferrous sulphate and folic acid	Tablet	150mg	17.24
59	Fluconazole	Capsule	20mg	4.31
60	Fluoxetine	Capsule	5mg	1.72
61	Folic acid	Tablet	40mg	1.29
62	Furosemide	Tablet	40mg/ml in 2ml	17
63	Gentamicin	Injection	1% , 10 ml	17.06
64	Gentian Violet	Aqueous solution	1mg	4.31
65	Glimepiride	Tablets	2mg	6.89
66	Glimepiride	Tablets	100mg in vial	106.8
67	Hydrocortisone	Powder for injection	Inj 20mg/ml	28.44
68	Hyoscine butylbromide	Injection	10mg	12.93
69	Hyoscine butylbromide	Tablet	200mg	0.86
70	Ibuprofen	Tablets	400mg	1.72
71	Ibuprofen	Tablets	100mg/5ml	27.57
72	Ibuprofen	Syrup	2 % in vial,30 ml	43.1
73	Lignocaine hydrochloride	Injection	2% plus Adrenalin 1:10,000,30 ml	64.65
74	Lignocaine with adrenaline 1:10,000	Injection	25mg	3.44
75	Losartan	Tablets	50mg	6.03
76	Losartan	Tablets	500mg/ml in 2ml ampoule	43.1
77	Magnesium sulphate	Injection	500mg,	1.72
78	Metformin	Tablets	850 mg	3.01
79	Metformin	Tablets	1000mg	4.31
80	Metformin	Tablets	10mg	1.72
81	metoclopramide	Tablet	5mg/5ml (15ml)	34.48
82	metoclopramide	Solution	5mg/ml in 2ml ampoule	15.5
83	metoclopramide	Injection	200mg	1.72

84	Metronidazole	Tablets	400mg	3.01
85	Metronidazole	Oral liquid	200mg/5ml ,90 ml	43.1
86	Metronidazole	Injection	500mg/100ml	38.79
87	Mifepristone + Misoprostol	Tablet	combi pack includes 200mg + 4(200) mcg	537
88	Misoprostol	Tablet	200mcg	32.75
89	Neomycin skin	Ointment	2% w/w 10gm	47.41
90	Nifedipine	Tablet	10mg	2.5
91	Nitrofurantion	Tablet	100mg	6.03
92	Normal Saline (NS)	Solution	0.9% Infusion solution, 500ml	45.68
93	Oral Rehydration Salts (ORS)	Powder	WHO formula sachet/ltrs	8.62
94	Oxygen	Inhalation	Medicinal Gas	13000
95	Oxymetazoline	Nasal drop	0.025%: 10ml,	51.72
96	Oxymetazoline	Nasal drop	0.05% 10ml	64.65
97	Paracetamol	Injection	150mg/ml in 2ml ampoule	15.51
98	Paracetamol	Tablet	500mg	0.86
99	Paracetamol	Syrup	125mg/5ml,50ml	25.86
100	Permethrin	Lotion	1% 100 ml	103.44
101	Permethrin	Cream	5% w/v 30g	77.57
102	Pheniramine	Injection	22.75mg/ml 2ml	8.62
103	Phenobarbital	Tablet	30mg	2.57
104	Povidone iodine	Solution	5%w/v 500ml	215.5
105	Potassium Chloride	Injection	150mg/ml	34.47
106	Prednisolone	Tablets	5mg	2.15
107	Prednisolone	Tablets	10mg	3.87
108	Prednisolone	Tablets	20mg	7.32
109	Primaquine	Tablet	7.5mg	5
110	Pyridoxine	Tablet	10mg	1.72
111	Ranitidine	Tablet	150mg	2.57
112	Ranitidine	Injection	25mg/ml in 2ml ampoule	7.75
113	Ringer's Lactate (RL)	Solution	500ml	54.3
114	Risperidone	Tablets	1mg	2.37
115	Risperidone	Tablets	2mg	3.27
116	Salbutamol	Solution for nebulisation	1mg/ml of 15 ml	10.95
117	Salbutamol	Oral Liquid	2mg/5ml (60ml)	43.1
118	Salbutamol	MDI	100mcg	244.09
119	Silver sulfadiazine	Cream	0.2% w/v 15g	77.57
120	Tetanus Toxoid (TT)	Injection	0.5ml /dose	18.1
121	Tetracycline	Eye ointment	1%, 5g	34
122	Tinidazole	Tablet	500mg	4.31
123	Vitamin B complex	Tablet	Thiamine 10mg, riboflavin 10mg, pyridoxine 3mg, cyanocobalamin 15 mcg. (Therapeutic dose)	2.57
124	Zinc sulphate	Dispersible Tablets	10mg	2.57
125	Zinc sulphate	Dispersible Tablets	20mg	4.31

#### Physiotherapy Equipment

S.N	Item name	Specification	Unit	Rate for fiscal year 2081/82	Remarks
1	Traction Bed with traction unit	ISO ,CE and USFDA	PCS	205000.00	
2	Muscle Stimulator Electrical		PCS	55000.00	
3	Goniometer(180 degree) Steel	ISO ,CE and USFDA	Set	1200.00	
4	Cycle Exerciser Static	ISO, CE and USFDA	PCS	48000.00	

5	Ultrasound Therapy Unit (double head) (with trolley and probe holder)	ISO, CE and USFDA	PCS	110000.00	
6	Wheel chair	ISO	PCS	13000.00	Non vatable
7	Ball Medicine Set	ISO	PCS	24000.00	
8	IFT(Interferential Therapy)	ISO	PCS	130250.00	
9	Hydrocollator (Moist Heat Therapy) Unit	ISO	PCS	60000.00	
10	TENS(Transcutaneous Electrical Nerve Stimulator)	ISO	PCS	75000.00	
11	Finger Ladder	ISO	PCS	12000.00	
12	T Pulley	ISO	PCS	4000.00	
13	Dumbell (0.5/1/1.5)	ISO	Set	20000.00	
14	Resistance Band (Theraband)	ISO	Set	10000.00	
15	Physio Ball (Gym Ball)	ISO	PCS	5800.00	
16	Weight Cuff (0.5/1/1.5)	ISO	Set	7000.00	
17	Z Trolley	ISO	PCS	12000.00	
18	Manual Bed with Mattress	ISO	PCS	20000.00	
19	Ultrasound Jel 100 ml/250ml	ISO	Bottle	250/500.00	
20	Micropore Tape - 1 Inch	ISO	PCS	3800.00	
21	Hand Gripper	ISO	PCS	2880.00	
22	Quadriceps table	ISO	PCS	45000.00	
23	Shoulder Wheel	ISO	PCS	18000.00	
24	Balance Board/Webble board	ISO	PCS	12000.00	
25	Parallel Bar with mirror	ISO	PCS	32000.00	
26	Foot Stepper	ISO	PCS	4200.00	

हार्डवेयर सम्बन्धी मालसामानहरू

क्र.स.	मालसामानको विवरण	स्पेशिफिकेसन	एकाई	आ.व.०८०/८१ को दररेट	आ.व.०८१/८२ को दररेट
१	अन्तराप	६ ईञ्च	प्रति थान	700	700
२	अन्तराप	८ ईञ्च	प्रति थान	1000	1000
३	अन्तराप	१२ ईञ्च	प्रति थान	1400	1400
४	हतौडा	बिड सहित ५०० ग्रामको	प्रति थान	1300	1300
५	हतौडा	हेमि बिड सहित एक केजीको	प्रति थान	2000	2000
६	पेच कस (Screw Driver)	माईनस प्लस भएको ८ ईञ्चको	प्रति थान	500	500
७	पेन्चिस /पिलास(Pliers)	६ ईञ्च	प्रति थान	950	950
८	पेन्चिस /पिलास(Pliers)	८ ईञ्च	प्रति थान	1250	1250
९	ड्रिल मेसिन	१० एम एम	प्रति थान	8500	8500
१०	ड्रिल मेसिन	१३ एम एम	प्रति थान	12500	12500
११	पाईप	नाइलन	प्रति रोल	3000	3000
१२	लक	टेबल घर्को तुलो	प्रति थान	250	250
१३	लक	टेबल घर्को सानो	प्रति थान	150	150
१४	एडजस्टेबल रेन्च (Wrench)	सानो ८"/ २०० एम एम	प्रति थान	800	800
१५	ब्लेड	ढलान काट्ने	प्रति थान	1500	1500
१६	ब्लेड	घाँस काट्ने (१ सेट बराबर २ पिस)	प्रति थान	3000	300
१७	पञ्जा	छालाको बाक्लो	प्रति जोडी	800	800
१८	हेलमेट	राम्रो खालको (काम गर्दा लगाउने)	प्रति थान	950	950

१९	डोरी	पिड	प्रति रोल	8500	8500
२०	डोरी	नाइलन	प्रति के.जी.	525	525
२१	डोरी	जुटको	प्रति के.जी.	950	950
२२	डोरी	सुत्लीको	प्रति मुठा	150	150
२३	पानी ट्याङ्की	हिलटेक वा सो सरह	प्रति लिटर	14	14
२४	तारपिन तेल		प्रति लिटर	300	300

बाँरुण यन्त्र जन्य सामग्रीको दररेट

सि.नं.	मालसामानको विवरण	स्पेशिफिकेशन	एकाई	रकम सीमा	आ.व.०८१/८२ को दररेट
1	Fire Extinguisher Refilling (DCP Type)	2 kg capacity, monoammonium Phosphate chemical	प्रति थान	chemical 4 years/ cylinder10 years	1300
2	Fire Extinguisher Refilling (DCP Type)	4 kg capacity, monoammonium Phosphate chemical	प्रति थान	chemical 4 years/ cylinder10 years	2050
3	Fire Extinguisher Refilling (DCP Type)	5 kg capacity, monoammonium Phosphate chemical	प्रति थान	chemical 4 years/ cylinder10 years	2450
4	Fire Extinguisher Refilling (DCP Type)	6 kg capacity, monoammonium Phosphate chemical	प्रति थान	chemical 4 years/ cylinder10 years	2850
5	Fire Extinguisher Refilling (DCP Type)	9 kg capacity, monoammonium Phosphate chemical	प्रति थान	chemical 4 years/ cylinder10 years	3500
6	Fire Extinguisher Refilling (DCP Type)	25 kg capacity, monoammonium Phosphate chemical	प्रति थान	chemical 4 years/ cylinder10 years	8505
7	Fire Extinguisher Refilling (DCP Type)	50 kg capacity, monoammonium Phosphate chemical	प्रति थान	chemical 4 years/ cylinder10 years	18000
8	Fire Extinguisher Refilling (Foam Type)	9 ltr Capacity, Aluminium Sulphate and Sodium bicarbonate chemical	प्रति थान	chemical 4 years/ cylinder10 years	2400
9	Fire Extinguisher Refilling (CO2 Type)	2 kg capacity, carbondioxide chemical	प्रति थान	chemical 4 years/ cylinder10 years	3500
10	Fire Extinguisher Refilling (CO2 Type)	4.5kg capacity, carbondioxide chemical	प्रति थान	chemical 4 years/ cylinder10 years	5050
11	Fire Extinguisher Refilling (CO2 Type)	9 kg capacity, carbondioxide chemical	प्रति थान	chemical 4 years/ cylinder10 years	9500
12	Fire Extinguisher New Tank (DCPType)	2 kg capacity, carbondioxide chemical	प्रति थान	chemical 4 years/ cylinder10 years	2950
13	Fire Extinguisher New Tank (DCPType)	4 kg capacity, carbondioxide chemical	प्रति थान	chemical 4 years/ cylinder10 years	4000
14	Fire Extinguisher New Tank (DCPType)	5 kg capacity, carbondioxide chemical	प्रति थान	chemical 4 years/ cylinder10 years	
15	Fire Extinguisher New Tank (DCPType)	6 kg capacity, carbondioxide chemical	प्रति थान	chemical 4 years/ cylinder10 years	4500
16	Fire Extinguisher New Tank (DCPType)	9 kg capacity, carbondioxide chemical	प्रति थान	chemical 4 years/ cylinder10 years	4900
17	Fire Extinguisher New Tank (DCPType)	25 kg capacity, carbondioxide chemical	प्रति थान	chemical 4 years/ cylinder10 years	22500
18	Fire Extinguisher New Tank (DCPType)	50 kg capacity, carbondioxide chemical	प्रति थान	chemical 4 years/ cylinder10 years	55000
19	Fire Extinguisher New Tank (Foam Type)	9 ltr	प्रति थान		5500

20	Fire Extinguisher New Tank (CO2 Type)	2 kg capacity, carbondioxide chemical	प्रति थान	9500
21	Fire Extinguisher New Tank (CO2 Type)	4 kg capacity, carbondioxide chemical	प्रति थान	14500
	Fire Extinguisher New Tank (CO2 Type)	9 kg capacity, carbondioxide chemical	प्रति थान	27500
22	Fire Blanket	2 by 2 meter, Glass Fiber Fabric and Fire retardent film	प्रति थान	8500
28	Smoke Detector Sensor		प्रति थान	3800
29	Digital Fire Alarm control pannel		प्रति थान	165000
31	Fire Helmet		प्रति थान	15500
33	Head torch		प्रति थान	1800
34	shovel		प्रति थान	800
35	Axe with Rubber Grips		प्रति थान	1200
40	Fireman Boot		प्रति थान	16500
41	Fireman Shuit		प्रति थान	225000
45	Fireman Gloves		प्रति थान	8500
55	Hydrulic Bolt Cutter		प्रति थान	15900

**सम्पदा सम्बन्धी सामाग्रीहरु**

S.No.	Description	Specifications	Unit	Rate for fical year 2081/82	Remarks
१	Stone sprout ( Hiti Manga) : Constructions and fitting off carved hiti manga in black/grey stone (5' length, 9" breadth and 9" height) all complete		no.	250000	
२	Constructions and fitting of carved Hiti Manga of 4' length and section size less than 9" as per instruction of site engineer.		no.	200000	
३	ढुङ्गाको मूर्ति (९",१६")		no.	89050	
४	Supplying and fixing precast brick butta carved butta works in fence column (10"*2'-6") in perfect plumb lines and level including raking the joints and cleaning the surface all complete as per design and drawings.		no.	50,000	
५	Supplying and fixing brick butta carved butta works in gate column (1'-7"*4'-5") in perfect plumb lines and level including raking the joints and cleaning the surface all complete as per design and drawings.		no.	60,000	
६	पोखरीमा प्रयोग गर्ने गठ्ठा माटो		प्रती क्यू.मि.	2,539	

**कलाकारहरुको दररेट**

कलाकारहरु	आर्थिक वर्ष २०८१/०८२ को लागि प्रति कार्यक्रम प्रस्तावित दररेट	कैफियत
-----------	---	--------

20

१	स्थानीय कलाकार	रु. ३०००	गायन, नृत्य तथा वाद्यवादनमा उपत्यका भित्र मात्र आफ्नो कलाकारिता प्रस्तुत गर्नेहरु
२	राष्ट्रिय कलाकार	रु. ५०००	गायन, नृत्य तथा वाद्यवादनमा राष्ट्रिय स्तरमा उपत्यका बाहिर पनि आफ्नो कलाकारिता प्रस्तुत गरिसकेकाहरु
३	अन्तर्राष्ट्रिय कलाकार	रु. ८०००	गायन, नृत्य तथा वाद्यवादनमा अन्तर्राष्ट्रिय स्तरमा विभिन्न देशमा आफ्नो कलाकारिता प्रस्तुत गरिसकेकाहरु
४	विशिष्ट कलाकार		अधिकारले तोके बमोजिम
५	Tourist Guide (Professional)	५०००	प्रति दिन
६	Tourist Guide	३०००	प्रति दिन

**सामाजिक संघ संस्थाबाट कार्य गर्दा लिइने सेवा र सामग्रीको दररेट**

सि.नं.	खर्च विवरण	एकाई	आ.व.०८०/८१ को दररेट	आ.व.०८१/८२ को दररेट
१	प्रशिक्षण भत्ता कार्यपत्र सहित (वाह्य प्रशिक्षक)	प्रति सेसन	३,४००	३,४००
२	प्रशिक्षण भत्ता (आन्तरिक प्रशिक्षक)	प्रति सेसन	१,६००	१,६००
३	सम्बन्धित विषयका विज्ञ प्रशिक्षकलाई प्रमुख प्रशासकीय अधिकृतबाट स्वीकृत गराई	प्रति सेसन	६,०००	६,०००
४	यातायात खर्च (सार्वजनिक पदमा रही सवारी साधन पाउने बाहेक अनिवार्य नगरिएको अवस्था हेरी दिन सकिने, कर कट्टा गर्नु नपर्ने)	प्रति दिन	१,०००	१,०००
५	कार्यक्रम संयोजक १ जनालाई मात्र भुक्तानी हुने : (७ दिन सम्मको अवधिको कार्यक्रमको लागि)	प्रति दिन	१,०००	१,०००
६	कार्यक्रम संयोजक १ जनालाई मात्र भुक्तानी हुने : (७ दिन भन्दा बढी अवधिको कार्यक्रमको लागि)	प्रति दिन	५००	५००
७	कार्यक्रम सहयोगी	प्रति दिन	५००	५००
८	सहभागी यातायात खर्च	प्रति दिन	२००	२००
९	अपाङ्गता/अशक्त व्यक्तिहरूका लागि यातायात खर्च	प्रति दिन	५००	५००
१०	अपाङ्गता/अशक्त व्यक्तिहरूका सहयोगीहरूलाई यातायात खर्च		२००	२००
११	चिया तथा खाजा/पानी	प्रतिदिन/प्रतिव्यक्ति	३००	३००
१२	खाना	प्रतिदिन/प्रतिव्यक्ति	५००	५००
१३	सरसफाई खर्च	प्रति कार्यक्रम (३ दिन सम्मको)	१,०००	१,०००
१४	सरसफाई खर्च	प्रति कार्यक्रम (३ दिन भन्दा बढी जति दिन भए पनि प्रतिदिन थप)	३००	३००
१५	सहभागी स्टेशनरी	प्रति सहभागी	१५०	१५०
१६	कार्यक्रम उद्घाटन/समापन	प्रति कार्यक्रम/तालिम	३,०००	३,०००
१७	प्रस्ताव लेखन	प्रति कार्यक्रम/तालिम	२,५००	२,५००
१८	प्रतिवेदन लेखन १ दिनको लागि	प्रति कार्यक्रम/तालिम	१,५००	१,५००
१९	प्रतिवेदन लेखन १ हप्ता सम्मको लागि	प्रति कार्यक्रम/तालिम	२,५००	२,५००
२०	प्रतिवेदन लेखन १ हप्ता भन्दा बढी अवधि सम्मको लागि	प्रति कार्यक्रम/तालिम	३,०००	३,०००
२०	कार्यक्रमको व्यापार	प्रति कार्यक्रम/तालिम	१,०००	१,०००
२१	कार्यक्रम/तालिमको बैठक भत्ता (पूर्वतयारी छलफल/मध्य पृष्ठपोषण/सम्पन्न तालिम समीक्षा समेत), अनुगमन/निरीक्षण	प्रतिबैठक/प्रतिव्यक्ति	१,२००	१,२००
२२	प्रमाणपत्र छापाई	प्रति प्रमाणपत्र	२००	२००
२६	विभिन्न शैक्षिक संस्थाहरूबाट इन्टरनेसिप तथा ओजेटी गर्न आउनेहरूलाई विभागको सिफारिसमा हाजिर भएको दिनको यातायात तथा खाजा खर्च बापत	दैनिक	३००	५००

20

आयुर्वेदिक औषधीहर

S.N.	Medicine Name	Specification	Unit	Rate for fical year 2081/82
1	Avipattikar churna	100gm,ph	Per Piece	208
2	Hingwastak churna	100gm,ph	Per Piece	265
3	Mahanarayan oil	60 ml,ph	Per Piece	174
4	Sitopaladi churna	100gm,ph	Per Piece	239
5	Pushyanug Churna	100gm,ph	Per Piece	252
6	Mrigamadasav	15 ml.,ph	Per Piece	87
7	Nimbadi churna	100gm,ph	Per Piece	247
8	Gandhak rasayan	10gm,ph	Per Piece	152
9	Khadiradi vati	10gm,ph	Per Piece	104
10	Yograj guggulu	25gm,ph	Per Piece	217
11	Jatyadi Tail	60 ml,ph	Per Piece	230
12	Kaishoor guggulu	25gm,ph	Per Piece	213
13	Chandraprabha vati	25gm,ph	Per Piece	226
14	Triphala churna	100gm,ph	Per Piece	128
15	Ashwagandha churna	100gm,ph	Per Piece	330
16	Bilwadi Churna	100gm,ph	Per Piece	239
17	Mahayograj Guggul	10 gm,ph	Per Piece	265
18	Jwano Churna	100gm,ph	Per Piece	191
19	Dashmool Tail	50ml,ph	Per Piece	304
20	Amalki Churna	100gm,ph	Per Piece	213
21	Shatavari Churna	100gm,ph	Per Piece	334
22	Lawan Bhaskar Churna	60gm,ph	Per Piece	113
23	Balamrit	100ml,ph	Per Piece	121
24	Shadvindu Tail	15ml,ph	Per Piece	76
25	Mahashankha Vati	10gm,ph	Per Piece	117
26	Laxmibilash Ras	10gm,ph	Per Piece	217
27	Arshakuthar Ras	10gm,ph	Per Piece	152
28	Ishabgol Powder	100gm,ph	Per Piece	147
29	Ichchhavedi Ras	10gm,ph	Per Piece	82
30	Arshoghni Vati	10gm,ph	Per Piece	152
31	Arogyabardhini Vati	10gm,ph	Per Piece	134
32	Shilajit Gold	10cap,ph	Per Piece	348
33	Shilajit Paste	25gm,ph	Per Piece	356
34	Bolbaddha Ras	10gm,ph	Per Piece	134
35	Bramhi Vati	10gm,ph	Per Piece	213
36	Lohasava	450ml,ph	Per Piece	243
37	Kumaryasav	450ml,ph	Per Piece	239
38	Rohitakyadi Churna	50gm,ph	Per Piece	139
39	Panchasakar Churna	50gm,ph	Per Piece	87
40	Ashokarista	450ml,ph	Per Piece	191
41	Dashmularista	450ml,ph	Per Piece	234
42	Khadirarista	450ml,ph	Per Piece	239
43	Abhayarista	450ml,ph	Per Piece	243
44	Kutajarista	450ml,ph	Per Piece	239
45	Chyawanprash Abaleha	500gm,ph	Per Piece	304
46	Sarpagandhaghan Vati	25gm,ph	Per Piece	221
47	Mahasudarshan Churna	100gm,ph	Per Piece	252
48	Tankan Bhasma	10gm,ph	Per Piece	113



परामर्श सेवाको दररेट

A.	Salary of Personnel	<del>Proposed</del> Basic Salary of Govt. Officials (Rs) for fical year 2081/82	Maximum Grade	Rate of Increment per year (Rs)	Total average Salary (Rs)	Social Cost (40%) (Rs)	Total (Rs)	Remarks
1a	Team Leader (Greater than or equals to 7 years experience)	56,787.00	7	1,893.00	70,038.00	28,015.20	98,053.20	Monthly basic salary is taken equivalent to basic salary Rs. 56787.00 of gazetted 1st class government officer combined with 7 years increment at the rate of Rs. 1893.00 per year
1b	Team Leader (6 yrs of experience)	56,787.00	6	1,893.00	68,145.00	27,258.00	95,403.00	Monthly basic salary is taken equivalent to basic salary Rs. 56787.00 of gazetted 1st class government officer combined with 6 years increment at the rate of Rs. 1893.00 per year
1c	Team Leader (at least 5 years of experience)	56,787.00	5	1,893.00	66,252.00	26,500.80	92,752.80	Monthly basic salary is taken equivalent to basic salary Rs. 56787.00 of gazetted 1st class government officer combined with 5 years increment at the rate of Rs. 1893.00 per year
2a	Regional Planner/Urban Planner(Deputy Team Leader)(Greater than 10 years experience)	48,737.00	8	1,625.00	61,737.00	24,694.80	86,431.80	Monthly basic salary is taken equivalent to basic salary Rs. 48737.00 of gazetted 2nd class government officer combined with 8 years increment at the rate of Rs. 1625.00 per year
2b	Regional Planner/Urban Planner(Deputy Team Leader)(Greater than 7 years experience)	48,737.00	7	1,625.00	60,112.00	24,044.80	84,156.80	Monthly basic salary is taken equivalent to basic salary Rs. 48737.00 of gazetted 2nd class government officer combined with 7 years increment at the rate of Rs. 1625.00 per year
2c	Regional Planner/Urban Planner(Deputy Team Leader)(Greater than 5 years experience)	48,737.00	5	1,625.00	56,862.00	22,744.80	79,606.80	Monthly basic salary is taken equivalent to basic salary Rs. 48737.00 of gazetted 2nd class government officer combined with 5 years increment at the rate of Rs. 1625.00 per year
3	Environmental Expert	48,737.00	5	1,625.00	56,862.00	22,744.80	79,606.80	Same as serial 2
4	Data Analyst/Statician	48,737.00	5	1,625.00	56,862.00	22,744.80	79,606.80	Same as serial 2
5	GIS Expert (Greater than	48,737.00	5	1,625.00	56,862.00	22,744.80	79,606.80	Same as serial 2
6	Economist/Financial	48,737.00	5	1,625.00	56,862.00	22,744.80	79,606.80	Same as serial 2
7	Sociologist/Community	48,737.00	5	1,625.00	56,862.00	22,744.80	79,606.80	Same as serial 2
8	Structural Engineer	48,737.00	5	1,625.00	56,862.00	22,744.80	79,606.80	Same as serial 2
9	W/S and Sanitary	48,737.00	5	1,625.00	56,862.00	22,744.80	79,606.80	Same as serial 2
10	Geotechnical Engineer	48,737.00	5	1,625.00	56,862.00	22,744.80	79,606.80	Same as serial 2
11	HVAC Engineer (Greater	48,737.00	5	1,625.00	56,862.00	22,744.80	79,606.80	Same as serial 2
12	Transportation/Highway	48,737.00	5	1,625.00	56,862.00	22,744.80	79,606.80	Same as serial 2
13	Landscape Architect and	48,737.00	5	1,625.00	56,862.00	22,744.80	79,606.80	Same as serial 2

14	Architect (Bachelor Degree)	43,689.00	5	1,456.00	50,969.00	20,387.60	71,356.60	Monthly basic salary is taken equivalent to basic salary Rs. 43689.00 of gazetted 3rd class government officer combined with 5 years increment at the rate of Rs. 1456.00 per year
15	Architect (Bachelor Degree)	43,689.00	3	1,456.00	48,057.00	19,222.80	67,279.80	Monthly basic salary is taken equivalent to basic salary Rs. 43689.00 of gazetted 3rd class government officer combined with 3 years increment at the rate of Rs. 1456.00 per year
16	Architect (Bachelor Degree)	43,689.00	1	1,456.00	45,145.00	18,058.00	63,203.00	Monthly basic salary is taken equivalent to basic salary Rs. 43689.00 of gazetted 3rd class government officer combined with 1 years increment at the rate of Rs. 1456.00 per year
17	Civil Engineer (Bachelor Degree)	43,689.00	5	1,456.00	50,969.00	20,387.60	71,356.60	Monthly basic salary is taken equivalent to basic salary Rs. 43689.00 of gazetted 3rd class government officer combined with 5 years increment at the rate of Rs. 1456.00 per year
18	Civil Engineer (Bachelor Degree)	43,689.00	3	1,456.00	48,057.00	19,222.80	67,279.80	Monthly basic salary is taken equivalent to basic salary Rs. 43689.00 of gazetted 3rd class government officer combined with 3 years increment at the rate of Rs. 1456.00 per year
19	Civil Engineer (Bachelor Degree)	43,689.00	1	1,456.00	45,145.00	18,058.00	63,203.00	Monthly basic salary is taken equivalent to basic salary Rs. 43689.00 of gazetted 3rd class government officer combined with 1 years increment at the rate of Rs. 1456.00 per year
20	Senior Surveyor	43,689.00	5	1,456.00	50,969.00	20,387.60	71,356.60	Same as serial 14/17
21	All officer level posts all with minimum 5 years work experiences (Managers, Administrators, Lawyers, Computer Engineer, It Officer etc.)	43,689.00	5	1,456.00	50,969.00	20,387.60	71,356.60	Monthly basic salary is taken equivalent to basic salary Rs. 43689.00 of gazetted 3rd class government officer combined with 5 years increment at the rate of Rs. 1456.00 per year
22	All officer level posts all with minimum 3 years work experiences (Managers, Administrators, lawyers, Computer Engineer etc.)	43,689.00	3	1,456.00	48,057.00	19,222.80	67,279.80	Monthly basic salary is taken equivalent to basic salary Rs. 43689.00 of gazetted 3rd class government officer combined with 3 years increment at the rate of Rs. 1456.00 per year
23	All officer level posts all with minimum 1 years work experiences (Managers, Administrators, lawyers, Computer Engineer etc.)	43,689.00	1	1,456.00	45,145.00	18,058.00	63,203.00	Monthly basic salary is taken equivalent to basic salary Rs. 43689.00 of gazetted 3rd class government officer combined with 1 years increment at the rate of Rs. 1456.00 per year
Support Staff								

a.	Junior Surveyor	34,730.00	1	1,158.00	35,888.00	14,355.20	50,243.20	Monthly basic salary is taken equivalent to basic salary Rs. 34730.00 of non-gazetted 1st class government officer combined with 3 years increment at the rate of Rs. 1158.00 per year
b.	Office Manager/Computer Operator	34,730.00	1	1,158.00	35,888.00	14,355.20	50,243.20	Monthly basic salary is taken equivalent to basic salary Rs. 34730.00 of non-gazetted 1st class government officer combined with 3 years increment at the rate of Rs. 1158.00 per year
c.	Sub Engineer/CAD operator	34,730.00	1	1,158.00	35,888.00	14,355.20	50,243.20	Monthly basic salary is taken equivalent to basic salary Rs. 34730.00 of non-gazetted 1st class government officer combined with 3 years increment at the rate of Rs. 1158.00 per year

\* The salary rate is calculated in such a way that it includes 40% Social Cost of Salary ( Includes cost of staffs pension, medical and life insurance, staff Being sick or on a vacation ) (Ref. PWD Part III 2002, RFP Consultant Services:16; ADB/ Handbook For Users of Consulting Services, 1993:47)

Annual Average Quotation form of Hotel/Resort for analysis of rate for purpose of training, Seminar, Interaction, Workshop and Welcoming for Internal and External Guest

S.N	Item/Description	Unit	<del>proposed</del> Rate for fiscal year 2081/82	Remarks
1	Single basis Standard Room or equivalent without Breakfast/Lunch/Dinner	per day per pax	3097	this rate applies only to hotels below 5 stars.
2	Sharing basis Standard Room or equivalent without Breakfast/Lunch/Dinner	per day per pax	1770	
3	Single basis Deluxe room or equivalent without Breakfast/Lunch/Dinner	per day per pax	3540	
4	Sharing basis Deluxe room or equivalent without Breakfast/Lunch/Dinner	per day per pax	2212	
5	Single basis ex-suite room or equivalent without Breakfast/Lunch/Dinner	per day per pax	3982	
6	Sharing basis ex-suite or equivalent without Breakfast/Lunch/Dinner	per day per pax	2655	
7	Single basis Standard Room or equivalent with Breakfast/Lunch/Dinner	per day per pax	4425	
8	Sharing basis Standard Room or equivalent with Breakfast/Lunch/Dinner	per day per pax	3097	
9	Single basis Deluxe room or equivalent with Breakfast/Lunch/Dinner	per day per pax	4867	
10	Sharing basis Deluxe room or equivalent with Breakfast/Lunch/Dinner	per day per pax	3540	
11	Single basis ex-suite room or equivalent with Breakfast/Lunch/Dinner	per day per pax	5310	

12	Sharing basis ex-suite or equivalent with Breakfast/Lunch/Dinner	per day per pax	4425	
13	Breakfast	per pax	442	
14	Tea-cookies	per pax	88	
15	Lunch	per pax	664	
16	Hi-Tea	per pax	221	
17	Dinner	per pax	664	
18	Mineral Water	per ltr/bottle	53	
19	Packet of Juice (Min. 1 ltr)	per ltr	398	
20	Fresh Juice	per glass	133	
21	Snacks	per pax.	487	
22	Projector	per day	442	
23	Seminar Hall ( of capacity min 25 pax)	per day	10000	
24	Seminar Hall (of capacity 25-50 pax)	per day	15000	
25	Seminar Hall (of capacity 50-100 pax)	per day	25000	
26	Seminar Hall (of capacity >100 pax)	per day	35000	