

काठमाडौं महानगरपालिका
या महानगरपालिका
नगर कार्यपालिकाको कार्यालय

दररेट सिफारिस समितिको प्रतिवेदन

२०८२



प्रतिवेदकहरु:

- | | |
|---|--------------|
| १) उपनिर्देशक, श्री जगदीश अर्याल | - संयोजक |
| २) डिभिजन इन्जिनियर, श्री पुश्कर भट्टराई | - सदस्य |
| ३) वरिष्ठ शाखा अधिकृत, श्री सन्तु श्रेष्ठ | - सदस्य |
| ४) वरिष्ठ इन्जिनियर, श्री कुन्दन श्रेष्ठ | - सदस्य |
| ५) वरिष्ठ जनस्वास्थ्य अधिकृत, श्री नलि बज्राचार्य | - सदस्य |
| ६) नापी अधिकृत, इ. श्री अशोक श्रेष्ठ | - सदस्य |
| ७) वरिष्ठ अधिकृत, श्री सोम बहादुर राना | - सदस्य-सचिव |

काठमाडौं महानगरपालिका
नगर कार्यपालिकाको कार्यालय
दररेट सिफारिस समितिको प्रतिवेदन



पृष्ठभूमि:

काठमाडौं महानगरपालिका नगर कार्यपालिकाको कार्यालय अन्तर्गतका कार्यालयहरूले चालु आर्थिक वर्ष २०८२/०८३ का लागि खरिद गरिने मालसामान, सेवा, निर्माण सामग्री, परामर्श सेवा र ढुवानीको दररेट मेसिन तथा उपकरणको भाडा र श्रमिकहरूको ज्यालादर निर्धारण गर्न मिति २०८२/३/२४ गतेको प्रमुख प्रशासकीय अधिकृतरिय निर्णयानुसारको तपसिल बमोजिमको ७ (सात) सदस्यीय दररेट समिति गठन भएको ।

तपसिल:

- | | | |
|----|--|--------------|
| १) | उपनिर्देशक, श्री जगदीश अर्याल | - संयोजक |
| २) | डिभिजन इन्जिनियर, श्री पुष्कर भट्टराई | - सदस्य |
| ३) | वरिष्ठ शाखा अधिकृत, श्री सन्तु श्रेष्ठ | - सदस्य |
| ४) | वरिष्ठ इन्जिनियर, श्री कुन्दन श्रेष्ठ | - सदस्य |
| ५) | वरिष्ठ जनस्वास्थ्य अधिकृत, श्री नलि बज्राचार्य | - सदस्य |
| ६) | नापी अधिकृत, श्री अशोक श्रेष्ठ | - सदस्य |
| ७) | वरिष्ठ अधिकृत, श्री सोम बहादुर राना | - सदस्य-सचिव |

दररेट अध्ययन विधि:

काठमाडौं महानगरपालिकाले चालु आर्थिक वर्ष २०८२/०८३ मा खरिद गरिने मालसामान, सेवा, निर्माण सामग्री, ढुवानी, मेसिन तथा उपकरणको भाडा र कामदारको ज्याला फुटकर खरिद, सिलबन्दी दरभाउपत्र, बोलपत्र तथा अन्य विधिबाट खरिद प्रकृयाका लागि तयार गरिने लागत इस्टिमेटका लागि आवश्यक पर्ने दररेट तयार गर्दा निम्नानुसारको विधि अवलम्बन गरी सोबाट प्राप्त भएको विवरणलाई आधार लिईएको छ ।

- १) काठमाडौं महानगरपालिका नगर कार्यपालिकाको कार्यालयले गत आर्थिक वर्षमा स्वीकृत गरेको दररेट
- २) अन्य सरकारी निकायहरूले खरिद गरेको मालसामान, सेवा आदिको दररेट
- ३) मालसामान तथा सेवा आपूर्तिकर्ताहरूले पेश गरेको दररेट
- ४) बजारको प्रचलित दरभाउ
- ५) E-commerce site हरूमा प्रकाशित दररेटहरू
- ६) सार्वजनिक खरिद नियमावलीको नियम १४८ बमोजिम गठित काठमाडौं जिल्लाको जिल्ला दररेट निर्धारण समितिले तोकेको दररेट ।


सुझाव एवं सिफारिस:



काठमाडौं महानगरपालिकाले आर्थिक वर्ष २०८२/८३ मा फुटकर रुपमा खरिद गर्ने मालसामान, सेवा, निर्माण सा हुवानी, मेसिन तथा उपकरणको भाडा र कामदारको ज्याला सिलबन्दी दरभाउपत्र वा बोलपत्रको माध्यमबाट कार्य गर्दा लागत स्टिमेटका लागि न्यूनतम दररेट सम्बन्धमा यस समितिले अध्ययन विश्लेषण र उपलब्ध भए बमोजिमको सामानको स्पेसिफिकेसनसमेत समावेश गरी आवश्यक मालसामान, सेवा, निर्माण सामग्री, हुवानी, सामग्री, मेसिन उपकरणको भाडा र कामदारको ज्याला विभिन्न वर्गमा विभाजन गरी यस प्रतिवेदनमा सामावेश गरिएको छ । स्थानीय सरकार सञ्चालन ऐन, २०७४ को दफा १३ बमोजिम यस प्रतिवेदनमा सिफारिस भएका दररेट नगर कार्यपालिकाबाट स्वीकृत गराई कार्य गर्न निम्न अनुसारको सिफारिस सहित पेश गरिएको छ ।

- १) काठमाडौं महानगरपालिकालाई आवश्यक पर्ने फुटकर रुपमा मालसामान, सेवा, निर्माण सामग्री, हुवानी मेसिन तथा उपकरणको भाडा र कामदारको ज्याला खरिद गर्न वा सिलबन्दी दरभाउपत्र तथा बोलपत्र माध्यमबाट खरिद गर्दा तयार गरिने लागत इस्टिमेटका लागि यस प्रतिवेदनमा उल्लेखित दररेटलाई आधार लिई कार्य गर्नुपर्ने ।
- २) उल्लेखित प्रतिवेदनमा कुनै Item समावेश नभएको पाइएमा काठमाडौं जिल्लाको जिल्ला दररेट र सरकारी निकायले प्रयोग गरेको दररेट वा बजारबाट प्रचलित दरलाई आधार लिई कार्य गर्नुपर्ने ।
- ३) महानगरपालिकाबाट फुटकर रुपमा खरिद गरिने मालसामान, सेवा, निर्माण सामग्री, हुवानी, मेसिन उपकरणको भाडा र कामदारको ज्याला तल उल्लेखित दररेट, जिल्ला दररेटमा समेत उल्लेख भएमा जुन दररेटमा कम दर तोकिएको छ सोही दररेटलाई आधार लिने । जिल्ला दररेट तथा यस प्रतिवेदन दुबैमा उल्लेख नभएको दररेटको सम्बन्धमा बजारबाट प्रचलित दरका कम्तिमा तिनवटा दररेट लिई उक्त दररेटमा सबैभन्दा कम दररेट कबोल गर्ने फर्म संस्थाको दररेटलाई सम्बन्धित विभागीय प्रमुख, एकाई प्रमुख वा सचिवले स्वीकृत गरी खरिद कार्य गर्नु पर्ने ।
- ४) यस प्रतिवेदनमा उल्लेखित मालसामान, सेवा, निर्माण सामग्री, हुवानी, मेसिन तथा उपकरणको भाडा र कामदारको ज्याला मूल्य अभिवृद्ध कर बाहेकको दररेटमा उल्लेख गरिएको छ ।
- ५) Essential Medicine को सूचीमा समावेश नभएका औषधीहरुको दर स्वास्थ्य विमा बोर्डको सुविधा थैलीमा उल्लेख भए बमोजिम हुनेछ ।
- ६) उल्लेखित प्रतिवेदनमा कुनै Item समावेशमा दोहोरिएको भएमा न्यूनतम दररेटलाई आधार मान्नु पर्ने छ ।
- ७) यस प्रतिवेदनमा उल्लेखित कुनै मालसामान, सेवा, निर्माण सामग्री, हुवानी, मेसिन तथा उपकरणको भाडा र कामदारको ज्यालामा हेरफेर गर्नु परेमा श्रीमान् प्रमुखज्यूको निर्णयानुसार हुनेछ ।

विषय-सूची




सि.नं.	विवरण	पाना नं
१	उपहार सम्बन्धी सामग्री	१-१
२	स्टेशनरी सम्बन्धी सामग्री	२-४
३	कार्यालय मालसामान सम्बन्धी सामग्री	५-६
४	किचनमा प्रयोग हुने सामग्री	७-८
५	फर्निचर जन्य सामग्री	९-१०
६	विद्युतीय सामग्री	११-१२
७	हार्डवेयर सम्बन्धी मालसामान	१२-१४
८	खेलकुद सम्बन्धी सामग्री	१५-१५
९	सूचना प्रविधि सम्बन्धि सामग्री	१६-२५
१०	Mapping सम्बन्धि कार्यका लागि भाडा दर	२६-२७
११	बोटबिरुवा र उद्यान सामग्री	२८-२९
१२	बाद्य वादनका सामग्री	३०-३०
१३	व्यायम सम्बन्धी सामग्री	३१-३६
१४	बारुण यन्त्र जन्य सामग्री	३६-३६
१५	Medical General Equipment	३७-३८
१६	Lab Equipment And Reagent	३९-४०
१७	Ayurveda Medicine	४१-४१
१८	Essential Medicine	४२-४४
१९	निर्माण सम्बन्धी सामग्री	४५-४६
२०	सम्पदा तथा पर्यटन सम्बन्धित	४७-४७
२१	संघ संस्थाबाट कार्य गर्दा लिईने सेवा र सामग्री	४८-४८
२२	परामर्श सेवा	४९-५१
२३	होटल तथा रिसोर्टमा गरिने कार्यक्रम	५२-५३

५

५

उपहार सम्बन्धी सामग्री



क्र.स.	मालसामानको विवरण	स्पेशिफिकेसन	मु.अ.कर बाहेकको आ.व. ०८२/८३ को दररेट
१	टोपी	क्याप टोपी (मल्टिकर)	प्रति थान ४००
२	खादा	ढाकाको विभिन्न कलरको	प्रति थान १२०
३	सल	पस्मिना / दोसल्ला	प्रति थान ३,०००
४	टोपी	भादगाउँले	प्रति थान ४५०
५	टोपी	ढाका	प्रति थान ९००
६	पर्स	ढाका	प्रति थान ५००
७	थैली	कपडाको	प्रति थान ४००
८	खुकुरी दाप सहित	६ ईञ्च	प्रति थान २,५००
९	खुकुरी दाप सहित	८ ईञ्च	प्रति थान ४,०००
१०	खुकुरी दाप सहित	१० ईञ्च	प्रति थान ५,०००
११	करवा	०.५ लिटर कलामक ढलौट	प्रति थान १,५००
१२	करवा	७" height and Plane design	प्रति थान २,५००
१३	मुर्ति	बुद्धको का.म.पा.को नाम र लोगो ईचिड गरी सिसाको फ्रेम भित्र ६ ईञ्चको	प्रति थान २,०००
१४	मुर्ति	बुद्धको का.म.पा.को नाम र लोगो ईचिड गरी सिसाको फ्रेम भित्र ८ ईञ्चको	प्रति थान ३,०००
१५	मुर्ति	बुद्धको का.म.पा.को नाम र लोगो ईचिड गरी सिसाको फ्रेम भित्र १२ ईञ्चको	प्रति थान ५,०००
१६	मुर्ति	बुद्धको का.म.पा.को नाम र लोगो ईचिड गरी बक्स सहित ४ ईञ्चको ढलौटको	प्रति थान २,२००
१७	मुर्ति	बुद्धको का.म.पा.को नाम र लोगो ईचिड गरी बक्स सहित ६ ईञ्चको ढलौटको	प्रति थान ४,०००
१८	मुर्ति	बुद्धको का.म.पा.को नाम र लोगो ईचिड गरी बक्स सहित ८ ईञ्चको ढलौटको कलात्मक	प्रति थान ५,०००
१९	मन्दिर	पशुपतिनाथको मन्दिर का.म.पा.को नाम र लोगो ईचिड गरी सिसाको फ्रेम सहित ६ ईञ्चको कलात्मक	प्रति थान ३,०००
२०	मन्दिर	पशुपतिनाथको मन्दिर का.म.पा.को नाम र लोगो ईचिड गरी सिसाको फ्रेम भित्र ८ ईञ्चको कलात्मक	प्रति थान ४,०००
२१	मन्दिर	पशुपतिनाथको मन्दिर का.म.पा.को नाम र लोगो ईचिड गरी सिसाको फ्रेम भित्र १२ ईञ्चको	प्रति थान ६,८००
२२	मन्दिर	स्वयम्भुको आकृतिमा का.म.पा.को नाम र लोगो ईचिड सहित सिसा भित्र ६ ईञ्चको	प्रति थान ३,०००
२३	मन्दिर	स्वयम्भुको आकृतिमा का.म.पा.को नाम र लोगो ईचिड गरी सिसाको फ्रेम भित्र ८ ईञ्चको	प्रति थान ३,८००
२४	मन्दिर	स्वयम्भुको आकृतिमा का.म.पा.को नाम र लोगो ईचिडगरी सिसाको फ्रेम भित्र १२ ईञ्चको	प्रति थान ७,०००
२५	मयुर झ्याल	काठको मयुर झ्याल ६ ईञ्चको कलात्मक	प्रति थान ३,०००
२६	मयुर झ्याल	काठको मयुर झ्याल १० ईञ्चको कलात्मक	प्रति थान ५,०००
२७	मयुर झ्याल	काठको मयुर झ्याल १२ ईञ्चको कलात्मक	प्रति थान ७,०००
२८	मञ्जु श्री मुर्ति	का.म.पा.को नाम र लोगो ईचिड सहित ६ ईञ्चको कलात्मक ढलौट	प्रति थान ४,५००
२९	माला	सयपत्री फुलको	प्रति थान १२०
३०	बुके	टेबुल	प्रति थान १,०५०
३१	बुके	बास्केट	प्रति थान ८५०
३२	गुच्छा	फुलको	प्रति थान १२५
३३	रिबन(Ribbon)	कपडाको	प्रति मिटर ८
३४	पानस	ढलौट/ पितलको गणेशको मुर्ति भएको २७ इन्च अरलो	प्रति थान १८,०००
३५	फुलको रिद		प्रति थान ३,०००
३६	फुल	विभिन्न दिवसमा हलिकप्टरबाट खसाल्ने	प्रति के जी ५५०
३७	बेलुन	विभिन्न दिवसमा उडाउने/सजाउने	प्रति थान ३०

स्टेशनरी सम्बन्धी सामग्री



क्र.स.	मालसामानको विवरण	स्पेशिफिकेसन	नेगर कार्यालयको काठमाडौं एकीकृत २०७३	मु.अ.कर बाहेकको आ.व. ०८२/८३ को दररेट
१	कार्यालयको छाप	बाक्लो फममा गोलो र चारपाटे सेल्फ ईङ्क	प्रति थान	४००
२	कार्यालयको छाप (रबर स्ट्याम्प)	बाक्लो रबरमा गोलो र चारपाटे	प्रति थान	२५०
३	नाम तथा पद लेखेको छाप	चारपाटे सेल्फ ईङ्क	प्रति थान	४००
४	नेम प्लेट	प्लास्टिकको मिडियम साईज (८.१२ ईञ्च)	प्रति थान	१,०००
५	नेम प्लेट	प्लास्टिकको ठुलो साईज (१८.२४ ईञ्च)	प्रति थान	२,५००
६	नेम प्लेट	तामा/पितलमा इचिड गरेको मिडियम साईज (८.१२ ईञ्च)	प्रति थान	५,०००
७	नेम प्लेट	तामा/पितलमा इचिड गरेको ठुलो साईज (१८.२४ ईञ्च)	प्रति थान	७,५००
८	टेबल नेम प्लेट	आलमुनियमको	प्रति थान	१,५००
९	टेबल नेम प्लेट	काठको	प्रति थान	६००
१०	स्ट्याम्प प्याड	कालो/निलो ११० ७० एम एम	प्रति थान	५०
११	व्याचहरू रिबन (१) कलर	विभिन्न कलरको रिबन	प्रति थान	८०
१२	व्याचहरू रिबन (२) कलर	विभिन्न कलरको रिबन	प्रति थान	१२५
१३	व्याचहरू रिबन (४) कलर	विभिन्न कलरको रिबन	प्रति थान	२००
१४	प्रमाणपत्र	कलर A४ साईज	प्रति थान	५०
१५	प्रमाणपत्रको फ्रेम	गोल्डेन A४ साईजका लागि	प्रति थान	५००
१६	फ्लेक्स ब्यानर विभिन्न साईज तथा डिजाईनको (प्रिन्ट मात्र)	मल्टिकलर	प्रति वर्ग फिट	५०
१७	फ्लेक्स ब्यानर विभिन्न साईज तथा डिजाईनको (प्रिन्ट तथा फलामको फ्रेम सहित)	मल्टिकलर	प्रति वर्ग फिट	१५०
१८	मिजिटिङ्ग कार्ड	मल्टिकलर	प्रति थान	५
१९	निमन्त्रणा कार्ड	१ कलर	प्रति थान	१०
२०	निमन्त्रणा कार्ड	मल्टिकलर	प्रति थान	१५
२१	कपडाको ब्यानर	विभिन्न साईज (सुती)	प्रति मिटर	७००
२२	महानगर झण्डा	६ फिट	प्रति थान	१,२००
२३	महानगर झण्डा	४ फिट	प्रति थान	८००
२४	महानगर झण्डा	१ फिट	प्रति थान	८००
२५	महानगर झण्डा	१ फिट काठको स्टेण्ड सहित	प्रति थान	८००
२६	नेपालको राष्ट्रिय झण्डा	६ फिट	प्रति थान	१,२००
२७	नेपालको राष्ट्रिय झण्डा	४ फिट	प्रति थान	८००
२८	नेपालको राष्ट्रिय झण्डा	१ फिट काठको स्टेण्ड सहित	प्रति थान	८००
२९	नेपालको राष्ट्रिय झण्डा	१ फिट पित्तलको स्टेण्ड सहित	प्रति थान	१,२००
३०	नेपालको राष्ट्रिय झण्डा	१० मिटर	प्रति थान	३१,०००
३१	नेपालको राष्ट्रिय झण्डा	८ मिटर	प्रति थान	२७,०००
३२	नेपालको राष्ट्रिय झण्डा	६ मिटर	प्रति थान	१९,०००
३३	नेपालको राष्ट्रिय झण्डा	४ मिटर	प्रति थान	१०,०००
३४	भित्ते घडी	Analog, small size (12inch diameter)	प्रति थान	१,१५०
३५	भित्ते घडी	Analog, medium size (18 inch diameter)	प्रति थान	१,७००
३६	भित्ते घडी	Analog, large size 24 inch diameter	प्रति थान	२,२००
३७	डायरी	एक्जुकेटिभ / महानगर	प्रति थान	५००
३८	डायरी	स्पाइरल, Minimum ४० page	प्रति थान	१००
३९	रजिस्टर	५० पाने ८० ग्राम पेपर उड फ्री	प्रति थान	३००
४०	रजिस्टर	१०० पाने ८० ग्राम पेपर उड फ्री	प्रति थान	४५०

४१	माईन्युट रजिष्टर	बाहिरी कभरमा कपडाले बाइन्डिङ गरिएको १००पाने	प्रति थान	१,०५०
४२	खाम	भिन्न कपडा भएको फाइल Size नेपाली कागजमा का.म.पा.को नाम र लोगो प्रिन्ट भएको	प्रति थान	२५
४३	खाम	A४ Size नेपाली कागजमा का.म.पा.को नाम र लोगो प्रिन्ट भएको	प्रति थान	२०
४४	खाम	७"×५" इन्चको नेपाली कागजमा का.म.पा.को नाम र लोगो प्रिन्ट भएको	प्रति थान	१०
४५	ट्रान्सपरेन्ट पेपर	A4 Size	प्रति थान	२०
४६	रबर	१ के जी को	प्रति प्याकेट	१,१००
४७	Photocopy work	single side (B/W)	प्रति पेज	४
४८	Photocopy work	both side (B/W)	प्रति पेज	५
४९	Photocopy Binding	२५० पेज सम्मको टेप बाइन्डिङ	प्रति थान	६०
५०	Photocopy	A3 Size	प्रति थान	१५
५१	Printing	A0 Size (90 GSM), Color Print	प्रति थान	१,६००
५२	Printing	A1 Size (90 GSM), Color Print	प्रति थान	१,०००
५३	टोनर रिफिल/cartridge Refill	refilling with original ink for cartridges used in all types of printers	प्रति थान	५००
५४	बाइन्डिङ टेप	१ इन्ची	प्रति थान	१५०
५५	बाइन्डिङ टेप	१.५ इन्ची	प्रति थान	२००
५६	बाइन्डिङ टेप	२ इन्ची	प्रति थान	२५०
५७	टेप	कार्टुन	प्रति थान	४००
५८	टेप	सेलो सानो	प्रति थान	२०
५९	टेप	सेलो मझौला	प्रति थान	१००
६०	टेप	सेलो ठुलो	प्रति थान	२००
६१	पेपर कटर	paper cutter with blade	प्रति थान	२००
६२	पेन होल्डर/पेन स्ट्याण्ड	काठको	प्रति थान	१,८००
६३	नेपाली पेपर	A४ Size २० ग्राम, १०० पानाको प्याड	प्याड	४००
६४	नेपाली पेपर	A४ Size ४० ग्राम, १०० पानाको प्याड	प्याड	८००
६५	मेटा कार्ड	Breadth 22.5cm and length 10.1cm Multi Color (Size in Approx.)	प्रति प्याकेट	५०
६६	कार्ड होल्डर	डोरी सहित साधारण	प्रति थान	१००
६७	स्ट्याम्प प्याड	११०×७० वर्ग मि.मि.	प्रति थान	५०
६८	टेबल च्याक	प्लाष्टिकको तिन लेयर	प्रति थान	१,८००
६९	डटपेन	मोनटेक्स वा सो सरह	प्रति थान	१५
७०	जेलपेन	सेलो प्वाइन्टेक्स ०.५ कालो र रातो वा सो सरह	प्रति थान	३५
७१	पाइलट पेन	V5 JF वा सो सरह कालो निलो रातो र हरियो	प्रति थान	१३५
७२	पाइलट पेन	V7 JF वा सो सरह कालो निलो रातो र हरियो	प्रति थान	१४५
७३	पाइलट पेन	V10 Grip Hi-Techpoint वा सो सरह कालो र रातो	प्रति थान	१६५
७४	मार्कर	बोर्ड मार्कर विभिन्न कलरका Snowman वा सो सरह	प्रति थान	५०
७५	परमानेन्ट मार्कर	विभिन्न कलरको Snowman वा सो सरह	प्रति थान	६०
७६	बोर्ड डस्टर		प्रति थान	६०
७७	हाइलाइटर	विभिन्न कलरको स्टुलर वा सो सरह	प्रति थान	५०
७८	साइन पेन		प्रति थान	४०
७९	पेन्सिल	H B	प्रति थान	१२
८०	इरेजर		प्रति थान	१०
८१	पेन्सिल कटर		प्रति थान	१०
८२	टोनर मसि	Dust, Black	प्रति थान	२५०
८३	इन्डेक्स फायल	प्लाष्टिक हार्ड कभर	प्रति थान	२३०
८४	फोल्डर फायल	नमुनानुसार प्लाष्टिकको	प्रति थान	४०
८५	रिंग फायल	ए ४ साइज, २ Ring Binder	प्रति थान	२१०
८६	फाइल तुना		प्रति मुठा	३०
८७	रेकर्ड फाइल		प्रति थान	१०
८८	कोब्रा फाईल		प्रति थान	६५
८९	बक्स फाइल		प्रति थान	१५०



१०	नेपाली फाईल		प्रति थान नगरपालिका	२०
११	फाइल बाइन्डिङ		प्रति थान	१४०
१२	फाइल स्ट्याण्ड		प्रति थान	१,५००
१३	खाम	चेक साइज, सादा	प्रति थान	३
१४	कार्बन पेपर	केमेल वा सो सरह	प्रति प्याकेट	३५०
१५	फोटोकपी पेपर	A४ size ८० gsm , जे.के Copier वा सो सरह	प्रति रिम	६८५
१६	फोटोकपी पेपर	A३ size जे.के Copier वा सो सरह	प्रति रिम	१,५००
१७	फोटोकपी पेपर	A४ size ८० gsm , जे.के Copier वा सो सरह कलरमा	प्रति रिम	७००
१८	फोटोकपी पेपर	A४ size ७० gsm , जे.के Copier वा सो सरह कलरमा	प्रति रिम	५००
१९	पोसिड पेपर	टास्ने, ५० सिट	प्रति थान	५२
१००	Sticky Notes	1 Pack of Self-Stick Notes 0.6 x 3 Inch, 5 colorsx100 sheets	प्रति थान	८०
१०१	थर्मल पेपर	e ticket को लागि प्रयोग हुने, ३ inch, ८० mm	प्रति रोल	३००
१०२	पेपर क्लीप	१०० पिस प्रति प्याकेट	प्रति प्याकेट	१५०
१०३	बाईन्डिङ कभर पेपर	१०० पिस प्रति प्याकेट	प्रति प्याकेट	६००
१०४	थम्बपिन		प्रति प्याकेट	१००
१०५	प्लास्टिक स्केल	१५ cm	प्रति थान	३०
१०६	प्लास्टिक स्केल	३० cm	प्रति थान	६०
१०७	My Clear bag	प्लास्टिकको बटन भएको,	प्रति थान	२५
१०८	पन्चिड मेशिन ठूलो	कंगारो ८०० वा सो सरह	प्रति थान	२,५००
१०९	पन्चिड मेशिन मझौला	८ सि.एम कंगारो ६०० वा सो सरह	प्रति थान	५००
११०	स्ट्यापलर मेशिन	सानो (No1-1m) कंगारो वा सो सरह	प्रति थान	८०
१११	स्ट्यापलर मेशिन	मझौतला ६०० HD-45 कंगारो वा सो सरह	प्रति थान	३५०
११२	स्ट्यापलर मेशिन	ठूलो HD-23S 25 कंगारो वा सो सरह	प्रति थान	३,०००
११३	स्ट्यापलर पिन	मझौला २४/६ कंगारो वा सो सरहको १ वट्टा २० प्याकेट भएको	प्रति प्याकेट	६००
११४	स्ट्यापलर पिन ठूलो	ठूलो कंगारो वा सो सरहको १ वट्टा २० प्याकेट भएको	प्रति प्याकेट	२,०००
११५	स्ट्यापलर पिन	सानो कंगारो वा सो सरहको १ वट्टा, २० प्याकेट भएको	प्रति प्याकेट	५३५
११६	ग्लु स्टिक	Amos Korean वा सो सरह ३५ ग्राम	प्रति थान	९०
११७	स्केल	स्टिल १८ इन्चको	प्रति थान	९०
११८	टिप्पणी फाइल		प्रति थान	७
११९	सवारी लगवुक	६० ग्राम पेपरमा १०० पानाको प्याड	प्रति प्याड	२२०
१२०	आगन्तुक परिचय पत्र	Design and Print	प्रति थान	३२०
१२१	आगन्तुक परिचय पत्र	साधारण प्लास्टिक कभर भएको	प्रति थान	१००
१२२	कर्मचारी अस्थायी परिचय पत्र		प्रति थान	१३
१२३	बारकोड स्टीकर	१००० पिसको रोल	प्रति रोल	१,४५५
१२४	पिन रिमुभर		प्रति थान	४५०
१२५	पुस पिन		प्रति प्याकेट	१८९
१२६	हार्डकभर बाइन्डिङ	Minimum 100 page	प्रति थान	५००
१२७	भिनाइल स्टीकर		प्रति ब फि	१३०
१२८	स्टिकर		प्रति ब फि	१२०
१२९	टेबुल घन्टी	Set	प्रति थान	१,२००
१३०	आगन्तुक परिचय पत्र डोरी	नाइलन विभिन्न कलरको	प्रति के.जी.	८००

कार्यालय मालसामान सम्बन्धी सामग्री

काठमाडौं महानगरपालिका
कार्यपालिकाको कार्यालय
काठमाडौं, नेपाल
आ.व. ०८२/८३ को
दररेट

क्र.स.	मालसामानको विवरण	स्पेशिफिकेसन	प्रति थान	दररेट
१	Automatic Room Spray	liquid with Machine	प्रति थान	१,२००
२	Automatic Room Spray	liquid only	प्रति थान	३००
३	Abdominal Towel		प्रति थान	५००
४	Plastic Dust Bin	१० लिटर क्षमता	प्रति थान	५००
५	Plastic Dust Bin	१५ लिटर क्षमता	प्रति थान	६५०
६	Plastic Dust Bin	२० लिटर क्षमता	प्रति थान	८५०
७	Plastic Dust Bin	२५ लिटर क्षमता	प्रति थान	१,७००
८	Plastic Dust Bin (सडकमा राख्ने)	८० लिटर क्षमताको पाङ्गा भएको	प्रति थान	४,५००
९	Insect Killer Bat	rechargable	प्रति थान	५००
१०	Mosquito Repellent Machine	device with 45 ml liquid	प्रति थान	३००
११	mosquito repellent liquid	४५ एम एल	प्रति थान	८०
१२	Paper Cup	Minimum 150 ml	प्रति थान	३
१३	अबिर	५० ग्राम	प्रति प्याकेट	२५
१४	Floor Cleaner	एरोम्याक्स Equivalent	थान	२२५
१५	एसिड	dilute HCl	प्रति लिटर	२५०
१६	कार्बोनाट सोडा		प्रति के जी	३८०
१७	कुचो	अभिसो	प्रति थान	११०
१८	खरेटो	नरिबल वा सो सरह	प्रति थान	११०
१९	कुशन	Minimum 1.5 x 1.5 sq ft	प्रति थान	३००
२०	क्याल्कुलेटर(Calculator)		प्रति थान	१,०००
२१	क्याल्कुलेटर(Calculator)	scientific calculator fx 991 es plus or equivalent	प्रति थान	२,०००
२२	रिबल्विड चियरको चक्का	फिटिङ सहित	प्रति थान	३००
२३	छाता	XXL Size, radius 30"	प्रति थान	१,२००
२४	छाता	सानो फोल्डिङ गर्न मिल्ने	प्रति थान	६००
२५	छाता	७ फिट अग्लो, गार्डेनिङ छाता	प्रति थान	३,०००
२६	झोल सावुन		प्रति लिटर	३००
२७	टेन्ट भाडामा		प्रति वर्ग फिट	५०
२८	टेबुल घर्मी लक		प्रति थान	२५०
२९	ट्याँका	२ फिटको	प्रति थान	२,०००
३०	ट्याँका	४ फिटको	प्रति थान	४,०००
३१	ट्याकसुट(Tracksuit)	सेटमा कामपाको नाम र लोगो प्रिन्ट भएको	प्रति थान	३,०००
३२	बर्षादी (Rain coat)	single piece / two piece	प्रति थान	२,५००
३३	ट्वाइलेट ब्रस		प्रति थान	२००
३४	डोर क्लोजर	.हाइड्रोलिक	प्रति थान	३,०००
३५	तकिया (सिरानी)	खोल सहित	प्रति थान	८००
३६	तन्ना	Single Bed	प्रति थान	८००
३७	तन्ना	Double bed	प्रति थान	१,२००
३८	ताल्चा	Key Normal SS Link Lock, Padlock Size: 40 mm,	प्रति थान	७००
३९	ताल्चा	padlock size 75 mm	प्रति थान	१,१००
४०	दराज लक		प्रति थान	१,५००
४१	धुप (अगरबती)		प्रति प्याकेट	६०
४२	पछाडी बोक्ने ज्याग		प्रति थान	३,०००
४३	पितलको गमला	7.5 inch hight and 8 in diameter	प्रति थान	१,७००
४४	पुनिड स	320 mm long, Permanently filed teeth , triple edge with plastic/wood handle	प्रति थान	८००
४५	पेपर बेट		प्रति थान	२००
४६	प्रमाण पत्रको काठको मैयुर फ्रेम		प्रति थान	१,७००
४७	प्रोजेक्टर पोइन्टर	rechargable, laser	प्रति थान	२,५००
४८	फिनेल	सेतो झोल	प्रति लिटर	२३०
४९	फिनेल	दाना १/२ के.जी.	प्रति प्याकेट	४५०
५०	फिनेल	कालो झोल	प्रति लिटर	७५०
५१	प्लाष्टिक बाटा	२० लिटर	प्रति थान	५००
५२	प्लाष्टिक बाटा	१० लिटर	प्रति थान	३५०



५३	प्लाष्टिक बाल्टिन	२० लिटर	प्रति थान	५००
५४	प्लाष्टिक बाल्टिन	१० लिटर	प्रति थान	३५०
५५	Insect killer spray	बेगन Equivalent	प्रति थान	६५०
५६	बेतको लाठि		प्रति थान	३५०
५७	सुटकेश	१८ inch	प्रति थान	५,०००
५८	सुटकेश	२२ inch	प्रति थान	८,०००
५९	सुटकेश	२४ Inch	प्रति थान	१०,०००
६०	Hand carry Bag		प्रति थान	३,०००
६१	भाडा धुने साबुन	६५ gm	प्रति थान	१५
६२	भाडा माइने पाउडर	मिम वा सो सरह १/२ के जी	प्रति प्याकेट	५०
६३	मुँई पुछने कपडा		प्रति थान	१०
६४	मस्क्यूटो क्याइल(Mosquito Coil)		प्रति थान	६०
६५	मेजरिड टेप	१०० मिटर कोमेलन वा सो सरह	प्रति थान	८,९६०
६६	मेजरिड टेप	५० मिटर कोमेलन वा सो सरह	प्रति थान	४,६४०
६७	मेजरिड टेप	३० मिटर कोमेलन वा सो सरह	प्रति थान	३,६८०
६८	मेजरिड टेप	२५ मिटर कोमेलन वा सो सरह	प्रति थान	३,०१०
६९	मेजरिड टेप	५ मिटर, komelon(ECO) or equivalent	प्रति थान	१,३६०
७०	रुम स्प्रे		प्रति थान	२२५
७१	रुम स्प्रे	एरोविक	प्रति थान	५५०
७२	ग्यास लाइटर		प्रति थान	१५०
७३	लिक्विड हेण्ड वास	२०० एम.एल.	प्रति थान	२२५
७४	कपडा धुने साबुन	१०० ग्राम	प्रति थान	३०
७५	लेदर अफिस व्याग	W15"*H11"*B5"	प्रति थान	१५,०००
७६	वाईपर	डण्डी सहित	प्रति थान	४५०
७७	डिटरजेन्ट पाउडर	१/२ के जी	प्रति प्याकेट	५०
७८	डिटरजेन्ट पाउडर	१ के जी	प्रति प्याकेट	१००
७९	सिट्टी		प्रति थान	१५०
८०	सिरक	White Cotton, Single Bed खोल सहित	प्रति थान	३,०००
८१	सिरक	White Cotton, Double bed खोल सहित	प्रति थान	४,०००
८२	Blankets	Single Bed	प्रति थान	२,५००
८३	Blankets	Double bed	प्रति थान	३,५००
८४	डसना	Single Bed खोल सहित	प्रति थान	२,०००
८५	डसना	Double Bed खोल सहित	प्रति थान	२,५००
८६	सुतली		प्रति के जी	४००
८७	टबाइलेट पेपर	१० रोलको	प्याकेट	८८०
८८	स्टिलको गमला		प्रति थान	२,५००
८९	स्प्रे प्रिन्ट	४०० एम एल	प्रति थान	५५०
९०	दराजमा राख्ने हेडगर		प्रति थान	२५०
९१	Rat Poison/Rat Cake		थान	३००
९२	Air Freshner	प्रति प्याकेट ४ पिस भएको ओडोनिल वा सो सरहको	प्याकेट	३५०
९३	कोरा कपडा		प्रति मिटर	१०५
९४	फलाटिन कपडा		प्रति मिटर	५०
९५	ग्लास क्लिनर	कोलिन वा सो सरह ५०० ml	थान	१५०
९६	युरिन प्याड		थान	३२०
९७	झुल	डबल बेड	थान	८००
९८	पि फर्म	8mm	मिटर	२००
९९	पि फर्म	10mm	मिटर	३००
१००	पि फर्म	12mm	मिटर	३७५
१०१	वेट टिस्यु	Packet	थान	२००
१०२	सिल टेप(Seal Tape)		थान	४५
१०३	सेनिटाइजर	100ml	थान	८०
१०४	प्लास्टिकको गिलास	Minimum 200 ml	थान	२
१०५	सिक्कि	5*9 mm	प्रति मिटर	३२५

किचनमा प्रयोग हुने सामग्रीहरू



क्र.स.	मालसामानको विवरण	स्पेशिफिकेसन	एकैडि	मु.अ.कर बाहेकको आ.व. ०८२/८३ को दररेट
१	क्लोरीन पाउडर		के जी	३७५
२	Hotcase	5 litre	थान	३,५००
३	Rice cooker	5 litre	थान	४,५००
४	Rice cooker	10 litre	थान	९,५००
५	Rice cooker	3 litre	थान	३,०००
६	Tray/ किस्ती	plastic	थान	३५०
७	Tray/ किस्ती	स्टिलको	थान	८००
८	अम्बोरा	तामाको	थान	५००
९	ईलेक्ट्रिक थर्मस	५ लिटर	थान	५,०००
१०	ईलेक्ट्रिक थर्मस	३.८ लिटर	थान	४,०००
११	थर्मस	१ लिटर	थान	१,४००
१२	एप्रोन	कपडाको भाँडा माइदा प्रयोग गर्ने	थान	३००
१३	कचौरा	मेलामाइनको	थान	२००
१४	कचौरा	ठुलो स्टिलको	थान	२००
१५	कचौरा	सेरामिक्स	थान	२००
१६	कचौरा	सानो स्टिलको	थान	१२०
१७	कप	सिसाको ६ पिसको १ सेट	सेट	१,०००
१८	कप	सेरामिक्स ६ पिसको १ सेट	सेट	४५०
१९	प्लेट	मेलामाइन, Min १० inch dia	थान	४००
२०	प्लेट	सेरामिक्स, Min १० inch dia	थान	५००
२१	प्लेट	स्टिलको ठुलो, Minimum १५ inch dia	थान	२००
२२	प्लेट	स्टिलको सानो, min ८ inch dia	थान	१२०
२३	कपसेट	स्टिलको ६ पिसको १ सेट	सेट	१,२००
२४	कफि	१ केजी प्याकेट	के.जी	१,४००
२५	कफि बिन्स	१ केजी प्याकेट	के.जी	२,५००
२६	कोरेशा		थान	३००
२७	कितली	२ लिटर	थान	१,४००
२८	खलो	मिडियम साइजको	थान	१,०००
२९	चकू	काठको बिँड भएको	थान	४२५
३०	गाभ्री	तामाको २ केजीको १८ इन्च उचाई भएको	थान	७,५००
३१	ग्यास चुलो	Single burner stainless steel	थान	२,५००
३२	ग्यास चुलो	Double burner stainless steel	थान	४,९००
३३	ग्यास चुलो	Double burner, Automatic, stainless steel	थान	५,५००
३४	ग्यास पाइप	ISO certified	प्रति मिटर	७६५
३५	ग्यास रेगुलेटर	Iso certified	थान	७५०
३६	ग्रिन टी	प्रति के.जी.	थान	२,०००
३७	ग्रिन टी पट	९०० एम एल	थान	१,०००
३८	चपिड बोर्ड		थान	७५०
३९	चप्पल		जोर	३००
४०	चम्चा	Steel Material	थान	१२०
४१	चिम्टा	Steel Material	थान	५००
४२	चिया छात्रे जाली	Steel material	थान	२००
४३	चिया पत्ति		प्रति के.जी	१,२००
४४	चुलो	ईण्डक्सन १वर्नर	प्रति थान	५,०००
४५	चुलो	ईन्फ्रारेड १वर्नर	प्रति थान	३,५००
४६	जर्किन	१० लिटर, Plastic	थान	३५०
४७	जर्किन	२० लिटर, Plastic	थान	५२५
४८	झाझर	Steel	थान	३००
४९	टि म्याट	६ थानको सेट	सेट	३००



५०	टिस्यू पेपर	१०० pulls premium वा सो सरह	थान	१३५
५१	ट्वाइलेट पम्प		थान	२००
५२	डस्ट पिकर(Dust Picker)	प्लास्टिकको	थान	१००
५३	डस्ट पिकर(Dust Picker)	स्टिलको/टिनको	थान	२५०
५४	डाडु	स्टिलको	थान	३००
५५	पन्यु	स्टिलको	थान	३००
५६	डिब्बा	मसला राख्ने प्लास्टिकको	थान	५००
५७	डेक्वी	१० लिटर, आल्मोनियम/सिल्भर	थान	८,०००
५८	डेक्वी	५ लिटर आल्मोनियम/सिल्भर	थान	४,८००
५९	डेक्वी	३ लिटर आल्मोनियम/सिल्भर	थान	२,५००
६०	ड्रम	प्लास्टिकको १०० लिटर	थान	२,०००
६१	ताप्के	स्टिलको २ लिटर	थान	२,०००
६२	ताप्के	स्टिलको ३ लिटर	थान	२,४००
६३	ताप्के	ननस्टिकी २ लिटर	थान	२,५००
६४	तावा	फलामको	थान	९५०
६५	थाल	स्टिलको	थान	४५०
६६	पानी खाने गिलास	स्टिलको, Min २०० ml	थान	१५०
६७	पानी खाने गिलास	सिसाको, Min २०० ml	थान	६५
६८	पानी खाने बोटल	भिन्न बाहिर तामा भएको १ लिटर minimum क्षमताको	थान	१,८००
६९	पानी खाने बोटल	प्लास्टिकको, १ Liter minimum	थान	२२५
७०	पानी खाने सिसाको जग	१ लिटर, Borosil or equivalent	थान	१,५००
७१	पानी खाने स्टिलको जग	१ लिटर	थान	५५०
७२	मग	प्लास्टिकको	थान	९२
७३	प्रेसर कुकर	५ लिटर	थान	३,०००
७४	प्रेसर कुकर	१० लिटर	थान	५,५००
७५	प्रेसर कुकर	३ लिटर	थान	२,५००
७६	प्रेसर कुकर ननस्टिकी	५ लिटर नन स्टिक	थान	४,९००
७७	प्रेसर कुकर ननस्टिकी	१० लिटर	थान	६,५००
७८	प्रेसर कुकर ननस्टिकी	३ लिटर	थान	३,५००
७९	कराइ	३ लिटर नन स्टिक	थान	३,२००
८०	कराइ	५ लिटर नन स्टिक	थान	४,८८०
८१	पिताम्बरी	१०० ग्राम	प्याकेट	३९०
८२	प्लाष्टिक मिनी स्टुल		थान	३५०
८३	फ्राइप्यान	ननस्टिक	थान	१,५००
८४	बेलना चौकी		थान	६७५
८५	भिन्न तामा भएको जग	१ लिटर	थान	२,०००
८६	भुइ पुच्छने रुमाल		थान	१५०
८७	फलोवर क्लिनर	लाइजोल वा सो सरह ५०० एम एल	थान	६५०
८८	लाईटर	साधारण	थान	२५
८९	वाटर डिस्पेन्सर	तातो चिसो आउने इलेक्ट्रोनिक	थान	१०,५००
९०	स्टील उल(भाडा माइने झाली)		थान	६३
९१	इलेक्ट्रिक जग	minimum १.५ लिटर	थान	१,८००
९२	gaskate	प्रेसर कुकरको	थान	१३०


फर्निचर जन्य सामग्री



क्र.स.	मालसामानको विवरण	स्पेसिफिकेसन	एकाई	सु.अ.कर बाहेकको अति. ०८२/८३ को दररेट
१	हवाईट बोर्ड	४X २ वर्ग फिट	थान	३,०००
२	कुर्सी	हात भएको काठको	थान	५,५००
३	कुर्सी	हात नभएको काठको	थान	५,०००
४	कुर्सी	फोल्डिङ गर्न मिल्ने स्टीलको	थान	४,०००
५	Revolving Chair	साधारण	थान	८,५००
६	Revolving Chair	Heavy	थान	२२,०००
७	Revolving Chair	Executive	थान	३०,०००
८	Tea Table	काठको २x४ वर्ग फिट	थान	१२,०००
९	Table	Executive	थान	४०,०००
१०	Office Table	काठको २.५x४ वर्ग फिट	थान	१६,०००
११	Office Table	काठको ३x५ वर्ग फिट	थान	२४,०००
१२	Computer Table	काठको २x३ वर्ग फिटको	थान	८,०००
१३	Table	काठको चार खुट्टा भएको २.५x३ वर्ग फिटको	थान	८,०००
१४	दराज	Metal २० Gauge, ५ फिट उचाई भएको	थान	१५,०००
१५	दराज	Supplying and Fixing of approved good quality lockable steel Glassdoor Cupbord of size (5'6"x2'8"or morex1'x8") iron used in 20 gauge and shutter	थान	१८,५००
१६	दराज	metal २० Gauge, ४.५ फिट उचाई भएको	थान	१२,५००
१७	दराज	Supplying and Fixing of approved good quality lockable steel Cupbord of size (5'6"x2'8"or morex1'x8") iron used in 20 gauge and shutter	थान	२२,०००
१८	दराज	Glass Door. २० Gauge, ६ फिट उचाई भएको	थान	२०,५००
१९	File Cabinet	Supplying and Fixing of central locking mild steel file cabinet containing 4 layer of size (4'Hx2'wx1'6")	थान	२०,५००
२०	Open Rack	Supplying and fixing of approved good Quality open rack of size (6'x3'x1'8") iron used in 20 gauge	थान	७,५००
२१	Rack	open wood फरमाइका जडान गरको फोर्टिङ समेत १८ एम एम को बोर्ड भएको	प्रति वर्ग फिट	१,४००
२२	डोर म्याट	जुटको	थान	९५०
२३	डोर म्याट	Fancy	थान	१,२००
२४	अल्टिमेट डोर म्याट		वर्ग फिट	२१५
२५	कार्पेट	फिटिङ सहित साधारण	वर्ग फिट	३०
२६	कार्पेट	फिटिङ सहित बुझेदार	वर्ग फिट	१००
२७	कार्पेट	फिटिङ सहित डिलक्स	वर्ग फिट	१५०
२८	टाट/प्लास्टिक कार्पेट	फिटिङ सहित	वर्ग फिट	८५
२९	कार्पेट	क्यालियो	वर्ग फिट	१२५
३०	पर्दा	फिटिङ सहित साधारण	मिटर	१,५००
३१	पर्दा	फिटिङ सहित कटन	मिटर	२,१००
३२	पर्दा	फिटिङ सहित डिलक्स	मिटर	२,४५०
३३	पर्दा	फिटिङ सहित भर्टिकल	वर्ग फिट	३१५
३४	सोफा सेट	५ मिटर क्षमता रेक्जिन जडान गरीएको फिटिङ सहित	सेट	४५,०००

३५	चकटी कुसन	१.५x१.५ वर्ग फिटको	थान	४००
३६	पर्दाको डण्डी	इनामेल कोटेड	मिटर	१००
३७	Flag Stand	5 feet wood's stand	थान	१,०००
३८	Plastic Chair on rent		थान	२३
३९	साइन बोर्ड		प्रति वर्ग फिट	२५०
४०	उजुरी पेटिका	काठको	थान	९५०
४१	सूचना पाटी notice board		प्रति वर्ग फिट	५५०
४२	भन्याड	आलुमिनमको नन फोल्डिङ १८ फिट	थान	१३,३५०
४३	भन्याड	आलुमिनमको नन फोल्डिङ २४ फिट	थान	२०,३००
४४	भन्याड	आलुमिनमको नन फोल्डिङ ६ फिट	थान	६,०५०
४५	भन्याड	आलुमिनमको फोल्डिङ १२ फिट	थान	१८,०००
४६	भन्याड	आलुमिनमको फोल्डिङ १८ फिट	थान	२५,०००
४७	भन्याड	आलुमिनमको फोल्डिङ २४ फिट	थान	४०,३५०
४८	भन्याड	काठको १२ फिट	थान	१२,०००
४९	भन्याड	आलुमिनम डबल साईड ६ फिट	थान	१४,२००
५०	भन्याड	आलुमिनम डबल साईड ८ फिट	थान	२२,८००
५१	कोट हेङ्गर	काठको	थान	८,०००
५२	कोट हेङ्गर	स्टिलको	थान	३,०००
५३	इस्टुल	स्टिलको	थान	१,१००
५४	भाडा राख्ने न्याक	स्टिलको	थान	२,०००
५५	Visitor bench	3 seater, metallic	सेट	१६,०००
५६	फुट स्टेप(Foot Step)	फलामको double step	थान	३,२००
५७	पर्दा सपोर्ट		थान	६०
५८	ग्रिप पेच		थान	३
५९	फलामको बेड	सिंगल बेड	थान	७,०००
६०	Mattress	Single bed	थान	६,५००
६१	Mattress	Double bed	थान	१८,०००
६२	काठको पलङ	सिंगल बेड	थान	२८,०००
६३	काठको पलङ	डबल बेड	थान	४२,०००
६४	लो बेड	सिंगल बेड	थान	६,५००
६५	लो बेड	डबल बेड	थान	७,८००
६६	टेबुल सिसा	8 mm	प्रति वर्ग फिट	५००
६७	Convex Mirror (traffic)	18 Inch diameter	प्रति थान	४,५००
६८	Convex Mirror (traffic)	24 Inch diameter	प्रति थान	६,०००
६९	Convex Mirror (traffic)	30 inch diameter	प्रति थान	७,८००
७०	Convex Mirror (traffic)	32 inch diameter	प्रति थान	९,४५०
७१	Embossed (raised) Metal	silver or Golden colour lettering (Measured inch-word horizontally)	प्रति इन्च	२५०
७२	प्लाष्टिकको कुर्चि		थान	९७५

विद्युतीय सामग्री



क्र.स.	मालसामानको विवरण	स्पेशिफिकेसन	एकाई	प्रति थान
१	AC/DC Digital Clamp Meter	Data Hold Display :6000 counts LCD with double color backlight AC Current:4A/40A/400A/600A AC Voltage:4V/40V/400V/600V DC Voltage:400mV/4V/40V/400V/600V Resistance: 400Ω/4kΩ/40kΩ/400kΩ/4MΩ/40MΩ Capacitance:4nf/40nf/400nf/4μF/40μF/400μF/4mf Non-contact voltage detection, Diode test Data Hold Auto power off With backlight function With flash light function With lower battery indication function	प्रति थान	७,२००
२	Battery	AA	प्रति जोर	५०
३	Battery	AAA	प्रति जोर	१५०
४	Tester	Voltage: AC 100-500V; approx Size: 131 x 15mm /5.16 x 0.6 Inch(L*D)	प्रति थान	१२०
५	पावर सकेट	बक्स सहित १६ एम्पियर	प्रति थान	१,५००
६	पेचकस	सेट, 31 in 1 magnetic multifunction standard screw driver set	प्रति सेट	६००
७	होल्डर	Bulb Holder B22 to E27 pin to Screw	प्रति थान	८०
८	फ्रिजको ग्याँस फेरेको		प्रति थान	२,०००
९	ए सी को ग्याँस फेरेको	up to 1.5 ton	प्रति थान	५,०००
१०	ए सी को ग्याँस फेरेको	2 ton	प्रति थान	६,०००
११	Tea Electric Kettle	stainless steel Electric kettle	प्रति थान	८००
१२	केबल टाई	100 pcs/packet 2.5mm*150mm self-Locking Nylon wire Cable Zip Ties Cable Ties	थान	२५०
१३	क्लाम्पर	3 in 1 Heavy duty crimping tool and stripper	थान	७३०
१४	Flash/Tourch Light	Rechargeable Led Flash/tourch Light	थान	१,४००
१५	Plier	High Leverage Plier	थान	५८०
१६	Multimeter	Multimeter Voltage, Current, Resistance Tester Buzzer Led Backlight With Non Contact Buzzer	थान	१,५००
१७	Lux Meter	Measure in lux or foot-candles, with one button to switch between display options Measuring range up to 200,000 Lux or 20,000 foot candles Data hold to freeze reading on the digital display Min/max ability to show high and low readings Auto power off to save battery life Includes protective sensor cap	थान	४,८५०
१८	Contactore	Heavy duty power contactor with silver alloy contacts - Volts 220 AC - 3 Pole - Copper coil heavy duty Contactor with silver alloy Wire Connector (32 Amps 3pole) 32 Amps 3pole	थान	४,२००
१९	ProgramableTimer Switch for Street Light Parking lights Glow Sign Boards	Digital ProgramableTimer switch provides user to set single ON - OFF time between 24 Hrs User friendly Keypad & LED display helps user to set ON OFF & Real timings from 00.00 to 23.59 Hrs. Timer works on single phase supply voltage 190VAc to 250VAc Timer is suitable for Output load capacity upto 32 Amps Auto/Manual mode operations available mainly usefull for street lights,parking lights,led glow sign boards,water motors & many more	थान	५,५००



२०	Street Light Timer Astronomical	Big LCD Display with backlight shows Date, Time, On Time, Off Time Simple and Easy To Understand Intuitive Keys on the font panel Basement Mode enables user to advance On Time and prolong Off Time by 15 Min. This mode is specifically designed to address challenges of Low Light Areas like Staircases, Basement Parking etc Most Suitable for Street Lights, Staircase/ Parking Lights On-Off, Hoarding Lights On-Off, Water Pump/ Sprinkler On-Off, load capacity upto 32 Ams	थान	१,५००
२१	25 sq mm 3 core ABC Cable	3 core, 25 sq mm	र.मि.	१५०
२२	Street light arms/stand, minimum 0.7 mtr long		set	७००
२३	Installation of street light		set	६००
२४	Day night sensor for auto on-off for street light and other light		Nos	९२५
२५	Bed switch		Nos	३०
२६	Bulb cover umbrella		Pcs	४५०
२७	16 amp contractor 3/4p		Nos	१,२००
२८	Safety gloves		pair	६००
२९	Pendent holder screw type		nos	३५
३०	Pendent holder pin type		nos	३५
३१	Metal body street light bulb cover		nos	९५०
३२	Plastic body street light bulb cover		nos	७५०
३३	Light number plate		nos	५५
३४	22-30 watt printed circuit board (PCB) Osram, Philips or equivalent		set	७५०
३५	40-50 watt printed circuit board (PCB) Osram, Philips or equivalent		set	१,३५०
३६	100-120 watt printed circuit board (PCB) Osram, Philips or equivalent		set	१,६००
३७	20-30 watt high quality LED powered driver		set	१,०८०
३८	40-50 watt high quality LED powered driver		set	१,३५०
३९	100-120 watt high quality LED powered driver		set	१,५८०
४०	Installation of street light (with minimal maintenance)		set	१,५००

हार्डवेयर सम्बन्धी मालसामान


क्र.स.	मालसामानको विवरण	स्पेसिफिकेसन	एकाई	मु.अ.कर बाहेकको आ.व. ०८२/८३ को दररेट
१	अन्तराप	६ ईञ्च	प्रति थान	७००
२	अन्तराप	८ ईञ्च	प्रति थान	१,०००
३	अन्तराप	१२ ईञ्च	प्रति थान	१,४००
४	हतौडा	विड सहित ५०० ग्रामको	प्रति थान	१,३००
५	हतौडा	हेभि विड सहित एक केजीको	प्रति थान	२,०००
६	पेच कस (Screw Driver)	माईनस प्लस भएको ८ ईञ्चको	प्रति थान	५००
७	पेन्चिस /पिलास(Pliers)	६ ईञ्च	प्रति थान	९५०
८	पेन्चिस /पिलास(Pliers)	८ ईञ्च	प्रति थान	१,२५०
९	ड्रिल मेसिन	१० एम एम	प्रति थान	८,५००
१०	ड्रिल मेसिन	१३ एम एम	प्रति थान	१२,५००
११	पाईप	नाइलन १ इन्चको	प्रति रोल	३,०००
१२	एडजस्टेबल रेन्च (Wrench)	सानो ८"/ २०० एम एम	प्रति थान	८००
१३	ब्लेड	ढलान काट्ने	प्रति थान	१,५००
१४	ब्लेड	घाँस काट्ने (१ सेट बराबर २ पिस)	प्रति थान	३,०००
१५	पञ्जा	छालाको बाक्लो	प्रति जोडी	८००
१६	डोरी	पिड	प्रति रोल	८,५००

१७	डोरी	नाइलन	प्रति केजी	५२५
१८	डोरी	जुटको	प्रति केजी	६५०
१९	डोरी	प्लास्टिकको	प्रति मुल्य	१५०
२०	पानी ट्याङ्की	हिलटेक वा सो सरह	प्रति लिटर	१४
२१	तारपिन तेल		प्रति लिटर	३००
२२	एक पाङ्ग्रे गाढा	Material: Steel, Enamel Coated, Single Wheel, Dimension : 1370mm * 470mm * 590mm, Pneumatic Wheel Diameter 360mm	थान	३,०००
२३	चोयाको धुन्से	Height 18", top diameter 18" and base diagonal dimensions 10", and weight at least 900gm	थान	२२५
२४	खुर्पा	Full metal body, Weight at least 750 gm, Handle length 5" and height 10"	थान	३१०
२५	हसिया	Full metal body, Weight at least 300 gm, Handle length 6" and height 9"	थान	१५०
२६	कुटो पाटे चुच्चे	GI pipe handle of 1" diameter and length of 12", चुच्चे side length 4.5" र पाटे length 4" and width 2"	थान	१५०
२७	सावेल चारपाटे	Full metal body(Grip Handle, Shaft, Collar, Blade), Blade size 12"*9", Shaft Length 21", Shaft Diameter 1.5" and Handle Grip of Length 7" and Width 4.5"	थान	३७५
२८	सावेल चुच्चे	Full metal body, Blade size from step to tip 12", width of blade 9", Shaft Length 21", Shaft Diameter 1.5" and Handle Grip of Length 7" and Width 4.5"	थान	३५०
२९	गल	5' in length, full solid metal body, 6.8 kg in weight	थान	१,३००
३०	पिक बिड सहित	Weight of pickaxe only 2.1kg, weight with handle 2.7 kg, wooden handle length of 29", Pickaxe should have chisel end, pick end and eye for inserting the wooden handle	थान	३९५
३१	त्रिपाल बुट्टेदार (ठुलो १५'x२१')	15'*21' in size, checked pattern, edges are rope reinforced, eyelets at every corner	थान	१,०००
३२	वोल्ट कटर	Size 18", Rubber handle, adjustable jaws, Cr-V or Cr-Mo material (INGCO brand or equivalent)	थान	१,२५०
३३	बोरा	Made up of plastic and should handle 100 kg of filling weight	थान	२५
३४	कोदालो बिड सहित	Weight of spade only 0.9kg, weight with handle 1.4 kg, wooden handle length of 29", Spade should have chisel end and eye for inserting the wooden handle	थान	३५०
३५	हाते करौति	Pruning saw, 320 mm length, permanently filed teeth, triple edge with plastic/wooden handle (Ingco Brand or Equivalent)	थान	१७५
३६	नरिवलको झाडु	3' in length and minimum weight should be 300 gm	थान	५०
३७	सेफ्टि वेल्ट	Single attachment, D- type	थान	८००
३८	फुल गमबूट(छाती सम्मको)	Lightweight, waterproof, Color: Nepal Army, Material : Nylon reinforced PVC, Style : Hip Waders, Cleated Sole and Elastic Waist Band trousers, size 37-44 range	थान	५,२५०
३९	भर्याङ्ग	Aluminum, 12' length, width of step 15" and 12" between two steps	थान	१८,५००
४०	रिफ्लेक्टिभ ज्याकेट	2 side pockets with zippers, two lines of high reflective tape of 1.5" width along the waist and chest lines, one zipper vertically in the middle, black color collar, inner layer of net cloth(black) and protection around the sleeves opening, KMC logo and name print	थान	६००
४१	रबरको पन्जा	(finger and palm rubber coated)	जोडी	८०
४२	सेफ्टि हेलमेट	Hard helmet, With chin strap, adjustable head buckle, color should be as specified by office	थान	२९५
४३	लाईफ ज्याकेट	adjustable elasticity, equipped with safety buckles, reflective strips, suitable for adults upto 100kg weight, with head support	थान	१,२००
४४	पोखरीको पानी फाल्ने पम्प	submersible pump, 1 HP Italian brand	थान	७,०००
४५	मास्क	Disposal Mask (Per Piece specifications : 3 layers, size 17.5cm* 9.5cm, with elastic ear loop and nose pin, melt blown filter), 50 PCs Box	प्याकेट	१००
४६	तौल गर्ने मेसिन ३०० केजी क्षमता	Maximum 300 kg, approved by Nepal Bureau of Standards and Metrology Department, Digital measurement, Chargable	थान	१४,५००
४७	काँटा (Rake) 1.5 meter length	9 teeth, 5" tooth length and 15" total length of garden rake 15", with light steel pipe ½" handle of 5' length	थान	३९५
४८	काँटा (Rake) 3 meter length	9 teeth, 5" tooth length and 15" total length of garden rake 15", with light steel pipe ½" handle of 9' length	थान	४९५
४९	लामो बिड र ब्रस भएको मफ	5' handle	थान	२९५



५०	विड सहितको नेट	metal/wooden handle of at least 3' length, net gap 1cm*1 cm, nylon net	थान	७५
५१	डोरी १" साईजको	Nylon	केजी	३३०
५२	तार ब्रस	wired brush	थान	६०
५३	च्वाफी लौरो सहितको	5' firm and solid wooden stick	थान	२९५
५४	प्लाष्टिकको ब्रस (लट्टी सहितको)	at least 5' handle	थान	२५०
५५	बन्चरो	800 gm forged metal, wooden handle of at least 32 "	थान	७००
५६	फोहोर उठाउने २ चक्के गाडा	made up of 40kg (minimum) (except wheels) of mild steel, hollow pipe handles, tapering at bottom sides, 2 leg stands, 2 wheels of appropriate dia and type	थान	१४,५००
५७	गाडेन पाईप १/२"	Flexible pipe, 0.5" dia	रोल	७००
५८	तार कटर १०"	10" size , max opening 40mm	थान	९७५
५९	तार कटर १८"	450mm size, cutting capacity upto 10mm	थान	१,१००
६०	ब्याट्रीबाट चल्ने करौती, २ थान ब्याट्री र चार्जर सहित	cordless chain saw, 40v , bar length 16", chain speed 14.5m/s, auto lubrication (Ingco brand or equivalent)	थान	७,०००
६१	ग्राइन्डर (ब्याट्रीबाट चल्ने), २ थान ब्याट्री र ६ थान चक्का, चार्जर सहित	cordless grinder machine, 4" inch disc, 20v battrey (Ingco brand or equivalent)	थान	११,५००
६२	गारवेज प्लाष्टिक	100 litre capacity	थान	३०
६३	स्प्रे पम्प (चार्जवाला) १६ लिटर	16 litres capacity, automatic, chargeable	थान	३,०००
६४	स्प्रे पम्प २ लिटर (हाते)	2 ltr capacity, adustable nozzle, at least 2.5BAR pressure	थान	२७५
६५	गाडाको पाङ्ग्रा, ट्युब सहित	Wheel Diameter 360mm, tolerance : ±50mm	थान	७७५
६६	डस्टबिन १४० लिटर(पाङ्ग्रावाला)	LLDPE Plastic Dustbin with wheels, capacity 140 litres, base 21"*18", Top lid 29"*28", Height 42", product weight of 16 kg, handle and wheel installed	थान	७,०००
६७	पन्जा डिसपोजेबल	Latex Disposable Gloves Box ,single wall thickness 0.12mm (100 Pcs in 1 Box)	प्याकेट	३५०
६८	गम बुट	waterproof, rubber sole, approx height 11", black in color	जोडी	८००
६९	साबुन	bathing soap, weight 75 gm, Dettol or equivalent	थान	४८
७०	तौलिया	at least 1.5m*0.5m in dimension	थान	३५०
७१	फिनेल	White liquid	लिटर	
७२	मालाथिन	Malathion 50% EC	लिटर	८५०
७३	सेन्ट्रानोल	equivalent to citronella oil produced by HPPCL	लिटर	१,९००
७४	Beneficial Microbes	Yeast & mold 2.4X10 ³ cfu/ml, Total plate count 2.8X10 ⁷ cfu/ml, Bacillus sps 9.9X10 ⁴ cfu/ml, Pseudomonas sps 2.1X10 ³ cfu/ml, Lactobacter sps 3.21X10 ³ cfu/ml, Trichoderma sps 2.3X10 ³ cfu/ml, E. Coli - Nil, Salmonella sps - Nil, Shigella sps - Nil, pH : 3.0-6.0, base: Liquid based	लिटर	८०
७५	झिँगा मार्ने औषधी	20g packet, acetamiprid 20% SP	प्याकेट	६०
७६	फाल्कोनि केँची	Stainless steel, total length 570mm(±50mm), blade length 250 mm (±30mm)	थान	१,२२५
७७	होज पाईप २"	Hose pipe of dia 2", minimum pressure 8 BAR	मिटर	१३०
७८	तार ७/२२	7/22size PVC insulated copper wire	क्वायल	२,७००
७९	सेफ्टी चश्मा	anti fog, anti scratch, UV protection	थान	१००
८०	Bleaching Powder		केजी	१५५
८१	Bleaching liquid		लिटर	१६०
८२	Bleaching powder	ड्रम वाला	के.जी.	१९५
८३	फिटकिरी		के.जी.	१२५
८४	Water pack System		के.जी.	२८५
८५	टि.टि.सी.ए.	९० प्रतिशत	के.जी.	९९०
८६	पोलि एल्मुनियम क्लाराईड		लिटर	१७५
८७	पि.एन. १० पाइप		प्रति मिटर	१५५

खेलकुद सम्बन्धी सामग्री



क.स.	मालसामानको विवरण	स्पेशिफिकेसन	एकाई	दररेट
१	भलिबल नेट	Standard Size	प्रति थान	३,०००
२	भलिबल	५ नं.	प्रति थान	३,०००
३	भलिबल पोल		प्रति थान	६,४००
४	भलिबल म्याट		प्रति थान	४,५५०
५	फुटबल	५ नं.	प्रति थान	३,५००
६	ब्याटमिन्टन च्याकेट	भेनस वा सरह	प्रति थान	४,०००
७	ब्याटमिन्टन जाली	भेनस वा सो सरह	प्रति थान	३,५००
८	ब्याटमिन्टन कक	भेनस वा सो सरह	प्रति थान	१००
९	ब्याटमिन्टन पोल		प्रति थान	३,६००
१०	T-Shirt Print सहितको	साधारण	प्रति थान	३९५
११	T-Shirt Print सहितको	collar	प्रति थान	८५५
१२	चेस	गोटी सहित	प्रति थान	८२०
१३	चेस	गोटी मात्र	प्रति थान	१७०
१४	क्रिकेट बल		प्रति थान	५६५
१५	लुडो		प्रति थान	५७०
१६	क्यारमबोर्ड गोटी		प्रति थान	३७०
१७	Skipping Rope (स्किपिङ रोप)		प्रति थान	२६०
१८	क्रिकेट ब्याट		प्रति थान	१,२६५
१९	क्रिकेट स्टम्प		प्रति थान	३,६००
२०	क्रिकेट हेलमेट		प्रति थान	२,३५०
२१	क्रिकेट ग्लोव्स		प्रति थान	२,५००
२२	क्रिकेट प्याड		प्रति थान	३,८५५
२३	क्रिकेट गार्ड		प्रति थान	४९०
२४	आर्म प्याड		प्रति थान	१,२१०
२५	क्यारम बोर्ड	४*४ वर्ग फिटको	प्रति थान	४,४००
२६	क्यारमबोर्ड पाउडर		के जी	७०
२७	टेबल टेनिस बल		प्रति थान	४०
२८	टेबल टेनिस ब्याट		प्रति थान	१,४००
२९	टेबल टेनिस बोर्ड	९*५ वर्ग फिट	प्रति थान	५६,०००
३०	टेबल टेनिस नेट		प्रति थान	२,६००
३१	कराते म्याट		प्रति थान	३,१५५
३२	फुटबल बुट		प्रति थान	३,५२०
३३	जर्सी	का.म.पा.को नाम र लोगो प्रिन्ट सहित	प्रति थान	३,८४५
३४	फुटबल मोजा		प्रति थान	११०
३५	खेलकुद क्याप	का.म.पा.को नाम र लोगो प्रिन्ट सहित	प्रति थान	६५५
३६	सिठी	डोरी सहित	प्रति थान	२८०
३७	फुटबल गोल पोष्ट		थान	११,०००
३८	फुटबल कोन		थान	२,४५०
३९	फुटबल नेट		थान	३,५६०
४०	बास्केट बल		थान	३,०५५
४१	बास्केट बल नेट		थान	६५०
४२	किप्पर ग्लोभ्स		जोर	१,१२०
४३	फस्ट एड बक्स		थान	६,६००
४४	बक्सिङ ग्लोभ्स		जोर	३,४५५
४५	योगा म्याट	२*६ वर्ग फिटको	थान	१,२००
४६	योगा म्याट	४*६ वर्ग फिटको	थान	२,१००


सूचना प्रविधि सम्बन्धी सामग्री



क्र.स.	मालसामानको विवरण	स्पेसिफिकेसन	एकाई	आ.व. ०८२/८३ को दररेट
१	4 port PoE switch with SFP Uplink	Port: Min. 4x10/100Mbps PoE RJ 45 Interface and 2x SFP Interface; Budget Power: 60 w min; Warranty: 1 year warranty or more.	प्रति थान	८,५००
२	8 port Normal Switch	Ports: Min 8x10/100Mbps PoE RJ 45 Interface or better. ; Warranty: 1 year warranty or more.	प्रति थान	३,५००
३	8 port gigabyte unmanaged switch	Ports: At least 8x10/100/1000Mbps PoE RJ 45 Interface or better. ; Warranty: 1 year warranty or more.	प्रति थान	८,१००
४	8 port gigabyte managed switch	Ports: At least 8x10/100/1000Mbps PoE RJ 45 Interface or better.; VLAN Support: At least 10 VLAN; MAC Address Table: 4K MAC Address; Switching Capacity: 14 Gbps; Forwarding Capacity: 10 Mpps or more; Warranty: 1 year warranty or more.	प्रति थान	८,२००
५	8 port gigabyte manageable switch with 2 SFP uplink	Ports: At least 8x10/100/1000Mbps RJ45 Interface and 2x1G SFP Ports or better; VLAN Support: At least 10 VLAN; MAC Address Table: 4K MAC Address; Switching Capacity:10 Gbps or better; Forwarding Capacity: 10 Mpps or more; Warranty: 1 year warranty or more.	प्रति थान	१७,०००
६	8 port gigabyte managed switch with PoE	Ports: At least 8x10/100/1000Mbps PoE RJ 45 Interface or better; VLAN Support: At least 10 VLAN; MAC Address Table: 4K MAC Address; Switching Capacity:10 Gbps or better; Forwarding Capacity: 10 Mpps or more; PoE power budget 120W or more ;Warranty: 1 year warranty or more.	प्रति थान	११,०००
७	8 Port 10G SFP+ Switch	Ports: At least 8x10G SFP+ Interface and 4x1G RJ45 Interface or better; VLAN Support: At least 4k VLAN; MAC Address Table: 16K MAC Address; Switching Capacity: 140 Gbps; Forwarding Capacity: 100 Mpps or more; Warranty: 1 year warranty or more.	प्रति थान	५५,०००
८	16 Port 10G SFP+ Switch	Ports: At least 16x10G SFP+ Interface and 4x1G RJ45 Interface or better; VLAN Support: At least 4k VLAN; MAC Address Table: 16K MAC Address; Switching Capacity: 140 Gbps; Forwarding Capacity: 100 Mpps or more; Warranty: 1 year warranty or more.	प्रति थान	७५,०००
९	16 port gigabyte managed switch	Ports: At least 16x10/100/1000Mbps PoE RJ 45 Interface or better.; VLAN Support: At least 10 VLAN; MAC Address Table: 7K MAC Address or better; Switching Capacity: 30 Gbps or better; Forwarding Capacity: 22 Mpps or more; Warranty: 1 year warranty or more.	प्रति थान	१८,०००
१०	16 port gigabyte manageable switch with 2 SFP uplink	Ports: At least 16x10/100/1000Mbps RJ45 Interface and 2x1G SFP Ports or better; VLAN Support: At least 10 VLAN; MAC Address Table: 7K MAC Address or better; Switching Capacity: 30 Gbps or better; Forwarding Capacity: 22 Mpps or more; Warranty: 1 year warranty or more.	प्रति थान	३५,०००
११	16 port gigabyte unmanaged switch	The switch should have at least 16x10/100/1000Mbps RJ 45 Interface, Support 24Gbps Switching capacity The switch should have 1 year warranty or more.	प्रति थान	१०,०००
१२	24 port gigabyte unmanaged switch	The switch should have at least 16x10/100/1000Mbps RJ 45 Interface or better. The Switch should support 40Gbps Switching capacity. The switch should have 1 year warranty or more.	प्रति थान	१७,०००
१३	24 port gigabyte managed switch	Ports: At least 24x10/100/1000Mbps PoE RJ 45 Interface or better.; VLAN Support: At least 12 VLAN; MAC Address Table: 7K MAC Address or better; Switching Capacity: 40 Gbps or better; Forwarding Capacity: 34 Mpps or more; Warranty: 1 year warranty or more.	प्रति थान	४५,०००
१४	24 port gigabyte managed switch with 2 SFP Uplink	Ports: At least 24x10/100/1000Mbps RJ 45 Interface and 2x1G SFP Interface or better.; LAN Support: At least 4k VLAN; MAC Address Table: 8K MAC Address; Switching Capacity: 54 Gbps; Forwarding Capacity: 40 Mpps or more; Warranty: 1 year warranty or more.	प्रति थान	६५,०००



४९	Fiber Patch Cord	Product Type: 5 meter fiber Patch with SC-SC or SC-LC or LC-LC connector or better	प्रति थान	१,२००
५०	Fiber Patch Cord	Product Type: 10 meter fiber Patch with SC-SC or SC-LC or LC-LC connector or better	प्रति थान	१,२००
५१	Type C to LAN adapter	Product Type: Type C to Gigabit Ethernet Converter	प्रति थान	१,२००
५२	USB to LAN adapter	Product Type: USB to Ethernet Converter	प्रति थान	७००
५३	6 in1 USB-C To 3*USB 3.0 A+HDMI+RJ45+PD Converter	Product Type: 6 in1 USB-C To 3*USB 3.0 A+HDMI+RJ45+PD Converter	प्रति थान	६,०००
५४	4-Port USB 3.0 Hub + Powered by Micro USB, Metal Plated Shell, Ultra Slim	Product Type: 4-Port USB 3.0 Hub + Powered by Micro USB, Metal Plated Shell, Ultra Slim	प्रति थान	२,५००
५५	HDMI Cable 5 mtr	5 Meters, HDMI Cable 4k high speed for all HDMI Devices, Laptop, computer, UHD TV, Monitor, Projector	प्रति थान	२,४००
५६	HDMI Cable 10 mtr	10 Meter HDMI Cable 4k high speed for all HDMI Devices, Laptop, computer, UHD TV, Monitor, Projector	प्रति थान	३,०००
५७	HDMI Cable 15 mtr	15 Meter HDMI Cable 4k high speed for all HDMI Devices, Laptop, computer, UHD TV, Monitor, Projector	प्रति थान	४,५००
५८	HDMI Cable 20 mtr	20 Meter HDMI Cable 4k high speed for all HDMI Devices, Laptop, computer, UHD TV, Monitor, Projector	प्रति थान	५,०००
५९	2.5mm FRLS Cable	2.5mm FRLS cable 90Meter Roll	प्रति रोल	४,८००
६०	4.0 mm FRLS Cable	4.0mm FRLS cable 90Meter Roll	प्रति रोल	७,५००
६१	Power 0/1 Cable	0/1 Power cable	प्रति मिटर	११०
६२	10 mm power cable (outdoor)	10 mm power cable (outdoor)	प्रति मिटर	८०
६३	Power socket with PVC box(3X3)	10A power socket with 3x3 PVC box or better	प्रति थान	३५०
६४	Double power socket with PVC box (3*5)	2x10A power socket with 3x5 PVC box or better	प्रति थान	५००
६५	3 port Multiplug	3 port Multiplug or better	प्रति थान	४५०
६६	5 port Multiplug	5 port Multiplug or better	प्रति थान	८००
६७	Metal Grip 2"	Metal Grip 2"	प्रति के जि	६००
६८	PVC Black pipe(3/4")	PVC Black pipe(3/4")	प्रति मिटर	२५
६९	Flexible Pipe 1 "	Flexible Pipe 1 "	प्रति मिटर	५०
७०	Flexible Pipe 2 "	Flexible Pipe 2 "	प्रति मिटर	८०
७१	Listic 25mm	Listic 25mm	प्रति थान	७५
७२	Listic 40mm	Listic 40mm	प्रति थान	१५०
७३	Listic 70mm	Listic 70mm	प्रति थान	१८०
७४	Listic Killa	Listic Killa	प्रति थान	१
७५	Grip 1.5"	Grip 1.5"	प्रति के जि	५००
७६	Full Threaded Black Screw 0.5"	Full Threaded Black Screw 0.5"	प्रति के जि	५००
७७	Full Threaded Black Screw 1"	Full Threaded Black Screw 1"	प्रति के जि	५००
७८	Full Threaded Black Screw 1.5"	Full Threaded Black Screw 1.5"	प्रति के जि	५००
७९	Black Tape	Black Tape	प्रति थान	२५
८०	Cable tie 150MM	Cable tie 150MM	प्रति प्याकेट	१५०
८१	Cable tie 300MM	Cable tie 300MM	प्रति प्याकेट	२००
८२	Binding wire	Binding wire	प्रति के जि	१२०
८३	Network Cabling	Network cable laying in PVC duct, Pipe, crimping, testing and labeling per point	प्रति मिटर	१२०
८४	Fiber Laying	Laying of Fiber Cable, testing & tagging per meter with labor charge.	प्रति मिटर	२
८५	Fiber Splicing	Fiber Splicing, testing and fiber cable management per splicing	प्रति थान	४००
८६	Cable Laying	Laying of Cat 6 Cable, Power Cable, Optical Fiber; testing and tagging per meter with labor charges. (without bit wiring)	प्रति मिटर	२
८७	Cable Laying	Laying of Cat 6 Cable, Power Cable, Optical Fiber; testing and tagging per meter with labor charges. (with bit wiring)	प्रति मिटर	५
८८	Network Cabling	Network cable laying in PVC duct, Pipe, crimping, testing and labeling per point	प्रति थान	६००
८९	Wiring Cabling	Wiring and Cable Management Per point	प्रति थान	६००
९०	Projector	DLP, XGA, 1024 x 768 pixels, 3500 Lumens or better	प्रति थान	५२,०००
९१	Projector	DLP, WXGA, 1280 x 800 pixels, 4000 Lumens or better	प्रति थान	६५,०००
९२	Projector Screen	120 " diagonal , 4:3 ratio	प्रति थान	१२,५००



९३	Antivirus	1 User	प्रति थान	६००
९४	Antivirus	3 User	प्रति थान	१०००
९५	External Harddisk (HDD)	4 TB	प्रति थान	३५०००
९६	External Harddisk (HDD)	2 TB	प्रति थान	२०७३४,०००
९७	External Harddisk (HDD)	1 TB	प्रति थान	१०,०००
९८	External Harddisk (SSD)	4 TB	प्रति थान	३६,०००
९९	External Harddisk (SSD)	2 TB	प्रति थान	२५,०००
१००	External Harddisk (SSD)	1 TB	प्रति थान	१८,०००
१०१	External Harddisk (SSD)	512 GB	प्रति थान	१२,०००
१०२	Internal hard Disk (SSD)	1 TB	प्रति थान	६,५००
१०३	Internal hard Disk (SSD)	512 GB	प्रति थान	३,२००
१०४	SSD M.2 SATA	2 TB	प्रति थान	१९,०००
१०५	SSD M.2 SATA	1 TB	प्रति थान	११,०००
१०६	SSD M.2 SATA	512 GB	प्रति थान	६,९००
१०७	SSDM.2 SATA	256 GB	प्रति थान	४,९००
१०८	ATX Power supply	450W/500W	प्रति थान	६,०००
१०९	Computer Keyboard	English/Nepali, USB/PS2	प्रति थान	४५०
११०	Laptop Keyboard	USB Wired Keyboard (English International Keyboard)	प्रति थान	१,२००
१११	Wireless Keyboard	Wireless Keyboard (English International Keyboard)	प्रति थान	१,५००
११२	Wireless Keyboard & Mouse	(Combo Pack)	प्रति थान	२,६००
११३	Computer Mouse Pad	Simple	प्रति थान	१००
११४	Wireless Mouse	Wireless Support	प्रति थान	७५०
११५	Computer Mouse	Optical USB/PS2	प्रति थान	४००
११६	Desktop RAM	4 GB DDR3	प्रति थान	२,०००
११७	Desktop RAM	8 GB DDR3	प्रति थान	३,०००
११८	Desktop RAM	4 GB DDR4	प्रति थान	३,०००
११९	Desktop RAM	8 GB DDR4	प्रति थान	४,५००
१२०	Desktop RAM	16 GB DDR4	प्रति थान	७,५००
१२१	Desktop RAM	4 GB DDR5	प्रति थान	४,५००
१२२	Desktop RAM	8 GB DDR5	प्रति थान	६,५००
१२३	Desktop RAM	16 GB DDR5	प्रति थान	८,५००
१२४	Laptop RAM	4 GB DDR3	प्रति थान	२,५००
१२५	Laptop RAM	8 GB DDR3	प्रति थान	३,५००
१२६	Laptop RAM	4 GB DDR4	प्रति थान	३,०००
१२७	Laptop RAM	8 GB DDR4	प्रति थान	४,५००
१२८	Laptop RAM	16 GB DDR4	प्रति थान	७,५००
१२९	Laptop RAM	4 GB DDR5	प्रति थान	४,०००
१३०	Laptop RAM	8 GB DDR5	प्रति थान	६,५००
१३१	Laptop RAM	16 GB DDR5	प्रति थान	९,०००
१३२	Laptop Charger	All Brand	प्रति थान	२,४००
१३३	laptop battery	All Brand	प्रति थान	३,५००
१३४	Laptop Cooler Pad	Compatible For 14" and 15.6 "	प्रति थान	१,२००
१३५	Laptop Stand	Metal laptop stand with 360 degree rotatable and height adjustment	प्रति थान	२,५००
१३६	Laptop Screen	All Brand	प्रति थान	६,०००
१३७	Laptop Casing	All Brand	प्रति थान	२,५००
१३८	Printer Cable	1.5 meter, USB Type	प्रति थान	३५०
१३९	Power Cable	1.5 meter, For Computer/ Printer	प्रति थान	१५०
१४०	UPS	750 VA, Minimum 1 year warranty	प्रति थान	५,०००
१४१	UPS	1250 VA, Minimum 1 year warranty	प्रति थान	९,०००
१४२	Printer	Canon LBP 2900 or Equivalent, Minimum 1 year warranty	प्रति थान	२९,०००
१४३	Printer	Canon LBP 3010 or Equivalent, Minimum 1 year warranty	प्रति थान	३४,०००

१४४	3 in 1 Printer	print/copy-20 PPM or More ,128 MB Memory, Print copy resolution-600x600 or more, scan resolution-1200x1200DPI, Flatbed scanner or better, cartridge included, support mac, windows 10,11 Os, Duplex Printing, USB and Network printing support, 1 year warranty	प्रति थान	१८,०००
१४५	Vacuum Cleaner	Type- double Drum, 2000W, 20 liter (minimum)	प्रति थान	१८,०००
१४६	Smart TV	55" 4K(3840 x 2160 pixels) Smart TV, 2 GB RAM, 16 GB ROM, Android 9 or better, 1* Ethernet, 2*USB, 1*HDMI (min), wall mount kit with basic required accessories. 1year warranty .	प्रति थान	६२,०००
१४७	Trolley Speaker 8 "	Speaker Size 8 Inch, Sound Output: 30W Wireless Mic, Mic Input 1 Year Warranty, 6 Months on Battery	प्रति थान	११,५००
१४८	Trolley Speaker 12 "	Speaker Size 12 Inch, Sound Output: 40W Bluetooth, Mic Input, Rechargeable Battery, 2 wireless Mic, USB /TF input function, 1 Year Warranty, 6 Months on Battery	प्रति थान	१७,०००
१४९	Trolley with Stand (for LED SMART Board)	Minimum Holding Capacity - 100 KG; Support to 65", 75" and 86"	प्रति थान	१८,०००
१५०	Firewall Device	Interface- 1*USB Port, 1*Gigabit WAN , 4 *1Gigabit LAN RJ45 interface or more, IPV4 Firewall Throughput- 4.5 Gbps or more, Concurrent connections / Sessions per sec - 400K or more concurrent connections. •34K or more sessions per second., IPsec VPN Throughput- 3.0 Gbps or more, Protocols- •The firewall should support SNMP protocols, static routes and dynamic routing protocols (OSPF, BGP), 1-year warranty on product.	प्रति थान	५०,०००
१५१	VGA Cable	1 Meters	प्रति थान	२५०
१५२	VGA Cable	5 Meters	प्रति थान	७००
१५३	Portable Speaker	For Computer and Laptop, 6W (minimum) total output with 2.0 channel USB plug. Frequency response of 20Hz-20KHz .	प्रति थान	१,५००
१५४	Remote	Universal TV remote	प्रति थान	५००
१५५	Remote	Universal AC remote	प्रति थान	१,०००
१५६	Power Bank	22.5 W, 10000 MAH capacity or better, battery-Li-polymer, Output-USB, Type C, Fast Charging- yes, Warranty-1 Year	प्रति थान	३,०००
१५७	SD Card	8 GB	प्रति थान	४००
१५८	SD Card	16 GB	प्रति थान	७००
१५९	SD Card	32 GB	प्रति थान	१,०००
१६०	SD Card	64 GB	प्रति थान	१,७००
१६१	SD Card	128 GB	प्रति थान	२,२००
१६२	64 GB Pendrive	Interface: USB 3.0, transfer speed of up to 100 MB/s ,USB Connector Type: Standard, Warranty: 1 year	प्रति थान	१,५००
१६३	32 GB Pendrive	Interface: USB 3.0, transfer speed of up to 100 MB/s ,USB Connector Type: Standard, Warranty: 1 year	प्रति थान	९००
१६४	16 GB Pendrive	Interface: USB 3.0, transfer speed of up to 100 MB/s ,USB Connector Type: Standard, Warranty: 1 year	प्रति थान	७००
१६५	8 GB Pendrive	Interface: USB 3.0, transfer speed of up to 100 MB/s ,USB Connector Type: Standard, Warranty: 1 year	प्रति थान	६००
१६६	Telephone Wire	2 pair, 1 Roll (100m)	प्रति थान	१,८००
१६७	Telephone Wire	2 Pair , 10 meter	प्रति थान	५००
१६८	Electric Room Heater	Halogen Heater, 3 rod, 1200W	प्रति थान	३,६००
१६९	Rj45 LAN Cable Tester	Network Cable Tester Rj45 Rj11 Rj12 Cat5 Utp Lan Cable Tester Networking Tool Led indication	प्रति थान	१,२००
१७०	DSLR Camera Charger	For Canon/Nikon/Sony or similar	प्रति थान	१,८००
१७१	Headphone	Type: Closed Back Dynamic Overhead Headphones, noise-cancelling with microphone, long cables, volume controller, Warranty: 1 year or more	प्रति थान	४,५००
१७२	Micro Oven	23liter / 24 liter, Type-solo, Touch Key Pad, 1 Year Product Warranty	प्रति थान	१७,०००



१७३	Monitor 24"	Size:23.8" Full HD, IPS Panel, Anti-Glare or Higher; Resolution:1920 x 1080 (Full HD) or Higher; Brightness:≥ 250 nits or ≥ 250 cd/m² or Better; Refresh Rate:100Hz or Better; Response Time:5ms or Better; Color Gamut:99% sRGB; Contrast ratio:1000 : 1 or Better; Color depth:8 bit or Higher; Aspect ratio:16:9 or more;Connectivity:HDMI 1.4 x1, DP 1.2 x1, DP Out x1, USB-C (PD 65 W) x1, USB-A x2, 3.5 mm jack or More; Audio:2x 2W Speaker, Built in Noise Cancellation Mic or Better; Adjustment:Tilt, Swivel / Pivot / Height Adjustment; VESA Mount:100 x 100 mm or Better; Eyecare:Low Blue Light Technology, Flicker Free, Light Sensor, Color Weakness or More; Mode:Coding Mode, ePaper Mode, Low Blue Light Mode or More; Warranty:1 year or More	प्रति थान	३५,०००
१७४	Biometric Access Control Device	Biometric Authentication:Face recognition (mandatory); support for fingerprint and palm (optional); User Capacity:Minimum 50,000 users or more; Card Support:RFID proximity or smart card (125 KHz / 13.56 MHz); Card Capacity:Minimum 50,000 or more;Event/Log Storage:Minimum 100,000 records; Liveness Detection: Required (IR-based or AI-based);Mask Detection:Required; Temperature Screening:Optional; if present, should have ±0.3°C accuracy or better; Recognition Speed:≤ 0.3 seconds per user; Recognition Distance:0.3 to 3.0 meters or more;Display Screen:Minimum 5-inch touchscreen (IPS/TFT);Network Connectivity:Ethernet (TCP/IP); optional Wi-Fi or RS-485;Communication Interfaces:Wiegand input/output, relay output, USB (if applicable);Access Modes:Face / Card / PIN / Palm / Fingerprint (any combination);Door Control:Yes, with built-in relay;Voice and Visual Prompts:Audio and LED indicators supported;User Management:Role-based access, user groups, time zone and schedule support;Anti-passback:Supported (hardware or software-based);Tamper Alarm:Supported;Installation Type:Wall- mounted or freestanding (optional stand);Operating Temperature:-10°C to +55°C or better;Operating Humidity:10%-90% RH, non-condensing;Ingress Protection:(IP)Minimum IP54; IP65 preferred for outdoor installations;Power Supply:DC 12V / 2A or as per manufacturer's Specification;Software Compatibility:Should support integration with third-party software or cloud platforms;Data Export & Reporting:CSV / Excel / PDF or more;Firmware Upgrades:Via network or USB;SDK/API Support:Must be available for integration;Optional Features:Fingerprint scanner, palm reader, thermal sensor, mobile app, cloud sync;Certifications:CE / FCC / RoHS or equivalent international standards;Warranty:Minimum 1 year or more	प्रति थान	५५,०००
१७५	8MP Bullet Camera	Type: Outdoor; Sensor: ≥1/1.8", 8MP CMOS; Resolution: ≥3840×2160; Focal Length: 2.8-12mm; Day/Night: IR-cut filter / Auto ICR; Illumination: Color ≤0.001 Lux, 0 Lux with IR; WDR: ≥120 dB; IR Distance: ≥60 m; Video: H.265/H.265+, H.264, 3 streams, main 3840×2160 @ 25/30fps; Enhancement: BLC, HLC, Defog, GIS/EIS stabilization; Protocols: IPv4/6, HTTP/S, 802.1X, QoS, FTP, SNMP, SMTP, UPnP, DNS, DDNS, NTP, RTSP, RTP, TCP/UDP, DHCP, PPPoE; Power: DC/AC/PoE with dual backup; Interface: 1× RJ-45 10/100M+; ONVIF: OEM full member, Profiles S/G/T/M supported; Users: ≥20; Storage: 256GB MicroSD support, 128GB included; Power Cons.: ≤20W; Alarms: 2 inputs, 2 outputs; Audio: 1 in, 1 out, G.711+, built-in mic; Temp: -5°C to 60°C; Protection: IP67, IK10, NEMA 4X (anti-corrosion); Language: English supported; AI Features: Face, vehicle detection, people counting, line crossing, intrusion, video analytics; Housing: Aluminum/stainless steel, waterproof, vandal-proof; Outputs: 1× CVBS (BNC), 1× RS-485; Bracket: Same manufacturer, metal, waterproof, vandal-proof, safety hook; Mount: Pole mount with arm; OEM preferred genuine power adapter per camera; Warranty: Minimum 2 years; Docs: Datasheet, certifications (CE or FCC or RoHS)	प्रति थान	४०,०००
१७६	4MP Bullet Camera	Type: Outdoor; Sensor: ≥1/1.8", 4MP CMOS; Resolution: ≥2688×1520; Focal Length: 2.8-12mm or better; Day/Night: IR-cut filter / Auto ICR; Illumination: Color ≤0.001 Lux, 0 Lux with IR; WDR: ≥120 dB; IR Distance: ≥60 m; Video: H.265/H.265+, H.264, 3 streams, main 2688×1520 @ 25/30fps; Enhancement: BLC, HLC, Defog, GIS/EIS stabilization; Protocols: IPv4/6, HTTP/S, 802.1X, QoS, FTP, SNMP, SMTP, UPnP, DNS, DDNS, NTP, RTSP, RTP, TCP/UDP, DHCP, PPPoE; Power: DC/AC/PoE with dual backup; Interface: 1× RJ-45 10/100M; ONVIF: Profiles S/G/T/M supported; Users: ≥20; Storage: 256GB MicroSD support, 128GB included; Power Cons.: ≤20W; Alarms: 2 inputs, 2 outputs; Audio: 1 in, 1 out, G.711+, built-in mic; Temp: -5°C to 50°C; Protection: IP67, IK10, NEMA 4X (anti-corrosion); Language: English supported; AI Features: Face, vehicle detection, people counting, line crossing, intrusion, video analytics; Housing: Aluminum/stainless steel, waterproof, vandal- proof, heat dissipating; Outputs: 1× CVBS (BNC), 1× RS-485; Bracket: Same manufacturer, metal, waterproof, vandal-proof, safety hook; Mount: Pole mount with arm; OEM preferred genuine power adapter per camera; Warranty: Minimum 2 years; Docs: Datasheet, certifications (CE or FCC or RoHS)	प्रति थान	३५,०००
१७७	8MP PTZ Camera	Type: Outdoor PTZ Camera; Image Sensor: ≥1/1.8" 8MP CMOS; Resolution: ≥3840×2160 (4K UHD); WDR: ≥140 dB; Min. Illumination: Color ≤0.005Lux, 0 Lux with IR; Day/Night: IR-cut filter / Auto ICR; Lens & Zoom: Optical ≥40×, Digital ≥16×; PTZ Range: 360° endless pan, -10° to +90° tilt; Preset Speed: Pan ≥240°/s, Tilt ≥100°/s; IR/Laser Distance: ≥450m; Video Compression: H.265+/H.265/H.264 or better; Frame Rate: 3840×2160 @25/30 fps; Streams: Supports triple-stream; Image Enhancement: BLC, HLC, Defog, EIS/GIS; AI & Smart Features: Face Recognition, Vehicle & People Detection, Crowd Gathering Alerts, Video Analytics; On-board Storage: Up to 512GB MicroSD; 128GB SD Card included; Network Protocols: IPv4/6, HTTP, HTTPS, SNMP, RTSP, NTP, FTP, etc.; Interface: 1×10/100M RJ-45 Ethernet, POE; CVBS (BNC), RS-485; ONVIF: Full member; Profiles S, G, T & M; Users: Supports ≥20; Audio: 1 In / 1 Out, G.711 or better; Alarms: 2 Inputs / 2 Outputs; Power: ≤70W, 220V AC or 12V DC, with OEM adapter (if possible same brand); Operating Temp: -5°C to +50°C; Protection: IP67 or better, vandal-proof, Mounting: Pole mount + pole arm for field of view; OEM-supplied metal bracket (vandal/weatherproof, rope hook); Aluminum/Stainless waterproof power box with ventilation; Docs: Datasheet, certifications (CE or FCC or RoHS); Warranty: Minimum 2 years	प्रति थान	१६०,०००



१७८	4 MP PTZ Camera	Type: Outdoor PTZ Camera; Image Sensor: $\geq 1/1.8''$ 4MP CMOS; Resolution: $\geq 2688 \times 1520$; WDR: ≥ 120 dB; Min. Illumination: Color ≤ 0.005 Lux, 0 Lux with IR; Day/Night: IR-cut filter / Auto ICR; Lens & Zoom: Optical $\geq 40\times$, Digital $\geq 16\times$; PTZ Range: 360° endless pan, -10° to $+90^\circ$ tilt; Preset Speed: Pan $\geq 240^\circ/s$, Tilt $\geq 100^\circ/s$; IR/Laser Distance: ≥ 450 m; Video Compression: H.265+/H.265/H.264 or better; Frame Rate: 2688×1520 @25/30 fps; Streams: Triple stream supported; Image Enhancement: BLC, HLC, Defog; EIS/GIS; AI & Smart Features: Face Recognition, Vehicle & People Detection, Crowd Gathering Alerts, Video Analytics; On-board Storage: Up to 512GB MicroSD; 128GB SD Card included; Network Protocols: IPv4/6, HTTP, HTTPS, SNMP, RTSP, NTP, FTP, etc.; Interface: $1 \times 10/100$ RJ-45 Ethernet, PoE, CVBS (BNC), RS-485; ONVIF, Profiles S, G, T & M; Users: Supports ≥ 20 ; Audio: 1 In / 1 Out, G.711 or better; Alarms: 2 Inputs / 2 Outputs; Power: ≤ 70 W, 220V AC or 12V DC, OEM adapter preferred; Operating Temp: -5°C to $+50^\circ\text{C}$; Protection: IP67 or better, vandal-proof; Mounting: Pole mount + pole arm for FOV, OEM metal bracket (vandal/weatherproof, safety hook) Aluminum/stainless waterproof box with heat dissipation; Docs: Datasheet, certifications (CE or FCC or RoHS); Warranty: Minimum 2 years	प्रति थान	१५०,०००
१७९	Automatic Number Plate Recognition(ANPR) CCTV Camera	Sensor: $\geq 1/1.8''$ CMOS, 4MP+, WDR ≥ 120 dB; Lens: 10–30mm, covers ≥ 2 lanes, IR/White light ≥ 30 m; Video: H.265+, 25fps, BLC, HLC, 3D NR; Detection: Motor vehicles, motorcycles, plate recognition (Nepali $\geq 90\%$, embossed $\geq 99\%$); Violations: Speeding, no helmet, lane change, etc.; Speed: Detects 0–120 km/h; Overlay: Time, Lane, Location, Vehicle Info, Nepali text; Storage: Up to 512GB TF (128GB included); Network: RJ45, ONVIF (S/G/T), Power: 12–36V DC / 220V AC, PoE, ≤ 20 W; Build: IP67, IK10, -10°C to $+60^\circ\text{C}$; Mount: Pole & Cardinal brackets included; Docs: Datasheet, certifications (CE or FCC or RoHS); Warranty: ≥ 2 years	प्रति थान	१२५,०००
१८०	Supplement Strobe Light	Light: IR/Warm/White flash, high beam, uniform, day & night with auto control and false trigger reduction, synchronized capture; Coverage: Min. 2 lanes; LED: Min. 15 pcs, adjustable strobe brightness; Trigger: Pulse width or TTL level; Response Time: ≤ 30 μ s; Illumination Distance: Min. 25 m; Interfaces: Sync & trigger, RS-485; Protection: IP66 or higher; Life Span: $\geq 50,000$ hours; Weight: ≤ 5 kg; Power: 220V AC / 12V DC, ≤ 60 W; Operating Temp: -10°C to $+60^\circ\text{C}$; Compatibility: Fully compatible with ANPR cameras Accessories: Power supply, pole mount, tiffin box, patch cord, splicing kit, cardinal bracket included; Docs: Datasheet, certifications (CE or FCC or RoHS); Warranty: Minimum 2 years	प्रति थान	११०,०००
१८१	4 MP Indoor/Outdoor Full Colour Camera	Type: Outdoor/Indoor; Sensor: $\geq 1/1.8''$ CMOS, AI-ISP noise reduction; Resolution: $\geq 2688 \times 1520$ px; Lens: Indoor 2.8mm; Outdoor < 4.0 mm (wider lens will be preferred); Illumination: ≤ 0.0005 lux @F1.0; IR, White/Warm light; ≥ 40 m range; WDR: ≥ 120 dB; Video: H.265/H.265+, H.264; 2+ streams; main stream up to 30fps; Audio: G.711a or μ -law; Enhancement: BLC, HLC, white balance; Interface: RJ45 (10/100), ONVIF Profile S/G/T, Users: ≥ 20 ; Storage: FTP, SFTP, MicroSD (max 256GB), (128GB included); Power: ≤ 12 W; Mic: Internal; Temp: -10°C to $+60^\circ\text{C}$; Protection: IP67; AI: Intrusion, tripwire (vehicle & human); Docs: Datasheet, certifications (CE or FCC or RoHS); Warranty: Minimum 2 years	प्रति थान	१७,५००
१८२	PTZ Camera 4MP	Sensor: Panoramic & PTZ $\geq 1/2.8''$ CMOS; Resolution: $\geq 2560 \times 1440$ px; Optical Zoom: $\geq 23\times$; Focal Length: Panoramic ≥ 4 mm; PTZ 5–110mm; Supplement Light: IR / White; Light Distance: Panoramic ≥ 30 m; Detail ≥ 150 m; Day/Night: Auto (ICR), Color, B/W; S/N Ratio: ≥ 50 dB; PTZ: Pan 360° , Tilt -15° to $+90^\circ$, Speed $\geq 80^\circ/s$; Presets: ≥ 300 ; Video: H.265/H.264, ≥ 3 streams, 25fps @ 2560×1440 ; WDR: ≥ 120 dB; Enhancement: BLC, HLC, Defog; AI: Tripwire, intrusion, face detection, smart tracking; Alerts: Sound & light; Interoperability: ONVIF Profile S/G/T, SDK, OEM full member; Interface: RJ45 10/100M, Audio in/out ≥ 1 each; Storage: ≥ 256 GB MicroSD (≥ 128 GB included); Users: ≥ 20 ; Power: ≤ 50 W; Protection: IP66; Docs: Datasheet, certifications (CE or FCC or RoHS); Warranty: Minimum 2 years	प्रति थान	११०,०००
१८३	6MP Bullet Camera	$1/2.8''$ CMOS sensor or better; 6MP (2688×1520) resolution or higher; 2.8mm/4mm fixed lens or better; 0.005 Lux @ F1.6 low-light; ≥ 50 m illumination with supplemental light; 120dB WDR or better; H.265/H.264 compression or better; 3D DNR, BLC, HLC; up to 20 fps at max resolution; at least 2 video streams; intrusion and motion detection; microSD up to 256GB; RJ45 (10/100 Mbps); 12V DC/PoE, ≤ 20 W; built-in mic; -10°C to 60°C ; IP67; CE/FCC/RoHS certified; Docs: Product Datasheet must be submit. Warranty: Minimum 2 years	प्रति थान	२१,०००
१८४	4MP Bullet Camera	$1/3''$ CMOS sensor or better; 4MP (2560×1440) resolution or higher; 2.8mm/4mm fixed lens or better; 0.005 Lux @ F1.6 low-light capability; ≥ 30 m illumination with supplemental light; 120dB WDR or better; H.265/H.264 compression or better; 3D DNR, BLC, HLC; up to 20 fps at max resolution; minimum 2 video streams; intrusion and motion detection; onboard microSD support up to 256GB or better; RJ45 (10/100 Mbps); 12V DC/PoE, ≤ 20 W; built-in mic; -10°C to 60°C ; IP67 rated; CE/FCC/ROHS certified. Warranty: Minimum 2 years	प्रति थान	१२,०००
१८५	4MP Dome Camera	$1/3''$ CMOS sensor or better; 4MP (2560×1440) resolution or higher; 2.8mm/4mm fixed lens or better; 0.005 Lux @ F1.6 low-light capability; ≥ 30 m illumination with supplemental light; 120dB WDR or better; H.265/H.264 compression or better; 3D DNR, BLC, HLC; up to 20 fps at max resolution; minimum 2 video streams; intrusion and motion detection; onboard microSD support up to 256GB or better; RJ45 (10/100 Mbps); 12V DC/PoE, ≤ 20 W; built-in mic; -10°C to 60°C ; IP67 rated; CE/FCC/ROHS certified; Docs: Product Datasheet must be submit. Warranty: Minimum 2 years	प्रति थान	१२,०००
१८६	4MP Motorized Vari Focal Bullet Camera	Type-Outdoor, Image Sensor- $1/3''$ Progressive Scan CMOS or better, Resolution-4MP (2560×1440) or better, Lens Options-Motorized Vari-focal 2.8mm to 12mm or better range, Minimum Illumination-0.005 Lux @ F1.6 or better, Illumination Distance-Up to 30 m IR distance, WDR (Wide Dynamic Range)-120 dB, Video Compression-H.265/H.264, Image Enhancement-3D DNR, BLC, HLC, Frame Rate-25 fps (1920 $\times$ 1080) or better, Video Streaming-Dual stream, Smart Features-Motion, Tampering, Exception Detection, Storage-MicroSD slot, up to 256 GB, Network Interface-RJ45 (10/100 Mbps), Power-12 V DC $\pm$ 25%, PoE (802.3af), Max ≤ 15 W, Built-in Microphone-Yes, Operating Temperature-minus 10°C to 60°C , Weather Protection-IP67, Certifications-CE/FCC/RoHS, Warranty: Minimum 2 years	प्रति थान	२५,०००




१८७	4 Port GPON PoE ONU for Road Project	General Features: Auto-discovery & register, IGMP Snooping, VLAN, loop detection, port speed limit, remote management; Port Interface: Min. 4x 10/100/1000 Mbps PoE ports (auto-adapted); 1x GPON port (pluggable or fixed); Wavelength (nm): Upstream: 1310 ± 20 nm; Downstream: 1490 ± 10 nm; Optical Parameters: Receiving Sensitivity: ≤ -28 dBm; Optical Power: 0.5 to +4 dBm; Transmission Distance: ≥ 20 km; PoE Support: Min. 4x IEEE 802.3af/at-compliant ports; Link budget: ≥ 30W per port; Power Supply: AC 220V (±20%), 50 Hz (with adapter included); Operating Temperature: -10°C to +70°C; Accessories: Power adapter and required accessories included; Compatibility: Fully compatible with Nepal Telecom's OLT; Docs: Datasheet, certifications (CE or FCC or RoHS); Warranty: ≥ 2 years	प्रति थान	२०,०००
१८८	4 Port HI POE Industrial Switch	4 Gigabit PoE ports and 2 Gigabit fiber optic ports; packet forwarding rate 8 Mbps or more; bandwidth capacity up to 12 Gbps; Hi-PoE on Port 1, standard PoE on Ports 2 to 4; 6KV lightning protection or better; CE/FCC/ROHS certified; power consumption 65W or less; Docs: Product Datasheet must be submit. Warranty: Minimum 2 years	प्रति थान	१२,०००
१८९	Out Door Pole Mount Ups	Installation: Pole Mounted; Capacity: 600W; Input: 220VAC, 50/60Hz (auto-sensing); Output: 230VAC ±10%, 50/60Hz, Simulated sine wave; Battery: 2x 12V Lead-Acid, 9Ah; Temp. Range: 0°C to 50°C; Interface: Yes (real-time UPS monitoring); Protection: Lightning protection, IP55 waterproof or higher; Size: Minimum 450x500x150 or customizable to fit power adapters of camera and POE switches. Docs: Datasheet; Warranty: ≥ 2 years	प्रति थान	५०,०००
१९०	43" Surveillance monitor	42.5-Inch Display Specification: Screen size 42.5 inches; resolution Full HD (1920 × 1080) or better; D-LED backlight; brightness 350 cd/m² or higher; 8-bit color depth with 16.7 million colors; response time 8 ms or less; refresh rate 60 Hz; input ports include minimum 1 × HDMI, 1 × VGA, and 1 × 3.5 mm audio-in; built-in speakers 2 × 5W or higher; Docs: Product Datasheet must be submit.	प्रति थान	५५,०००
१९१	Surveillance Harddrive 4 TB	Capacity: Minimum 4 Terabytes (4TB); Drive Type: Max. 3.5-inch SATA Hard Disk Drive (HDD); Interface: Support SATA III 6 Gb/s; Spindle Speed (RPM): Minimum 7200 RPM; Cache Memory: Minimum 256 MB Cache; Form Factor: 3.5 Inch; Workload Rating: Minimum 180 TB/year workload rating; MTBF (Mean Time Between Failures): ≥ 1 million hours; Purpose: Designed for 24/7 operation in surveillance environments (CCTV, DVR, NVR); Optimized For Continuous video recording, high write workloads; Supported Cameras: Support for up to 64 or more HD cameras simultaneously or Higher; Reliability Features: Enhanced workload capability, vibration resistance, firmware for video streaming or More; Compatibility: Compatible with DVRs, NVRs, and video surveillance systems; Warranty: 1 year or more; Mandatory Certifications: CE/RoHS/ISO Docs: Datasheet	प्रति थान	१६,०००
१९२	Surveillance Harddrive 6 TB	Capacity: Minimum 6 Terabytes (6TB); Drive Type: Max. 3.5-inch SATA Hard Disk Drive (HDD); Interface: Support SATA III 6 Gb/s; Spindle Speed (RPM): Minimum 7200 RPM; Cache Memory: Minimum 256 MB Cache; Form Factor: 3.5 Inch; Workload Rating: Minimum 180 TB/year workload rating; MTBF (Mean Time Between Failures): ≥ 1 million hours; Purpose: Designed for 24/7 operation in surveillance environments (CCTV, DVR, NVR); Optimized For Continuous video recording, high write workloads; Supported Cameras: Support for up to 64 or more HD cameras simultaneously or Higher; Reliability Features: Enhanced workload capability, vibration resistance, firmware for video streaming or More; Compatibility: Compatible with DVRs, NVRs, and video surveillance systems; Warranty: 1 year or more; Mandatory Certifications: CE/RoHS/ISO Docs: Datasheet	प्रति थान	१९,०००
१९३	Surveillance Harddrive 8 TB	Capacity: Minimum 10 Terabytes (8TB); Drive Type: Max. 3.5-inch SATA Hard Disk Drive (HDD); Interface: Support SATA III 6 Gb/s; Spindle Speed (RPM): Minimum 7200 RPM; Cache Memory: Minimum 256 MB Cache; Form Factor: 3.5 Inch; Workload Rating: Minimum 180 TB/year workload rating; MTBF (Mean Time Between Failures): ≥ 1 million hours; Purpose: Designed for 24/7 operation in surveillance environments (CCTV, DVR, NVR); Optimized For Continuous video recording, high write workloads; Supported Cameras: Support for up to 64 or more HD cameras simultaneously or Higher; Reliability Features: Enhanced workload capability, vibration resistance, firmware for video streaming or More; Compatibility: Compatible with DVRs, NVRs, and video surveillance systems; Warranty: 1 year or more; Certifications: CE/RoHS/ISO Docs: Datasheet	प्रति थान	२२,०००
१९४	Surveillance Harddrive 10 TB	Capacity: Minimum 10 Terabytes (10TB); Drive Type: Max. 3.5-inch SATA Hard Disk Drive (HDD); Interface: Support SATA III 6 Gb/s; Spindle Speed (RPM): Minimum 7200 RPM; Cache Memory: Minimum 256 MB Cache; Form Factor: 3.5 Inch; Workload Rating: Minimum 180 TB/year workload rating; MTBF (Mean Time Between Failures): ≥ 1 million hours; Purpose: Designed for 24/7 operation in surveillance environments (CCTV, DVR, NVR); Optimized For Continuous video recording, high write workloads; Supported Cameras: Support for up to 64 or more HD cameras simultaneously or Higher; Reliability Features: Enhanced workload capability, vibration resistance, firmware for video streaming or More; Compatibility: Compatible with DVRs, NVRs, and video surveillance systems; Warranty: 1 year or more; Certifications: CE/RoHS/ISO Docs: Datasheet	प्रति थान	२८,०००

7



१९५	Surveillance Harddrive 12 TB	Capacity: Minimum 12 Terabytes (12TB); Drive Type: Max. 3.5-inch SATA Hard Disk Drive (HDD); Interface: Support SATA III 6 Gb/s; Spindle Speed (RPM): Minimum 7200 RPM; Cache Memory: Minimum 256 MB Cache; Form Factor: 3.5 Inch; Workload Rating: Minimum 180 TB/year workload rating; MTBF (Mean Time Between Failures): ≥1 million hours; Purpose: Designed for 24/7 operation in surveillance environments (CCTV, DVR, NVR); Optimized For Continuous video recording, high write workloads; Supported Cameras: Support for up to 64 or more HD cameras simultaneously or Higher; Reliability Features: Enhanced workload capability, vibration resistance, firmware for video streaming or More; Compatibility: Compatible with DVRs, NVRs, and video surveillance systems; Warranty: 1 year or more; Mandatory Certifications: CE/RoHS/ISO Docs: Datasheet	प्रति थान	३२,०००
१९६	Surveillance Harddrive 16 TB	Capacity: Minimum 16 Terabytes (16TB); Drive Type: Max. 3.5-inch SATA Hard Disk Drive (HDD); Interface: Support SATA III 6 Gb/s; Spindle Speed (RPM): Minimum 7200 RPM; Cache Memory: Minimum 256 MB Cache; Form Factor: 3.5 Inch; Workload Rating: Minimum 180 TB/year workload rating; MTBF (Mean Time Between Failures): ≥1 million hours; Purpose: Designed for 24/7 operation in surveillance environments (CCTV, DVR, NVR); Optimized For Continuous video recording, high write workloads; Supported Cameras: Support for up to 64 or more HD cameras simultaneously or Higher; Reliability Features: Enhanced workload capability, vibration resistance, firmware for video streaming or More; Compatibility: Compatible with DVRs, NVRs, and video surveillance systems; Warranty: 1 year or more; Certifications: CE/RoHS/ISO Docs: Datasheet	प्रति थान	३६,०००
१९७	16 Channel NVR	16-Channel NVR Specification: Supports up to 16 video inputs; decoding format H.265/H.264 or better; max decoding up to 1-ch @ 8MP / 2-ch @ 4MP / 6-ch @ 1080p or better; supports minimum 128 Mbps bandwidth; playback resolution up to 8MP or better; HDMI output 4K UHD (3840×2160) @ 30Hz; 2 SATA HDD slots supporting 8TB per slot or better; 1 × RJ-45 (10/100/1000 Mbps); minimum 2 × USB 2.0 and 1 × USB 3.0; power supply AC 100–240V, 50/60Hz; ONVIF compliant for third-party cameras; audio compression G.711u / G.711a; smart features include face detection, perimeter protection, and motion detection; operating temperature –10°C to 55°C; CE/FCC/ROHS certified; minimum 1-year warranty; Docs: Datasheet	प्रति थान	२२,०००
१९८	32 Channel NVR	32-Channel NVR Specification: Supports up to 32 video inputs; decoding format H.265/H.264 or better; max decoding up to 2-ch @ 8MP / 4-ch @ 4MP / 12-ch @ 1080p or better; supports 256 Mbps or higher bandwidth; playback resolution up to 8MP or better; HDMI output 4K UHD (3840×2160) @ 30Hz; 4 SATA HDD slots supporting 8TB per slot or better; 2 × RJ-45 (10/100/1000 Mbps); minimum 2 × USB 2.0 and 1 × USB 3.0; power supply AC 100–240V, 50/60Hz; ONVIF compliant for third-party cameras; audio compression G.711u / G.711a; smart features include face detection, perimeter protection, and motion detection; operating temperature –10°C to 55°C; CE/FCC/ROHS certified; minimum 1-year warranty; Docs: Datasheet	प्रति थान	३५,०००
१९९	64 Channel NVR	Supports 64 video inputs; HDD up to 128TB (8 × 16TB); 1 eSATA port; RAID 0, 1, 5, 6, 10; 384 Mbps bandwidth (in/out); 2 HDMI (4K), 2 VGA (1080p/60Hz) outputs; 1-channel RCA audio; H.265 compression; max decoding 2-ch @ 32MP (25 fps); recording up to 32MP; 2 USB 2.0, 2 USB 3.0; 2 RJ45 10/100/1000 Mbps; supports IPv4, IPv6, HTTP, TCP/IP, DHCP, DNS; 16 alarm inputs, 8 outputs; 100-240 VAC power; CE, FCC certified; operates –10°C to +55°C; 2-year minimum warranty; Docs: Datasheet	प्रति थान	१४०,०००
२००	64 Channel NVR	Supports 64 video inputs; HDD up to 128TB (8 × 16TB); 1 eSATA port; RAID 0, 1, 5, 6, 10; 256 Mbps bandwidth (in/out); 2 HDMI (4K), 2 VGA (1080p/60Hz) outputs; 1-channel RCA audio; H.265 compression; max decoding 2-ch @ 32MP (25 fps); recording up to 32MP; 2 USB 2.0, 2 USB 3.0; 2 RJ45 10/100/1000 Mbps; supports IPv4, IPv6, HTTP, TCP/IP, DHCP, DNS; 16 alarm inputs, 8 outputs; 100-240 VAC power; CE, FCC certified; operates –10°C to +55°C; 2-year minimum warranty; Docs: Datasheet	प्रति थान	१९५,०००
२०१	MC Chassis	Media Converter Rack Specification: Supports up to 14 media converter slots; metal enclosure; standard 2U rack height; Docs: Product Datasheet must be submit. Docs: Datasheet	प्रति थान	८,०००
२०२	CAT-6 Cable normal (Indoor/Outdoor)	Cat6 UTP (Unshielded Twisted Pair); solid copper conductor; HDPE (High-Density Polyethylene) insulation; Docs: Product Datasheet must be submit. Docs: Datasheet (minimum 300 meter roll)	प्रति रोल	१२,०००
२०३	Pure CAT-6 Cable (indoor/Outdoor)	Type: CAT-6; Conductor: 23 AWG solid bare copper (Ø 0.53–0.58 mm); Structure: UTP or FTP, 4 pairs; Insulation: HDPE / LSZH or better; Material: OFC or solid bare copper; Temperature Range: –20°C to 60°C; Docs: Datasheet, Warranty: ≥2 years; Docs: Datasheet (minimum 300 meter roll)	प्रति रोल	२१,५००
२०४	Pole Box/ Junction box	Type: Outdoor; dimensions approximately 320 × 280 × 255 mm; water and dust proof; equipped with locking mechanism, cable knockouts, and mounting provisions.	प्रति थान	१,५००
२०५	Cat6 Patch Cord	3-meter factory-manufactured copper CAT6 patch cord 23AWG with RJ45 connectors.	प्रति थान	२५०




२०६	3 Kva online UPS	Type: online UPS; Capacity: 3KVA/ 48 V minimum; Input Voltage: 220-240V AC, single-phase; Output Voltage: Pure sine wave, 220-240V AC; Battery: Compatible with external battery bank; Protections: Overvoltage, undervoltage, short circuit, overload; Communication: Basic monitoring interface (RS232/USB); Display: Basic status indicators for power and battery; Operating Conditions: Suitable for typical office environment; Warranty: Minimum 1 year; Docs: Datasheet	प्रति थान ५५,०००
२०७	5 Kva online UPS	Type: online UPS; Capacity: 5kVA / 96V minimum; Input Voltage: 220-240V AC, single-phase; Output Voltage: Pure sine wave, 220-240V AC; Battery: Compatible with external battery bank; Protections: Overvoltage, undervoltage, short circuit, overload; Communication: Basic monitoring interface (RS232/USB); Display: Basic status indicators for power and battery; Operating Conditions: Suitable for typical office environment; Warranty: Minimum 1 year; Docs: Datasheet	प्रति थान ७५,०००
२०८	Battery 100 ah Tubular	Capacity: 100Ah; Type: Tubular Flooded Lead Acid, 12V nominal; Design Life: Minimum 5 years; Operating Temp: -5°C to +40°C; Maintenance: Low maintenance; Terminals: Bolt or Faston type; Standards: Compliant with IEC/IS or equivalent; Warranty: Minimum 2 year; Docs: Datasheet	प्रति थान १७,०००
२०९	Battery 160 ah Tubular	Capacity: 160Ah; Type: Tubular Flooded Lead Acid, 12V nominal; Design Life: Minimum 5 years; Operating Temp: -5°C to +40°C; Maintenance: Low maintenance; Terminals: Bolt or Faston type; Standards: Compliant with IEC/IS or equivalent; Warranty: Minimum 2 year; Docs: Datasheet	प्रति थान २८,०००
२१०	Battery 200 ah Tubular	Capacity: 200Ah; Type: Tubular Flooded Lead Acid, 12V nominal; Design Life: Minimum 5 years; Operating Temp: -5°C to +40°C; Maintenance: Low maintenance; Terminals: Bolt or Faston type; Standards: Compliant with IEC/IS or equivalent; Warranty: Minimum 2 year; Docs: Datasheet	प्रति थान ३२,०००
२११	Battery 35 ah	Type: Sealed Maintenance-Free (SMF), Lead-Acid Battery; Capacity: 35Ah; Nominal Voltage: 12V; Technology: VRLA/AGM or better; Operating Temp: -5°C to +40°C; Terminals: Corrosion-resistant, top or front type; Usage: Compatible with UPS, Solar, and Telecom systems; Warranty: Minimum 1 year replacement; Docs: Datasheet	प्रति थान ११,०००
२१२	Battery 65 ah	Type: Sealed Maintenance-Free (SMF), Lead-Acid Battery; Capacity: 65Ah; Nominal Voltage: 12V; Technology: VRLA/AGM or better; Operating Temp: -5°C to +40°C; Terminals: Corrosion-resistant, top or front type; Usage: Compatible with UPS, Solar, and Telecom systems; Warranty: Minimum 1 year replacement; Docs: Datasheet	प्रति थान १३,०००
२१३	Battery 75 ah	Type: Sealed Maintenance-Free (SMF), Lead-Acid Battery; Capacity: 75Ah; Nominal Voltage: 12V; Technology: VRLA/AGM or better; Operating Temp: -5°C to +40°C; Terminals: Corrosion-resistant, top or front type; Usage: Compatible with UPS, Solar, and Telecom systems; Warranty: Minimum 1 year replacement; Docs: Datasheet	प्रति थान १७,०००
२१४	Battery 100 Ah	Type: Sealed Maintenance-Free (SMF), Lead-Acid Battery; Capacity: 100Ah; Nominal Voltage: 12V; Technology: VRLA/AGM or better; Operating Temp: -5°C to +40°C; Terminals: Corrosion-resistant, top or front type; Usage: Compatible with UPS, Solar, and Telecom systems; Warranty: Minimum 1 year replacement; Docs: Datasheet	प्रति थान २३,०००
२१५	Battery 150 Ah	Type: Sealed Maintenance-Free (SMF), Lead-Acid Battery; Capacity: 150Ah; Nominal Voltage: 12V; Technology: VRLA/AGM or better; Operating Temp: -5°C to +40°C; Terminals: Corrosion-resistant, top or front type; Usage: Compatible with UPS, Solar, and Telecom systems; Warranty: Minimum 1 year replacement; Docs: Datasheet	प्रति थान *२८,०००
२१६	IP Telephone	Device type: IP phone; supports minimum 2 SIP accounts; LCD display with at least 132x48 pixels or equivalent; audio codec support for G.711, G.722 or similar; PoE supported; HD voice enabled; dual 10/100 Mbps Ethernet ports; security features include SRTP and TLS; basic features: call transfer, mute, call waiting, call log, and minimum 3-way conference; desktop and wall mountable; Docs: Datasheet	प्रति थान ७,५००
२१७	SIP Server	Supports minimum 200 SIP users; handles at least 40 concurrent calls; includes minimum 2 FXS analog ports; dual 10/100 Mbps Ethernet or better; audio codecs: G.711, G.722, G.729 or similar; video codec: H.264 or similar; SIP trunk supported; call features include IVR/auto attendant, call recording, forwarding, transfer, voicemail, call queues, and minimum 3-way conference; video conferencing (3-5 way or better); built-in call recording with internal or external storage; security with TLS, SRTP, IP filtering or equivalent; supports auto-provisioning, multisite/remote access, and web GUI; Docs: Datasheet	प्रति थान ५०,०००
२१८	Branch Firewall renewal of License	IPS, Malicious/Botnet URLs, ADVANCED MALWARE PROTECTION (AMP), Antivirus (AV), Botnet Domains, Mobile Malware, Virus Outbreak Protection, Content Disarm & Reconstruct, AI-based Heuristic AV, FortiGate Cloud Sandbox and hardware warranty or Better	प्रति थान १५,८००

Mapping सम्बन्धी कार्यका लागि भाडा दर

S.N.	Items	Minimum Specification	Unit	आ.व. ०८२/८३ को दररेट (प्रति दिन भाडा)
१	Total Station	Angle Accuracy : 5" (arc-seconds) Telescope Magnification : 30× Reflectorless Range : Up to 500 m Prism Range : Up to 4,000 m (ideal up to 5,000–6,000 m) Distance Accuracy (Prism) : ±(2 mm + 2 ppm × D) Distance Accuracy (No Prism) : ±(3 mm + 2 ppm × D) Measurement Time : Fine: 0.9 s, Rapid: 0.7 s, Tracking: 0.3 s Data Storage : 10,000 points internal + USB (up to 8 GB) Battery Life : Up to 36 hours (with standard battery) Environmental Rating : IP66 (dust and water resistant)	Per Unit	२५००
२	Mapping Drone below 2 Kg	Weight (with propellers) : 1 kg Maximum Flight Time : Up to 40 minutes Maximum Horizontal Speed : up to 12 m/s Wind Resistance : Up to 10m/s Maximum Operating Altitude : Up to 5,000 meters above sea level Wide-Angle Camera : 20 MP, 4/3" CMOS sensor, mechanical shutter Transmission Range : Up to 10 km Positioning Accuracy (with RTK) : ±0.1 meter horizontal and vertical Obstacle Avoidance : Omnidirectional sensors	Per Unit	५०००
३	Mapping Drone above 2 Kg	Weight (with batteries) : 5 kg Max Takeoff Weight : 8 kg Max Flight Time : Up to 50 minutes Max Horizontal Speed : 15 m/s (Sport mode) Max Wind Resistance : 12 m/s Operating Temperature : -20°C to 50°C Operating Altitude : Up to 7,000 m RTK Positioning Accuracy : Horizontal: ±0.1 m; Vertical: ±0.1 m Obstacle Avoidance : Omnidirectional sensors Ingress Protection Rating : IP45	Per Unit	१५०००
४	Handheld Slams Scanners	Weight : 1 kg Scanning Rate : Up to 150,000 points per second LiDAR Accuracy (Absolute) : 3 cm Relative Accuracy : 2 cm Maximum Range : Up to 70 meters (at 80% reflectivity) Field of View (Horizontal) : 360° Field of View (Vertical) : -4° to +40° Camera System : Dual 12 MP panoramic Battery Life : Up to 1.5 hours Environmental Protection : IP54	Per Unit	७०००
५	Drone Mounted LiDAR	Weight : 900 Grams LiDAR Channels : 32 channels Scanning Rate : Up to 240,000 points per second Maximum Range : Up to 100 meters Accuracy (Absolute) : ±5 cm Relative Accuracy : ±3 cm Field of View (Vertical) : 50° Operating Temperature : -20°C to 50°C Positioning : Integrated GNSS and IMU Compatible Platforms : Drone above 2 kg Weight	Per Unit	१५०००
६	Data Processing (Photogrammetry)	GCP Integration Orthophoto Manual Classification Classified Point Cloud Generation DTM, DEM and Contour Generation 3D Mesh	Per Sq KM	१५०००

७	Data Processing (LIDAR+Photogrammetry)	GCP Integration	Per Sq KM	१५०००
		Orthophoto		
		Manual Classification		
		Classified Point Cloud Generation		
		DTM, DEM and Contour Generation		
		3D Mesh		
८	Data Processing (LIDAR+Photogrammetry)	Gussain Splatting	Per Sq ft	१५
९	DGPS	Operating Temperature : -20°C to +65°C	No. Per Unit	३०००
		Ingress Protection : IP65 (dust-tight and waterproof)		
		Battery Type : Li 6400 mAh		
		Battery Life : 8 hours as RTK rover; 12 hours logging		
		External Power Input : 6-40 V via external power input		
		Supported GNSS Systems : GPS, GLONASS		
		RTK Accuracy : Horizontal: 8 mm + 1 ppm; Vertical: 14 mm + 1 ppm		
		PPK Accuracy : Horizontal: 6 mm + 0.5 ppm; Vertical: 10 mm + 1 ppm		
		Static Accuracy : Horizontal: 5 mm + 0.5 ppm; Vertical: 8 mm + 1 ppm		
		Update Rate : Up to 10 Hz for GPS; 5 Hz for GNSS		
		Connectivity : 3.5G modem, Wi-Fi 802.11 b/g/n, Bluetooth 4.0/2.1 EDR		
		NTRIP Support : Supports NTRIP		
		External Radio : Built-in UHF radio (868/915 MHz), range up to 8 km line-of-sight		
		SIM Card Slot : Nano SIM slot for mobile data connectivity		
१०	Drone Pilot (mapping and inspection)	Certification / License : Must hold a valid drone pilot license / Minimum Diploma in Surveying/ Geomatics Engineering	Per Day	४०००
		Flight Hours : Minimum required logged flight hours 10-50 hrs Certified from Licence Provider /Three plus Years Drone Service provider Institution		
		Knowledge of Aviation Rules : Understanding of local aviation laws and regulations		
		Operational Skills : Proficiency in operating different drone types and models		
		Safety Training : Training on emergency procedures and safe flight practices		
		Visual Line of Sight (VLOS) Operation : Ability to maintain VLOS or know how to operate BVLOS if certified		
		Weather Awareness : Knowledge to assess weather conditions safe for drone operation		
		Equipment Maintenance : Basic Skills for basic drone maintenance and troubleshooting		
		Mapping / Surveying Knowledge : For specialized pilots: understanding of photogrammetry, LiDAR, or aerial mapping principles		
		Communication Skills : Ability to coordinate with team and air traffic control if necessary		
११	DGPS Operator	Educational Background : Diploma in Surveying/ Geomatics	Per Day	३०००
		DGPS Equipment Knowledge : Proficient in operating DGPS receivers and base stations		
		Surveying Skills : Understanding of surveying principles and techniques		
		Coordinate Systems & Projections : Knowledge of local and global coordinate systems (e.g., WGS84, UTM, MUTM)		
		Data Collection & Processing : Ability to collect accurate GPS data and process corrections		
		Field Experience : Experience working on surveying sites with DGPS equipment		
		Maintenance Skills : Basic troubleshooting and maintenance of DGPS equipment		
		Software Proficiency : Familiarity with GIS, CAD, and GNSS data processing software		
		Communication Skills : Effective communication for coordination with survey teams		
		Safety Awareness : Knowledge of field safety procedures and regulations		
१२	DGPS Static Post Processing	Responsible : DGPS Operator	Per Point	१०००

बोटविरुवा र उद्यान सामग्री



क्र.स.	मालसामानको विवरण	स्पेशिफिकेसन	काठमाडौं महानगरपालिका काठमाडौं प्लाज्मा वागमकी हुन्छ, नेपाल २०७३	मु.अ.कर बाहेकको आ.व. ०८२/८३ को दररेट
१	Blade घाँस काट्ने मेसिनको	घाँस काट्ने	थान	३,०००
२	ओषधी छर्ने पम्प	प्लाष्टिकको ५ लिटरको	प्रति थान	१,८००
३	ओषधी छर्ने पम्प	प्लाष्टिकको ८ लिटरको	प्रति थान	२,८००
४	ओषधी छर्ने पम्प	प्लाष्टिकको १० लिटरको	प्रति थान	३,५००
५	ओषधी छर्ने पम्प	प्लाष्टिकको १६ लिटरको	प्रति थान	६,५००
६	हजारी	प्लाष्टिकको १० लिटरको	प्रति थान	५६०
७	हजारी	प्लाष्टिकको ५ लिटरको	प्रति थान	४२०
८	मौरी गोला घर सहित	काठको	प्रति घर	१८,०००
९	COPPER OXYCHLORIDE		के जी	१,५४०
१०	सिकेचर	FOLCON or equivalent, 8 inch	प्रति थान	३,८००
११	निमको पिना		के जी	१५०
१२	निमको तेल	100ML	प्रति थान	१९०
१३	कोकोपिट		के जी	१२०
१४	किंग पाम	२ फिट भन्दा माथि	प्रति बोट	१,८००
१५	न्याविज पाम	२ फिट भन्दा माथि	प्रति बोट	१,९४२
१६	स्नेक पाम	२ फिट भन्दा माथि	प्रति बोट	१,४४०
१७	धुपी	४ फिटको	प्रति बोट	१,४५६
१८	समी	५ फिटको	प्रति बोट	२,५००
१९	कपुर	५ फिटको	प्रति बोट	१,८००
२०	असार	५ फिटको	प्रति बोट	१,७००
२१	असोका	५ फिटको	प्रति बोट	१,९००
२२	गुलाफ	२-३ फिटको	प्रति बोट	१,५६०
२३	बेगमवेली बन्साई	२-३ फिटको	प्रति बोट	१,०००
२४	बेगमवेली	२-३ फिटको	प्रति बोट	६४७
२५	डाइफन भेसिया	२-३ फिटको	प्रति बोट	१,०४०
२६	फिलोडेन्डण	२-३ फिटको	प्रति बोट	१,६००
२७	चाइनिज मचेरा	२-३ फिटको	प्रति बोट	३,०००
२८	ड्रेसिना	२-३ फिटको	प्रति बोट	१,४२०
२९	लड्डी वेम्बो	२-३ फिटको	प्रति बोट	१,४५०
३०	भेरिकेटोर ड्रेसिना	२-३ फिटको	प्रति बोट	१,५००
३१	फिडल लिफ	२-३ फिटको	प्रति बोट	१,६००
३२	एग्लोनिमा	२-३ फिटको	प्रति बोट	१,५५०
३३	जिजि प्लार	२-३ फिटको	प्रति बोट	१,६००
३४	सेप्लोरिया	२-३ फिटको	प्रति बोट	१,४६०
३५	पिस लिली	२-३ फिटको	प्रति बोट	१,५४०
३६	स्पायि फेलम	१ फिटको	प्रति बोट	१,८००
३७	आँप	३ फिटको	प्रति बोट	९६०
३८	कागती	३ फिटको	प्रति बोट	८००
३९	सुन्तला	३ फिटको	प्रति बोट	८००
४०	मुन्तला	३ फिटको	प्रति बोट	८००
४१	आरु बखडा	३ फिटको	प्रति बोट	८००
४२	जापानीज हलुवावेद	३ फिटको	प्रति बोट	१,०००
४३	स्याउको बोट	३ फिटको	प्रति बोट	८८०
४४	ओखरको बोट	३ फिटको	प्रति बोट	९५०
४५	कागजी बदाम बोट	३ फिटको	प्रति बोट	१,१००
४६	आरुबखडाको बोट	३ फिटको	प्रति बोट	८००
४७	लिचिको बोट	३ फिटको	प्रति बोट	९५०
४८	खुपानीको बोट	३ फिटको	प्रति बोट	९००
४९	आरुको बोट	३ फिटको	प्रति बोट	९६०
५०	नास्पातीको बोट	३ फिटको	प्रति बोट	९६०
५१	अंगुरको बोट	३ फिटको	प्रति बोट	६००
५२	जैतुनको बोट	३ फिटको	प्रति बोट	५००
५३	पिकानटको बोट	३ फिटको	प्रति बोट	९५०
५४	निमको बोट	३ फिटको	प्रति बोट	८००
५५	सिमेटको गमला	३० इन्चको ठुलो	थान	४,०००
५६	सिमेटको गमला	२४ इन्चको ठुलो	थान	२,५००
५७	सिमेटको गमला	२० इन्चको ठुलो	थान	२,४००
५८	माटोको गमला	१० इन्चको	थान	१६०
५९	माटोको गमला	१२ इन्चको	थान	२८०
६०	माटोको गमला	१४ इन्चको	थान	४००

६१	माटोको गमला	१६ इन्चको	थान	६४०
६२	सेरामिकको गमला प्लेट सहित	१० इन्चको	थान	८००
६३	सेरामिकको गमला प्लेट सहित	१२ इन्चको	थान	१,५००
६४	सेरामिकको गमला प्लेट सहित	१४ इन्चको	थान	१,८००
६५	सेरामिकको गमला प्लेट सहित	१६ इन्चको	थान	१,८५०
६६	फाइबरको गमला प्लेट सहित	३० इन्चको ठुलो	थान	३,८००
६७	फाइबरको गमला प्लेट सहित	२४ इन्चको ठुलो	थान	३,५००
६८	फाइबरको गमला प्लेट सहित	१० इन्चको	थान	९००
६९	फाइबरको गमला प्लेट सहित	१२ इन्चको	थान	१,०००
७०	फाइबरको गमला प्लेट सहित	१४ इन्चको	थान	१,२००
७१	फाइबरको गमला प्लेट सहित	१६ इन्चको	थान	१,८००
७२	फाइबरको गमला प्लेट सहित	२४ इन्चको	थान	२,५००
७३	फाइबरको गमला प्लेट सहित	३० इन्चको	थान	३,५००
७४	सयपत्री	६ इन्चको पोलिब्याग	प्रति बोट	५०
७५	गोदावरी	६ इन्चको पोलिब्याग	प्रति बोट	२००
७६	भ्यागुते फुल	६ इन्चको पोलिब्याग	प्रति बोट	५०
७७	जिनिया	६ इन्चको पोलिब्याग	प्रति बोट	५०
७८	भिन्का	६ इन्चको पोलिब्याग	प्रति बोट	८०
७९	डालिया	६ इन्चको पोलिब्याग	प्रति बोट	१२०
८०	कोलियस	६ इन्चको पोलिब्याग	प्रति बोट	१२०
८१	कानेशन	६ इन्चको पोलिब्याग	प्रति बोट	१२०
८२	सयपत्री बोनान्जा	६ इन्चको पोलिब्याग	प्रति बोट	५०
८३	जरवेरा	६ इन्चको पोलिब्याग	प्रति बोट	२५०
८४	पितुनिया डबल सिंगल	६ इन्चको पोलिब्याग	प्रति बोट	१००
८५	असफी	६ इन्चको पोलिब्याग	प्रति बोट	८०
८६	दियानथस	६ इन्चको पोलिब्याग	प्रति बोट	८०
८७	पेन्जी	६ इन्चको पोलिब्याग	प्रति बोट	८०
८८	बागमुखी	६ इन्चको पोलिब्याग	प्रति बोट	६०
८९	सिनेरिया	६ इन्चको पोलिब्याग	प्रति बोट	५०
९०	प्राइमरोज	६ इन्चको पोलिब्याग	प्रति बोट	५०
९१	दालिया	६ इन्चको पोलिब्याग	प्रति बोट	५०
९२	सिजनल फुल	६ इन्चको पोलिब्याग	प्रति बोट	५०
९३	डी ए पि मल		के जी	१२०
९४	युरिया मल		के जी	६०
९५	पोटास मल		के जी	८०
९६	चिनी मल		के जी	९०
९७	हड्डी मल		के जी	९०
९८	खरानीको धुलो		के जी	१०
९९	पिटमस		के जी	१०
१००	बलोटि माटो		घन मि	२५०
१०१	हर्न मिल		के जी	२००
१०२	फिसमिल		के जी	२६०
१०३	पाइप	प्लास्टिकको १ इन्चको, बगैचामा पानी हाल्ने	रोल	३,०००
१०४	तार ब्रुश		गोटा	१६१
१०५	बासको भाटा	६ फिट अग्लो १.५ इन्च मोटाई को	गोटा	६०
१०६	कृषि चुन		के जी	६०
१०७	कम्पोस्ट मल	प्याकेट	प्रति केजी	३५
१०८	भर्ची कम्पोस्ट मल		के जी	७०
१०९	माछाको दाना		के जी	२९०
११०	एल डी पोली		के जी	४००
१११	नीलकाडा हेज	६ इन्चको पोलिब्याग	प्रति बोट	६०
११२	३ फिट सम्मको धूपाको बाट trimming गरि साईट सफा गर्ने		गोटा	५०
११३	३-५ फिट सम्मको धूपाको बाट trimming गरि साईट सफा गर्ने		गोटा	१२५
११४	५ फिट भन्दा ठुला धूपाको बाट trimming गरि साईट सफा गर्ने		गोटा	३५०
११५	हेज trimming गरि साईट सफा गर्ने		रनिङ मिटर	८०
११६	५ फिट सम्मको रुख साइज मिलायर trimming गरि साईट सफा गर्ने कार्य		गोटा	१००
११७	५-१० फिट सम्मको रुख साइज मिलायर trimming गरि साईट सफा गर्ने कार्य		गोटा	२२५
११८	१० फिट भन्दा ठुला रुख साइज मिलायर trimming गरि साईट सफा गर्ने कार्य		गोटा	५००
११९	टिगाई निकाल्ने र टेकु सम्म पुर्याउने कार्य		प्रति गोटा	४८०



वाद्य वादनका सामग्री

क्र.स.	मालसामानको विवरण	स्पेशिफिकेशन	काठमाडौं महानगरपालिकाको कार्यालय, काठमाडौं, नेपाल	मु.अ.कर बाहेकको मूल्य, ०८२/८३ को दररेट
१	धिम	काठको ठुलो (Minimum १५ inches Bass)	थान	१८,०००
२	धिम	काठको मझौला (Minimum १२ inches Bass)	थान	१४,०००
३	धिम	काठको सानो (Minimum ९ inches Bass)	थान	१०,०००
४	धिम	पित्तलको ठुलो (Minimum १५ inches Bass)	थान	३०,०००
५	धिम	पित्तलको मझौला (Minimum १२ inches Bass)	थान	२५,०००
६	धा:	ठुलो	थान	१०,०००
७	धा:	मझौला	थान	९,०००
८	नायाखि		थान	७,०००
९	भुस्या:	ठुलो	थान	११,०००
१०	भुस्या:	मझौला	थान	९,०००
११	छुस्या:		थान	८,०००
१२	खि	ठुलो	थान	२२,०००
१३	खि	मझौला	थान	१८,०००
१४	खि	सानो	थान	१६,०००
१५	कोचाखि		थान	१२,०००
१६	पछिमा	ठुलो	थान	२१,०००
१७	पछिमा	मझौला	थान	१९,०००
१८	मादल	ठुलो	थान	५,०००
१९	मादल	मझौला	थान	४,०००
२०	मादल	सानो	थान	३,०००
२१	ता:	ठुलो	थान	१०,०००
२२	ता:	सानो	थान	७,०००
२३	बबूचा जोडी		थान	५,०००
२४	घो	घण्टी	थान	५,०००
२५	जोर नगरा	माटोको ठुलो	थान	१८,०००
२६	जोर नगरा	तामाको ठुलो	थान	३०,०००
२७	जोर नगरा	तामाको मझौला	थान	२५,०००
२८	कान्ता डबडव	धातुको	थान	१२,०००
२९	कान्ता डबडव	काठको	थान	८,०००
३०	बाँसुरी	काठको (घोर)	थान	८,०००
३१	बाँसुरी	काठको (माझवाल)	थान	६,०००
३२	बाँसुरी	काठको (तीप)	थान	४,०००
३३	बाँसुरी	प्लाष्टिकको D Scale	थान	१,०००
३४	बाँसुरी	बाँसको ठुलो G Scale	थान	५,०००
३५	बाँसुरी	बाँसको मध्यम D Scale	थान	३,०००
३६	बाँसुरी	बाँसको सानो G Scale	थान	१,५००
३७	बय्	काठको	थान	४,०००
३८	चिम्टा झ्याली	नेवारी	जोर	१५,०००
३९	चक्रा झ्याली	नेवारी	जोर	५,०००
४०	पोंगा सेट	तामाको	थान	१३,०००
४१	पञ्चेबाजा सेट		थान	११५,०००
४२	सारङ्गी परम्परागत		थान	९,०००
४३	सारङ्गी शास्त्रिय		थान	२५,०००
४४	सारङ्गी कलात्मक		थान	१२,०००
४५	ढ्यांग्रो ठुलो		थान	९,०००
४६	ढ्यांग्रो सानो		थान	७,०००
४७	खेजडी		थान	४,०००
४८	द: (६ कुने)		थान	८,०००
४९	धोलक स्टाण्डर्ड		थान	१२,०००
५०	धोलक नेवारी		थान	१०,०००
५१	मुचुङ्गा ठुलो		थान	८००
५२	मुचुङ्गा मझौला		थान	६००
५३	हार्मोनियम स्केल चेन्चर		थान	१२०,०००
५४	हार्मोनियम बिणा १७		थान	४२,०००
५५	हार्मोनियम बिणा ५		थान	२५,०००
५६	तबला	माटोको	सेट	१०,०००
५७	तबला	तामाको	सेट	३०,०००
५८	तबला	स्टिलको	सेट	१८,०००
५९	मंजिरा		थान	२,०००
६०	मुहालि		थान	१३,०००
६१	कर्तल		थान	२,५००



व्यायम सम्बन्धी सामग्री

काठमाडौं महानगरपालिका
नगर कार्यपालिकाको कार्यालय
काठमाडौं जिल्ला, बागमती प्रदेश, नेपाल
Unit २०७३
मुख्य कार्यालयको
आ.व. ०८२/८३ को
दररेट

सि.नं.	Items	Specification		
१	Machine cutting surface dressed Stone	4 " thick	Sq. Ft	४००
२	Machine cutting surface dressed Stone	3 " thick	Sq. Ft	३००
३	Single rower	- Materials: Galvanized Mild steel pipes - Dimension: 1320mmx990mmx1140mm - Main frame pipe 114mm with thickness 3.5mm - Handle frame 32mm and other frame 48mm pipe with thickness 3.5mm. - Bearing holder 60mm pipe with thickness 4.5mm. - Step shaft EN8.8 shaft of diameter 32mm used with step of 25mm. - Mild steel seat, back seat and foot cover with 2mm thickness. - Permanent lubricated sealed - All open ends of pipe either sealed or closed by MS/LLDPE cap for user safety. - Rubber handle cover with best grip. - Paint: Electrostatic oven cooked Powder Coated Paint. - Thickness of Base plate for fixing 8 mm with 4 ribs. - Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod	No.	६२,०००
४	Air Walker	- Materials: Galvanized Mild steel pipes - Dimension: 1320mmx440mmx1200mm - Main frame pipe 114mm with thickness 3.5mm. - Handle frame 32mm and other frame 48mm pipe with thickness 3.5mm. Bearing holder 60mm pipe with thickness 4.5mm. - Step EN8.8 shaft of 32mm used with step of 25mm. - Mild steel foot cover with thickness 2mm on frame. - Permanent lubricated sealed bearing - All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety. - Paint: Electrostatic oven cooked Powder Coated Paint.. - Thickness of Base plate for fixing 8 mm with 4 ribs. - Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod	No.	६९,०००
५	Push and pull chair/Double Shoulder press	- Materials: Galvanized Mild steel pipes - Dimension: 2100mmx710mmx1870mm - Main frame pipe 114mm with thickness 3.5mm. - Handle frame 32mm and other frame 48mm pipe with thickness 3.5mm. Bearing holder 60mm pipe with thickness 4.5mm. - Step EN8.8 shaft of 32mm used with step of 25mm. - Mild steel seat and back seat with thickness 2mm on frame. - Permanent lubricated sealed bearing - All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety. - Rubber handle cover with best grip. - Paint: Electrostatic oven cooked Powder Coated Paint.. - Thickness of Base plate for fixing 8 mm with 4 ribs. - Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod	No.	९३,०००

६		Double Elliptical trainer	1. Materials: Galvanized Mild steel pipes	 काठमाडौं महानगरपालिका नगर कार्यपालिकाको कार्यालय काठमाडौं, नेपाल २०७३	No.	७५,५००
		2. Dimension: 1265mmx550mmx1780mm				
		3. Main frame pipe 114mm with thickness 3.5mm.				
		4. Handle frame 32mm and other frame 48mm pipe with thickness 3.5mm. Bearing holder 60mm pipe with thickness 4.5mm.				
		5. Step EN8.8 shaft of 32mm used with step of 25mm.				
		6. Mild steel foot cover with thickness 2mm on frame.				
		7. Permanent lubricated sealed				
		8. All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety.				
		9. Rubber handle cover with best grip.				
		10. Paint: Electrostatic oven cooked Powder Coated Paint..				
		11. Thickness of Base plate for fixing 8 mm with 4 ribs.				
		12. Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod.				
७		Air Swing/Double surf board	1. Materials: Galvanized Mild steel pipes		No.	७२,०००
		2. Dimension: 1465mmx932mmx1348mm				
		3. Main frame pipe 114mm with thickness 3.5mm.				
		4. Handle frame 32mm and other frame 48mm pipe with thickness 3.5mm. Bearing holder 60mm pipe with thickness 4.5mm.				
		5. Step EN8.8 shaft of 32mm used with step of 25mm.				
		6. Mild steel foot cover with thickness 2mm on frame.				
		7. Permanent lubricated sealed				
		8. All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety.				
		9. Rubber handle cover with best grip.				
		10. Paint: Electrostatic oven cooked Powder Coated Paint..				
		11. Thickness of Base plate for fixing 8 mm with 4 ribs.				
		12. Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod.				
८		Double Splits machine	1. Materials: Galvanized Mild steel pipes		No.	७२,०००
		2. Dimension: 1000mmx850mmx1248mm				
		3. Main frame pipe 114mm with thickness 3.5mm.				
		4. Handle frame 32mm and other frame 48mm pipe with thickness 3.5mm. Bearing holder 60mm pipe with thickness 4.5mm.				
		5. Step EN8.8 shaft of 32mm used with step of 25mm.				
		6. Mild steel foot cover with thickness 2mm on frame.				
		7. Permanent lubricated sealed				
		8. All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety.				
		9. Rubber handle cover with best grip.				
		10. Paint: Electrostatic oven cooked Powder Coated Paint..				
		11. Thickness of Base plate for fixing 8 mm with 4 ribs.				
		12. Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod.				
९		Sit-Up-board single/abdominal fitness combo	1. Materials: Galvanized Mild steel pipes		No.	४२,५००
		2. Dimension: 1700mmx1350mmx800mm				
		3. Main frame pipe 114mm with thickness 3.5mm.				
		4. Handle frame 32mm and other frame 48mm pipe with thickness 3mm.				
		5. All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety.				
		6. Paint: Paint: Electrostatic oven cooked Powder Coated Paint..				
		7. Thickness of Base plate for fixing 8 mm with 4 ribs.				
		8. Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod.				

१०		1. Materials: Galvanized Mild steel pipes	No.	७५,०००
		2. Dimension: 1480mmx1680mmx2100mm		
		3. Main frame pipe 114mm with thickness 3.5mm.		
		4. Handle frame 32mm and other frame 48mm pipe with thickness 3.5mm. Bearing holder 60mm pipe with thickness 4.5mm.		
		5. Step EN8.8 shaft of 32mm used with step of 25mm.		
		6. Mild steel seat and back seat with thickness 2mm on frame.		
		7. Permanent lubricated sealed		
		8. All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety.		
		9. Rubber handle cover with best grip.		
		10. Paint: Paint: Electrostatic oven cooked Powder Coated Paint..		
		11. Thickness of Base plate for fixing 8 mm with 4 ribs.		
		12. Foundation reinforcement: Four M15 X 480mm J bolt interconnected with each other with 6mm rod.		
११		1. Materials: Galvanized Mild steel pipes	No.	६४,५००
		2. Dimension: 1200mmx750mmx1400mm		
		3. Main frame rectangle pipe 80x40mm with thickness 3.5mm.		
		4. Handle frame 32mm and other frame 48mm pipe with thickness 3.5mm. Bearing holder 60mm pipe with thickness 4.5mm.		
		5. EN8.8 shaft of 16mm used with step of 15mm.		
		6. Permanent lubricated sealed		
		7. All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety.		
		8. Paint: Electrostatic oven cooked Powder Coated Paint..		
		9. Thickness of Base plate for fixing 8 mm with 4 ribs.		
		10. 73 Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod		
१२		1. Materials: Galvanized Mild steel pipes	No.	६४,०००
		2. Dimension: 1370mmx890mmx1480mm		
		3. Main frame pipe 114mm with thickness 3.5mm.		
		4. Handle frame 32mm and other frame 48mm pipe with thickness 3.5mm. Bearing holder 60mm pipe with thickness 4.5mm.		
		5. Step EN8.8 shaft of 32mm used with step of 25mm.		
		6. Permanent lubricated sealed		
		7. All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety.		
		8. Rubber handle cover with best grip.		
		9. Paint: Electrostatic oven cooked Powder Coated Paint.		
		10. Thickness of Base plate for 8 mm.		
		11. Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod.		
१३		1. Materials: Galvanized Mild steel pipes	No.	६५,०००
		2. Dimension: 1700mmx550mmx1548mm		
		3. Main frame pipe 114mm with thickness 3.5mm.		
		4. Handle frame 32mm and other frame 48mm pipe with thickness 3.5mm. Bearing holder 60mm pipe with thickness 4.5mm.		
		5. Step EN8.8 shaft of 32mm used with step of 25mm.		
		6. Mild steel seat, foot cover and foot peddle with thickness 2mm on frame.		
		7. Permanent lubricated sealed		
		8. All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety.		
		9. Paint: Electrostatic oven cooked Powder Coated Paint..		
		10. Thickness of Base plate for fixing 8 mm with 4 ribs.		
		11. Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod.		

१४	 Horse Rider	1. Materials: Galvanized Mild steel 2. Dimension: 1000mmx700mmx1000mm 3. Main frame pipe 114mm with thickness 3.5mm. 4. Handle frame 32mm and other frame 48mm pipe with thickness 3.5mm. Mild steel Flat of 50x10mm used. Bearing holder 60mm pipe with thickness 4.5mm. 5. Step EN8.8 shaft of 32mm used with step of 25mm. 6. Mild steel seat with thickness 2mm on frame. 7. Permanent lubricated sealed 8. All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety. 9. Nylon stopper lynch diameter 10. Rubber handle cover with best grip. 11. Paint: Paint: Electrostatic oven cooked Powder Coated Paint. 12. Thickness of Base plate for fixing 8 mm with 4 ribs. 13. Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod.	 No.	६५,०००
१५	 Double cross walker, Skier	1. Materials: Galvanized Mild steel 2. Dimension: 1380mm x 570mm x 1620mm 3. Main frame rectangle pipe 80x40mm with thickness 3.5mm. 4. Handle frame 32mm and other frame 48mm pipe with thickness 3.5mm. Bearing holder 60mm pipe with thickness 3.5mm. 5. Step EN8.8 shaft of 32mm used with step of 25mm. 6. Mild steel foot cover with thickness 2mm on frame. 7. Permanent lubricated sealed 8. All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety. 9. Rubber handle cover with best grip. 10. Paint: Electrostatic oven cooked Powder Coated Paint. 11. Thickness of Base plate for fixing 8 mm with 4 ribs. - Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod.	No.	८५,५००
१६	 Triple Twister sitting and standing	1. Materials: Galvanized Mild steel pipes 2. Dimension: 1680mmx1680mmx1348mm 3. Main frame pipe 114mm with thickness 3.5mm. 4. Handle frame 32mm and other frame 48mm pipe with thickness 3.5mm. Bearing holder 60mm pipe with thickness 3.5mm. 5. Twister plate of mild steel thickness 10mm. 6. Step EN8.8 shaft of 32mm used with step of 25mm. 7. Mild steel seat with thickness 2mm on frame. 8. Permanent lubricated sealed 9. All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety. 10. Paint: Paint: Electrostatic oven cooked Powder Coated Paint. 11. Thickness of Base plate for fixing 8 mm with 4 ribs. - Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod.	No.	७५,०००
१७	 Back Extension	1. Materials: Galvanized Mild steel pipes 2. Dimension: 1000mmx550mmx500mm 3. Main frame rectangle pipe 80x40mm with thickness 3.5mm. 4. Handle frame 32mm and other frame 48mm pipe with thickness 3.5mm. 5. Mild steel seat and foot cover with thickness 2mm on frame. 6. All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety. 7. Rubber handle cover with best grip. 8. Paint: Electrostatic oven cooked Powder Coated Paint. 9. Thickness of Base plate for fixing 8 mm with 4 ribs. - Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod.	No.	५७,०००

१८		Outdoor cycle	1. Materials: Galvanized Mild steel pipes	No.	५३,०००				
		2. Dimension: 1050mmx548mmx1470mm							
		3. Safe Play Area: 1.5 Meter x 1 Meter							
		4. Main frame pipe 114mm with thickness 3.5mm.							
		5. Handle frame 32mm and other frame 48mm pipe with thickness 3.5mm. Bearing holder 60mm pipe with thickness 4.5mm.							
		6. Step EN8.8 shaft of 32mm used with step of 25mm.							
		7. Mild steel seat and foot peddle with thickness 2mm on frame.							
		8. Permanent lubricated sealed							
		9. All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety.							
		10. Rubber handle cover with best grip.							
		11. Paint: Electrostatic oven cooked Powder Coated Paint.							
		12. Thickness of Base plate for fixing 8 mm with 4 ribs.							
		Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod.							
१९		Double Leg press	1. Materials: Galvanized Mild steel pipe	No.	६६,०००				
		2. Dimension: 1700mmx380mmx1550mm							
		3. Main frame pipe 114mm with thickness 3.5mm.							
		4. Handle frame 32mm and other frame 48mm pipe with thickness 3.5mm. Bearing holder 60mm pipe with thickness 4.5mm.							
		5. Step EN8.8 shaft of 32mm used with step of 25mm.							
		6. Mild steel seat and back seat with thickness 2mm on frame.							
		7. Permanent lubricated sealed							
		8. All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety.							
		9. Paint: Electrostatic oven cooked Powder Coated Paint.							
		10. Thickness of Base plate for fixing 8 mm with 4 ribs.							
		Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod.							
		२०				Weight lifter	1. Materials: Galvanized Mild steel pipes	No.	६५,०००
2. Dimension: 1625mmx448mmx2515mm									
3. Main frame pipe 114mm with thickness 3.5mm									
4. Handle frame 32mm and other frame 48mm pipe with thickness 3.5mm.									
5. All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety.									
6. Paint: Electrostatic oven cooked Powder Coated Paint.									
7. Thickness of Base plate for fixing 8 mm with 4 ribs.									
Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod									
२१				Pull up, Dip station and leg lifter	1. Materials: Galvanized Mild steel pipe	No.	६६,०००		
				2. Dimension: 1.2mmx1mmx2100mm					
		3. Main frame pipe 114mm with thickness 3.5mm.							
		4. Handle frame 32mm pipe with thickness 3mm.							
		5. All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety.							
		6. Rubber handle cover with best grip.							
		7. Paint: Electrostatic oven cooked Powder Coated Paint.							
		8. Thickness of Base plate for fixing 8 mm with 4 ribs.							
		Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod.							
		२२		Parallel bar workout	1. Materials: Galvanized Mild steel pipe			No.	४६,०००
				2. Dimension: 2580mmx800mmx1600mm					
Main frame pipe 114mm with thickness 3.5mm.									
3. Handle frame 32mm pipe with thickness 3mm.									
4. All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety.									
5. Paint: Electrostatic oven cooked Powder Coated Paint..									
6. Thickness of Base plate for fixing 8 mm with 4 ribs.									
Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod.									

२३	Jungle gym workout	1. Materials: Galvanized Mild steel pipe	११०,०००
		2. Dimension: 8500mmx1800mmx1800mm	
		3. Main frame pipe 114mm with thickness 3.5mm.	
		4. Handle frame 32mm pipe with thickness 3mm.	
		5. All open ends of pipe either sealed in or closed by MS/LLDPE cap for user safety.	
		6. Paint: Electrostatic oven cooked Powder Coated Paint.	
		7. Thickness of Base plate for fixing 8 mm with 4 ribs.	
		Foundation reinforcement: Four M16 X 480mm J bolt interconnected with each other with 6mm rod.	

बारुण यन्त्र जन्य सामग्री

सि.नं.	मालसामानको विवरण	स्पेशिफिकेशन (For S.N. 1-18: chemical change in 4 years/ cylinder change in 10 years)	एकाई	मु.अ.कर बाहको आ.व. ०८२/८३ को दररेट
१	Fire Extinguisher Refilling (DCP Type)	2 kg capacity, monoammonium Phosphate chemical	प्रति थान	१,३००
२	Fire Extinguisher Refilling (DCP Type)	4 kg capacity, monoammonium Phosphate chemical	प्रति थान	२,०५०
३	Fire Extinguisher Refilling (DCP Type)	5 kg capacity, monoammonium Phosphate chemical	प्रति थान	२,४५०
४	Fire Extinguisher Refilling (DCP Type)	6 kg capacity, monoammonium Phosphate chemical	प्रति थान	२,८५०
५	Fire Extinguisher Refilling (DCP Type)	9 kg capacity, monoammonium Phosphate chemical	प्रति थान	३,५००
६	Fire Extinguisher Refilling (DCP Type)	25 kg capacity, monoammonium Phosphate chemical	प्रति थान	८,५०५
७	Fire Extinguisher Refilling (DCP Type)	50 kg capacity, monoammonium Phosphate chemical	प्रति थान	१८,०००
८	Fire Extinguisher Refilling (Foam Type)	9 ltr Capacity, Aluminium Sulphate and Sodium bicarbonate chemical	प्रति थान	२,४००
९	Fire Extinguisher Refilling (CO2 Type)	2 kg capacity, carbondioxide chemical	प्रति थान	३,५००
१०	Fire Extinguisher Refilling (CO2 Type)	4.5kg capacity, carbondioxide chemical	प्रति थान	५,०५०
११	Fire Extinguisher Refilling (CO2 Type)	9 kg capacity, carbondioxide chemical	प्रति थान	९,५००
१२	Fire Extinguisher New Tank (DCPType)	2 kg capacity, carbondioxide chemical	प्रति थान	२,९५०
१३	Fire Extinguisher New Tank (DCPType)	4 kg capacity, carbondioxide chemical	प्रति थान	४,०००
१४	Fire Extinguisher New Tank (DCPType)	6 kg capacity, carbondioxide chemical	प्रति थान	४,५००
१५	Fire Extinguisher New Tank (DCPType)	9 kg capacity, carbondioxide chemical	प्रति थान	४,९००
१६	Fire Extinguisher New Tank (DCPType)	25 kg capacity, carbondioxide chemical	प्रति थान	२२,५००
१७	Fire Extinguisher New Tank (DCPType)	50 kg capacity, carbondioxide chemical	प्रति थान	५५,०००
१८	Fire Extinguisher New Tank (Foam Type)	9 ltr	प्रति थान	५,५००
१९	Fire Extinguisher New Tank (CO2 Type)	2 kg capacity, carbondioxide chemical	प्रति थान	९,५००
२०	Fire Extinguisher New Tank (CO2 Type)	4 kg capacity, carbondioxide chemical	प्रति थान	१४,५००
२१	Fire Extinguisher New Tank (CO2 Type)	9 kg capacity, carbondioxide chemical	प्रति थान	२७,५००
२२	Fire Blanket	2 by 2 meter, Glass Fiber Fabric and Fire retardent film	प्रति थान	८,५००
२३	Smoke Detector Sensor		प्रति थान	३,८००
२४	Digital Fire Alarm control pannel		प्रति थान	१६५,०००
२५	Fire Helmet		प्रति थान	१५,५००
२६	Head torch		प्रति थान	१,८००
२७	Fireman Boot		प्रति थान	१६,५००
२८	Fireman Shuit		प्रति थान	२२५,०००
२९	Fireman Gloves		प्रति थान	८,५००
३०	Hydraulic Bolt Cutter		प्रति थान	१५,९००

Medical General Equipment

SN	Items	Specification		
१	Pulse Oximeter	SpO2 detection includes the range: 70 - 100%Data display update rate: every 1s Operated by rechargeable Li-ion battery power supply.	Pcs	३०,०००
२	Sphygmamometer (BP apparatus)	Composed of a cuff containing an inflatable bag.Length tube between: 50 to 70 cm.Gauge graduated 0 - 300mmHg (min) in 2 (max) mmHg increments, with pressure release valve. Accuracy as per ISO 81060-1: +/- 3mm Hg.Latex and mercury free design.	Pcs	२,०००
३	Stethoscope	Tube diameter: outer diameter 10mm, inner diameter 4.8mm. Tube length 560mm.Sensitivity from 3.2dB to 26dB in a range from 50 to 1000Hz for cardiology.Sensitivity 8.1dB in a range from 600 Hz to 1,500Hz for pneumology .Arms: brass-steel with a flexible spring. Removable plastic earpieces. Latex-free.	Pcs	१,०००
४	Examination Table(Fixed Height)	Examination tabel, two sections extended, including upholstery: (185-190) x 55 x 80cm (lxwx h). Frame: 3 cm (outside, across), 1.35-1.5 mm thickness. Upholstery: 4.5-5 cm (h). Carrying capacity: minimum 160 kg. Knockdown construction: yes.	Pcs	११,५००
५	Otoscope Set	Handle with a built-in LED light source in a mounted head. Including rotatable viewing lens with a magnification between 3 times. Colour temperature: Cool white in the range 3,200-4,000K. Including reusable, autoclavable specula. Specula are cleanable with alcohol wipes Handle contains on/off switch. Includes a port to connect an insufflation bulb. Uses 2 x type AA Alkaline batteries as a power source.	Pcs	१५,५००
६	Dressing Trolley	Overall: (81-90) x (50-55) x (90 -100) cm (l*w*h) Frame: 2.7-3.3 cm (outside, across), 1.5 mm thickness Thickness shelves: 1.35-1.5mm Swivel castor wheel: 3 x 10 cm (w*diameter) Carrying capacity: 100 kg	Pcs	१३,५००
७	Scale with Height Measuring (Digital)	high 300 kg capacity. built in height rod 61 cm-250 cm with 1cm increments. large easy to read LCD display. AC/DC adaptor and battery operation. battery life up to 100hrs continuous use. BMI function. step-on activation. large and ultra-low profile platform.	Pcs	४५,०००
८	Nebulizer	For compressor model: air flow at least 5 L/min. Minimum drug nebulisation flow greater than: 0.2 ml/min. Integrated drug reservoir with a minimum capacity: 6 ml.	Pcs	३,५००
९	Artery Forecep	• Straight Artery forceps • Made up of stainless steel • Approx. 160 cm	Pcs	२५०
१०	Cheatle forcep with Jar	• Cheatle forceps 10 Inch With Cheatle Jar • Made up of stainless steel.	Pcs	१,२५०
११	Digital Thermometer	• Power Source: Battery • With LCD Display • Temperature in °C and °F • Should come with Safety Case, • Automatic shut-off, • Auto Shut OFF	Pcs	३५०
१२	Disposable wooden tongue depressor	• Made up of wood with smooth texture • Tasteless and order less • Should come in pack of 100 pcs	Pcs	१५०
१३	Duck Speculum	• Made up of stainless steel • Size: 80*32mm, 90*37mm and 115*37mm	Pcs	६५०

१४	Examination Lamp	• Height approx.: 100cm with approx.. 75cm articulating arm. • Operating voltage: 220V-240V • Light Source: LED or incandescent bulb	Pcs	६,५००
१५	Fetoscope	• Made up of stainless steel or aluminium • Diameter 2 cm and length 30 cm	Pcs	१५०
१६	Flash light/Torch Light	• LED light • AA battery operated • Approx. 10 cm length	Pcs	५५०
१७	Footstep	• Double step • Made up of mild steel/ SS	Pcs	३,५००
१८	Gauze Drum	• Stainless steel drum • Approx size: 5"×12"	Pcs	१,३५०
१९	Kidney Tray	• Set of 4 stainless steel kidney tray • Size 6", 8", 10" and 12"	Pcs	४५०
२०	Knee Jerk hammer	• Should come with triangular rubber head and flat stainless-steel handle • Size: approx. 12"	Pcs	३००
२१	Mackintosh Sheet	• Made of High Quality Natural Rubber • Soft & High quality Breaking & Tearing Strength • Size: Approx. 36"×84"	Pcs	४५०
२२	Pillow With Cover	• Waterproof pillow with cover • Approx. size: 16"×22"	Pcs	९००
२३	Protoscope	• Made up of stainless steel • Size: Medium	Pcs	१,२५०
२४	Scissors	• Made up of Stainless steel • Size: 8" and 12"	Pcs	५५०
२५	Screen	• Movable 3 fold folding screen • Size: approx. 8'×5' • Frame made of Stainless steel or high strength mild steel	Pcs	५,५००
२६	Snellen's chart	• SNELLEN eye chart for visual acuity and vision test. • Size: Approx. 23 x 35.5 cm	Pcs	१,५००
२७	Speculam	• Size: Medium	Pcs	६५०
२८	Tooth forcep	• Stainless Still 8"	Pcs	३५०
२९	Artery forcep	• Stainless Still 8"	Pcs	३५०
३०	Sponge holding forceps	• Stainless Still 8"	Pcs	४५०
३१	Artery forceps, curved.	• Stainless Still 6"	Pcs	२००
३२	Needle holder-	• Stainless Still 6"	Pcs	२००
३३	Suture cutting scissor	• Stainless Still 6"	Pcs	३५०
३४	Stop watch /Timer	• Timer with LCD display	Pcs	७५०
३५	Surgical drum	• Approx size: 15"×12"	Pcs	६,०००
३६	Tape to measure fundal height	• 100 cm long	Pcs	७५०
३७	Tray with cover	• Stainless steel tray of approx. 20×25×2 CM	Pcs	१,०५०
३८	Tuning fork	• 256 Hz for for medical and hearing testing	Pcs	३००
३९	Eye Towel	• 36"×36" with opening at center about 3" diameter	Pcs	३००
४०	Wrapper	• 36×36	Pcs	३००
४१	Yoga Mat Deluxe	• 2×6 fit	Pcs	१,०५०
४२	Yoga Mat Simple	• 2×6 fit	Pcs	६५०
४३	USG Jel	• 5 ltr	Jar	६५०
४४	Medical Masking Tape	• 2×5 meter	Roll	१००
४५	Colour Coded Dust Bin with Cover	• 50 Ltr	Pcs	३,५००
४६	Colour Coded Dust Bin with Cover	• 30 Ltr	Pcs	२,५००
४७	Colour Coded Dust Bin with Cover.	• 20 Ltr	Pcs	२,०००
४८	Transparency Sheet	• A4 Size Plastic Paper	Pcs	२०
४९	Medical Bed Sheet	• 1 Mtr×2 Mtr	Pcs	८५०
५०	Baltin with Cover	• 20 Ltr	Pcs	१,५००
५१	Baltin with Cover	• 10Ltr	Pcs	१,१५०
५२	Mattress	• Mtr	Pcs	७,५००
५३	Aprone	• Pcs	Pcs	४५०
५४	Autoclave Rod	• Compatable with Autoclave(20Ltr)	Pcs	७५०
५५	Autoclave Rod	• Compatable with Autoclave(30Ltr)	Pcs	१,५००
५६	Autoclave Rod	• Compatable with Autoclave(50Ltr)	Pcs	३,०००
५७	Autoclave Rod	• Compatable with Autoclave(80Ltr)	Pcs	५,५००

Lab Equipment And Reagent

सि.नं.	Description of Goods	Specification	Unit	दररेट
१	Improved Neubauer Counting Chamber	Thick glass plate with size of a glass slide(30*70*4mm), grid design: 9mm2, chamber depth: 0.1mm	Pcs	२,५००
२	Cover slip for microscopy	Microscope cover glass, square, size 22mm*22mm 20/pack One box	Box	२,४००
३	Glass slides	Plain, flat, corrosion-resistant, untreated surface glass slide (borosilicate or soda-lime), Ground edges, 75X25 mm, 1mm thickness with shatter-proof (cardboard with paper or foam ing), 1*50/Pcs pack	pkt	९०
४	Pipette Tips (5-200 ul)	Plastic, 1000Pcs/Pkt	pkt	८००
५	Pipette Tips (100-1000 ul)	Plastic, 500 Pcs/Pkt	pkt	७५०
६	Tourniquet	Rubber tube	Pcs	५०
७	Urine and stool containers	Sturdy polypropylene container with spill-proof screw cap and label, individually ed, capacity 30-50 ml (preferably transparent and with graduations)	Pcs	८
८	Bamboo stick	Length 6 cm 100/Pkt (ISO/ CE/USFDA approved)	Pkt	३००
९	Sodium hypochloride	4 or 10%, W/V, liquid	Ltr	२००
१०	SGOT Reagent	400ML/KIT (ISO, CE/USFDA approved)	Kit	५,०००
११	SGPT Reagent	400ML/KIT (ISO, CE/USFDA approved)	Kit	५,०००
१२	Alkaline Phosphate Reagent	100ML/KIT (ISO, CE/USFDA approved)	Kit	२,६००
१३	Glucose Test Reagent	1000ML/KIT (ISO, CE/USFDA approved)	Kit	३,५००
१४	Uristix	Three parameters (Glucose, protein, pH) on a strip with color chart for reference to visual reading, 100 Strips/Package	Bottle	२५०
१५	RA Factor Test Kit	Qualitative, latex, 100 Tests (ISO, CE/USFDA approved)	Kit	१,८००
१६	cholesterol Reagent	100ML/KIT (ISO, CE/USFDA approved)	Kit	१,५००
१७	Triglyceride Reagent	100ML/KIT (ISO, CE/USFDA approved)	Kit	४,०००
१८	HDL Reagent	100ML/KIT (ISO, CE/USFDA approved)	Kit	३,२००
१९	ESR Tube	Wintrobe's Tube, graduated	Pcs	९०
२०	Dropper	5 ml capacity (ISO, CE/USFDA approved)	Pcs	५
२१	EDTA Vacutainer	1.Intended use of haematological test. 2.Anti coagulant: EDTA K2 3.Capacity 3ml, certified 4. size: 100 tubes/ et 5.Should be ISO, FDA or CE certified 6.Should be color coded on top and sterile 7.Tube should not release any kind of materials while sample is on process 8.Leak proof 9.Should be compatible with vaccum blood collection	Pcs	७००
२२	Tube Brush	Plastic Brush with Metal Handle (squirrel brush)	Pcs	५०
२३	Uric Acid Reagent	100ML/KIT (ISO, CE/USFDA approved)	Kit	२,५००
२४	Urea Reagent	100ML/KIT (ISO, CE/USFDA approved)	Kit	२,०००
२५	*Creatinine Reagent	100ML/KIT (ISO, CE/USFDA approved)	Kit	१,५००
२६	CRP Reagent	Qualitative, latex, 100 Tests/Box (ISO, CE/USFDA approved)	Kit	१,८००
२७	ESR Needle	(ISO, CE/USFDA approved)	Pic	१००
२८	1 MI Syringe	(ISO, CE/USFDA approved)	Pcs	७
२९	Mantoux Reagent	Tuberculin PPD/ 5 ml	Bottle	२७५
३०	Platelet Reagent	platelet diluting fluid (1% ammonium oxalate), 100 ml, ready to use	Bottle	३५०
३१	Antimicrobial Soap Liquid	"Suitable for sensitive and all skin type,provide protection from a range of germs, free standing with pump dispenser, Volume: /Ltr	Ltr	३५०
३२	Handiplast	Round Tape/100 Pcs Pkt	Box	१००
३३	Scrub Gown	M/L Size	Set	१,५००
३४	Lab Apron	M/L Size	pcs	४५०
३५	Sample Tray	sturdy, non leaky, stainless steel surace	Pcs	८५०

[Handwritten signature]

३६	Dengue Combi Rapid test	Cartridge, immunochromatographic based kit with qualitative detection of NS1 antigen, and IgG and IgM antibodies separately with inbuilt control. Individually packed, long expiry. Sufficient amount of buffer and sample dropper to be included for each kit. CE IVD/USFDA/ (10tests/kit)	Box	३०००
३७	Glass test tube	Borosilicate glass, Round bottomed, flat top, 8-10mm diameter, 75 mm.100 tube box	Box	४००
३८	Lens Paper	Lintless & Non-Abrasive Material. 100 sheet pad	Pad	१००
३९	Sharps safety container	1.Made of heavy puncture-proof rigid cardboard material with one piece aperture handle and marked level for maximum fill. 2.Volume: 5 litres 3.Intended use: safely and efficiently contain, transport and store used sharps injection devices until final destruction, safe disposal or recycling. 4.Clear label indicating it's a safety used for syringes, needles and sharps with yellow in color. 5.Bio-hazard sign clearly and cons uously displayed on all the faces. 6.Step by step numerical directions for assembling.10/pic Box	Box	१,५००
४०	Test tubes	Glass, Autoclavable Test Tube, Rimless, Clear, transparent, Size: 100mm x 12mm diameter.		५००
४१	Measuring Cylinder	Polypropylene, 50ml	Pic	१००
४२	Wright stain	Should contain wright stain powder and solvent separately in pack.(250 ml/bottle)	Bottle	४५०
४३	Immersion Oil	Liquid state, cedar wood immersion oil.100ml/bottle	Bottle	१,०००
४४	Occult Blood Kit	Gum-Guaiac based kit with applicator, developer solution and test card. (50 test/pkt)	Pkt	१,३५०
४५	Helicobacter pylori Antigen	Cartridge, immunochromatographic based with qualitative detection of antigen to Helicobacter pylori and inbuilt control. Individually packed, long expiry. Sufficient amount of buffer and sample dropper to be included for each kit. CE IVD/ USFDA/ (25 tests/kit)	Test	१२५
४६	Plastic Garbage Bag	50 KG Capacity	Pcs	९०
४७	Detergent	1000 Gm	Pocket	४५०
४८	Loose Gloves	Par Box 100 Pcs	Pocket	४००
४९	Surgical Gloves	Per Packet 50 Pair	Pocket	१,६००
५०	Enzymetic Cleaner	Pack (1Ltr)	Pak	११,५००
५१	Enzymetic Cleaner Concentrate	Pack (50ML)	Pak	७,५००
५२	Lyse Reagent	Pack (1Ltr)	Pak	१६,९००
५३	Diluent Solution	Pack (20 Ltr)	Pak	१६,९००
५४	USG Paper	Thermal Paper 110mm*20M	Roll	१,१५०
५५	ECG Paper	80mm*20m	Roll	१२५
५६	Macintosh	Rubber	Meter	४५०
५७	Test Tube Rack	24/holes Steels	Pcs	७५०
५८	Test Tube Rack	24/Holes Plastic	Pcs	३५०
५९	Vacutainer (Clot Activator)	3ml	Pcs	१२
६०	EDTA Vail	3ml	Pcs	७
६१	Sodium Fluoride Vial	3ml	Pcs	१५
६२	Tips Stand Rack	(10-100UL)	Pcs	५५०
६३	Tips Stand Rack	(100-1000UL)	Pcs	५५०
६४	Micropipette	10-100UL Variable	Pcs	१०,५००
६५	Micropipette	100-1000UL Variable	Pcs	१०,५००
६६	Micropipette	1000 IU Fixed	Pcs	७,५००
६७	Test tube Brush	Medium	Pcs	५०
६८	Micropore Tape	5 Meter	Pcs	१२०
६९	Glucometer Strips	Strips	Pcs	३०
७०	Hemoglobin Strips	Strips	Pcs	१००
७१	X-Ray Film	Medical X-ray Dry Films size , 10 *12 (100pcs/pkt)	PKT	१२,०००
७२	X-Ray Film	Medical X-ray Dry Films Size, 8 *10 (100pcs/pkt)	PKT	१०,५००

Ayurveda Medicine

सि.नं.	Medicine Name	Specification	Unit	दररेट
१	Avipattikar churna	100gm	ph	२०८
२	Hingwastak churna	100gm	ph	२६५
३	Mahanarayan oil	60 ml	ph	१७४
४	Sitopaladi churna	100gm	ph	२३९
५	Pushyanug Churna	100gm	ph	२५२
६	Mrigamadasav	15 ml.	ph	८७
७	Nimbadi churna	100gm	ph	२४७
८	Gandhak rasayan	10gm	ph	१५२
९	Khadiradi vati	10gm	ph	१०४
१०	Yograj guggulu	25gm	ph	२१७
११	Jatyadi Tail	60 ml	ph	२३०
१२	Kaishoor guggulu	25gm	ph	२१३
१३	Chandraprabha vati	25gm	ph	२२६
१४	Triphala churna	100gm	ph	१२८
१५	Ashwagandha churna	100gm	ph	३३०
१६	Bilwadi Churna	100gm	ph	२३९
१७	Mahayograj Guggul	10 gm	ph	२६५
१८	Jwano Churna	100gm	ph	१९१
१९	Dashmool Tail	50ml	ph	३०४
२०	Amalki Churna	100gm	ph	२१३
२१	Shatavari Churna	100gm	ph	३३४
२२	Lawan Bhaskar Churna	60gm	ph	११३
२३	Balamrit	100ml	ph	१२१
२४	Shadvindu Tail	15ml	ph	७६
२५	Mahashankha Vati	10gm	ph	११७
२६	Laxmibilash Ras	10gm	ph	२१७
२७	Arshakuthar Ras	10gm	ph	१५२
२८	Ishabgol Powder	100gm	ph	१४७
२९	Ichchhavedi Ras	10gm	ph	८२
३०	Arshoghni Vati	10gm	ph	१५२
३१	Arogyabardhini Vati	10gm	ph	१३४
३२	Shilajit Gold	10cap	ph	३४८
३३	Shilajit Paste	25gm	ph	३५६
३४	Bolbaddha Ras	10gm	ph	१३४
३५	Bramhi Vati	10gm	ph	२१३
३६	Lohasava	450ml	ph	२४३
३७	Kumaryasav	450ml	ph	२३९
३८	Rohitakyadi Churna	50gm	ph	१३९
३९	Panchasakar Churna	50gm	ph	८७
४०	Ashokarista	450ml	ph	१९१
४१	Dashmularista	450ml	ph	२३४
४२	Khadirarista	450ml	ph	२३९
४३	Abhayarista	450ml	ph	२४३
४४	Kutajarista	450ml	ph	२३९
४५	Chyawanprash Abaleha	500gm	ph	३०४
४६	Sarpagandhaghan Vati	25gm	ph	२२१
४७	Mahasudarshan Churna	100gm	ph	२५२
४८	Tankan Bhasma	10gm	ph	११३


Essential Medicine

सि.नं.	Particulars	Specifications	Strength	आ.व. ०८२/८३ को दररेट
१	Acetylsalicylic acid (aspirin)	Tablet	75mg	१.०३
२	Adrenaline (epinephrine)	Injection	1mg in 1ml	२०.५०
३	Albendazole	Chewable Tablet	400mg	८.६२
४	Albendazole	Suspension	200mg/5ml	१८.००
५	Aluminium hydroxide + Magnesium Hydroxide (antacid)	Tablet	250mg + 250mg	२.५७
६	Amitriptyline	Tablet	10mg	२.०६
७	Amitriptyline	Tablet	25mg	३.२७
८	Amlodipine	Tablet	5mg	४.३१
९	Amoxicillin	Oral Capsule	500mg	६.८९
१०	Amoxicillin	Powder for oral suspension	125mg/5ml, 100 ml	७७.००
११	Amoxicillin	Dispersible Tablets	125mg	२.५७
१२	Amoxicillin	Dispersible Tablets	250mg	४.३१
१३	Ampicillin	Powder for IV/IM injection	250mg vial	३९.००
१४	Ampicillin	Powder for IV/IM injection	500mg vial	४५.००
१५	Atropine	Injection	0.6mg in 1ml ampoule	९.४७
१६	Azithromycin	Tablets	250mg	१७.२४
१७	Azithromycin	Tablets	500mg	२५.८६
१८	Calamine	Lotion	15% w/v, 30ml	६५.००
१९	Calcium gluconate	Injection	10ml (100mg/ml of	४३.००
२०	Carbamazepine	Tablets	100mg	१.७२
२१	Carbamazepine	Tablets	200mg	२.४१
२२	Cefixime	Tablet	400 mg	३४.४०
२३	Cefixime	Tablet	200mg	१७.२४
२४	Cefixime	Oral suspension	100mg/5ml (30ml)	१०३.४४
२५	Ceftriaxone	Powder for Injection	250mg/ vial	४९.३७
२६	Ceftriaxone	Powder for Injection	500mg/vial	५९.७२
२७	Ceftriaxone	Powder for Injection	1gm w/vial	७७.५७
२८	Cetirizine HCL	Tablet	10mg	२.५७
२९	Cetirizine HCL	syrup	5mg/5ml (30ml)	४३.१०
३०	Charcoal, activated	Powder in sachet	10gm	४७.४०
३१	Chlorhexidine (CHX)	Solution	Solution, 0.2% oral 50ml	८६.२०
३२	Chlorhexidine (CHX)	Ointment	4%, 5gm	७३.२७
३३	Chloroquine (CQ)	Tablet	150mg	३.००
३४	Ciprofloxacin	Tablets	250mg	४.३१
३५	Ciprofloxacin	Tablets	500mg	६.८९
३६	Ciprofloxacin	Eye/Ear Drops	0.3%w/v, 5ml ,	२५.८६
३७	Ciprofloxacin	Eye ointment	0.3%, 5g	१२.९३
३८	Ciprofloxacin	Injection	200mg/100ml	७४.००
३९	Clotrimazole	skin cream	1%, 25g	२५.८६
४०	Clotrimazole	Vaginal Tablets	100mg	११.६०

४१	Clotrimazole	Mouth Paint	1% 15 ml	१०३.४४
४२	Clove Oil	Liquid	5ml	२५.८६
४३	Cloxacillin	Capsules	250mg २०६३	४.३१
४४	Cloxacillin	Capsules	500mg	८.६२
४५	Cloxacillin	Powder for oral liquid	125mg/5ml in 100ml	१०३.४४
४६	Cotrimoxazole (Sulphamethoxazole and Trimethoprim 5:1)	Tablets	400 mg + 80mg	३.०१
४७	Cotrimoxazole (Sulphamethoxazole and Trimethoprim 5:1)	Tablets	800mg + 160mg	५.६०
४८	Cotrimoxazole (Sulphamethoxazole and Trimethoprim 5:1)	syrup	200mg + 40mg/5ml, 50ml	५१.७२
४९	Dexamethasone	Injection	4mg in 1ml ampoule	२४.१३
५०	Dextrose (glucose)	Injection/soln	5%, 500ml	४५.६७
५१	Dextrose (glucose)	Injection/soln	25% of 50ml Amp	३५.००
५२	Diazepam	Injection	2ml amp (5mg/ml)	३०.१७
५३	Diazepam	Tablet	5mg	४.३१
५४	Diclofenac sodium	Tablet	50mg,	४.३१
५५	Diclofenac sodium	Injection	ml ampoule (25mg/ml)	२५.८६
५६	Doxycycline	capsule	100mg	४.३१
५७	Ferrous sulphate and folic acid	Tablet	60mg elemental iron plus 400mcg	१.७२
५८	Fluconazole	Capsule	150mg	१७.२४
५९	Fluoxetine	Capsule	20mg	४.३१
६०	Folic acid	Tablet	5mg	१.७२
६१	Furosemide	Tablet	40mg	१.२९
६२	Gentamicin	Injection	40mg/ml in 2ml	१७.००
६३	Gentian Violet	Aqueous solution	1%, 10 ml	१७.०६
६४	Glimepiride	Tablets	1mg	४.३१
६५	Glimepiride	Tablets	2mg	६.८९
६६	Hydrocortisone	Powder for injection	100mg in vial	१०६.८०
६७	Hyoscine butylbromide	Injection	Inj 20mg/ml	२८.४४
६८	Hyoscine butylbromide	Tablet	10mg	१२.९३
६९	Ibuprofen	Tablets	200mg	०.८६
७०	Ibuprofen		400mg	१.७२
७१	Ibuprofen	Syrup	100mg/5ml	२७.५७
७२	Lignocaine hydrochloride	Injection	2 % in vial, 30 ml	४३.१०
७३	Lignocaine with adrenaline 1:10,000	Injection	2% plus Adrenalin 1:10,000, 30 ml	६४.६५
७४	Losartan	Tablets	25mg	३.४४
७५	Losartan	Tablets	50mg	६.०३
७६	Magnesium sulphate	Injection	500mg/ml in 2ml ampoule	४३.१०
७७	Metformin	Tablets	500mg,	१.७२
७८	Metformin	Tablets	850 mg	३.०१
७९	Metformin	Tablets	1000mg	४.३१
८०	metoclopramide	Tablet	10mg	१.७२
८१	metoclopramide	Solution	5mg/5ml (15ml)	३४.४८
८२	metoclopramide	Injection	5mg/ml in 2ml ampoule	१५.५०
८३	Metronidazole	Tablets	200mg	१.७२
८४	Metronidazole	Tablets	400mg	३.०१

८५	Metronidazole	Oral liquid	200mg/5ml, 50ml	४३.१०
८६	Metronidazole	Injection	500mg/100ml	३८.७९
८७	Mifepristone + Misoprostol	Tablet	combi pack includes 200mg + 200mcg	५३७.००
८८	Misoprostol	Tablet	200mcg	३२.७५
८९	Neomycin skin	Ointment	2% w/w 10gm	४७.४१
९०	Nifedipine	Tablet	10mg	२.५०
९१	Nitrofurantion	Tablet	100mg	६.०३
९२	Normal Saline (NS)	Solution	0.9% Infusion solution, 500ml	४५.६८
९३	Oral Rehydration Salts (ORS)	Powder	WHO formula sachet/ltrs	८.६२
९४	Oxygen	Inhalation	Medicinal Gas	१३,०००.००
९५	Oxymetazoline	Nasal drop	0.025%: 10ml,	५१.७२
९६	Oxymetazoline	Nasal drop	0.05% 10ml	६४.६५
९७	Paracetamol	Injection	150mg/ml in 2ml ampoule	१५.५१
९८	Paracetamol	Tablet	500mg	०.८६
९९	Paracetamol	Syrup	125mg/5ml, 50ml	२५.८६
१००	Permethrin	Lotion	1% 100 ml	१०३.४४
१०१	Permethrin	Cream	5% w/v 30g	७७.५७
१०२	Pheniramine	Injection	22.75mg/ml 2ml	८.६२
१०३	Phenobarbital	Tablet	30mg	२.५७
१०४	Povidone iodine	Solution	5%w/v 500ml	२१५.५०
१०५	Potassium Chloride	Injection	150mg/ml	३४.४७
१०६	Prednisolone	Tablets	5mg	२.१५
१०७	Prednisolone	Tablets	10mg	३.८७
१०८	Prednisolone	Tablets	20mg	७.३२
१०९	Primaquine	Tablet	7.5mg	५.००
११०	Pyridoxine	Tablet	10mg	१.७२
१११	Ranitidine	Tablet	150mg	२.५७
११२	Ranitidine	Injection	25mg/ml in 2ml ampoule	७.७५
११३	Ringer's Lactate (RL)	Solution	500ml	५४.३०
११४	Risperidone	Tablets	1mg	२.३७
११५	Risperidone	Tablets	2mg	३.२७
११६	Salbutamol	Solution for nebulisation	1mg/ml of 15 ml	१०.९५
११७	Salbutamol	Oral Liquid	2mg/5ml (60ml)	४३.१०
११८	Salbutamol	MDI	100mcg	२४४.०९
११९	Silver sulfadiazine	Cream	0.2% w/v 15g	७७.५७
१२०	Tetanus Toxoid (TT)	Injection	0.5ml /dose	१८.१०
१२१	Tetracycline	Eye ointment	1%, 5g	३४.००
१२२	Tinidazole	Tablet	500mg	४.३१
१२३	Vitamin B complex	Tablet	Thiamine 10mg, riboflavin 10mg, pyridoxie 3mg, cyanocobalamin 15 mcg. (Therapeutic dose)	२.५७
१२४	Zinc sulphate	Dispersible Tablets	10mg	२.५७
१२५	Zinc sulphate	Dispersible Tablets	20mg	४.३१

निर्माण सम्बन्धी सामग्री



क्र.स.	मालसामानको विवरण	स्पेशिफिकेसन	मु.अ.कर बाहेकको आ.व. ०८२/८३ को दररेट
१	Telia brick	(thickness 2"), size: 8"x8"	थान ११५
२	Urinal Sensor	Mini Concealed Type (SNR-STL-51083 or equivalent)	set १३,६८१
३	Urinal (Back inlet)	fixing Accessories, Size 385*325*635 mm (URS-WHT-13253N)	सेट १२,२७४
४	४ इन्च बाक्लो इटा साइजको मेशिन कटिङ्ग दुङ्गा	(१ इन्च * ४ इन्च)	piece १०६
५	३ इन्च बाक्लो इटा साइजको मेशिन कटिङ्ग दुङ्गा	(१ इन्च * ४ इन्च)	piece ८८

Sanitary Works - HDPE Pipe

क्र.स.	Description of Works	Unit	Quantity	मु.अ.कर बाहेकको आ.व. ०८२/८३ को दररेट
१	110mm dia. HDP Pipe (4 Kg/cm2)	RM	1	३४४
२	125mm dia. HDP Pipe (4 Kg/cm2)	RM	1	४४०
३	140mm dia. HDP Pipe (4 Kg/cm2)	RM	1	५५४
४	160mm dia. HDP Pipe (4 Kg/cm2)	RM	1	७२४
५	180mm dia. HDP Pipe (4 Kg/cm2)	RM	1	९१६
६	200mm dia. HDP Pipe (4 Kg/cm2)	RM	1	१,१२२
७	50mm dia. HDP Pipe (6 Kg/cm2)	RM	1	१०९
८	110mm dia. HDP Pipe (6 Kg/cm2)	RM	1	५३३
९	125mm dia. HDP Pipe (6 Kg/cm2)	RM	1	६७८
१०	140mm dia. HDP Pipe (6 Kg/cm2)	RM	1	८४९
११	160mm dia. HDP Pipe (6 Kg/cm2)	RM	1	१,११३
१२	180mm dia. HDP Pipe (6 Kg/cm2)	RM	1	१,३९९
१३	200mm dia. HDP Pipe (6 Kg/cm2)	RM	1	१,७३३
१४	50mm dia. HDP Pipe (10 Kg/cm2)	RM	1	१६४
१५	110mm dia. HDP Pipe (10 Kg/cm2)	RM	1	७८०
१६	125mm dia. HDP Pipe (10 Kg/cm2)	RM	1	१,००६
१७	140mm dia. HDP Pipe (10 Kg/cm2)	RM	1	१,२६१
१८	160mm dia. HDP Pipe (10 Kg/cm2)	RM	1	१,६५३
१९	180mm dia. HDP Pipe (10 Kg/cm2)	RM	1	२,०९१
२०	200mm dia. HDP Pipe (10 Kg/cm2)	RM	1	२,५७२

Road Works - Stone Paving Works

क्र.स.	Description of Works	Unit	Quantity	मु.अ.कर बाहेकको आ.व. ०८२/८३ को दररेट
१	४" बाक्लो कालो मेशिन कटीङ्ग दुङ्गा	Sq.Ft	1	४८२
२	४" बाक्लो सेतो मेशिन कटीङ्ग दुङ्गा	Sq.Ft	1	४३७
३	३" बाक्लो कालो मेशिन कटीङ्ग दुङ्गा	Sq.Ft	1	३८५
४	३" बाक्लो सेतो मेशिन कटीङ्ग दुङ्गा	Sq.Ft	1	१९०

Road Works - Interlocking Block Paving Works


क्र.स.	Description of Works	Unit	Quantity	मु.अ.कर बाहेकको आ.व. ०८२/८३ को दररेट
१	Rectangular Interlocking Pavers Multi Color Blended with compressive strength M35 or above , Thickness 60 mm , Dimension 200*100*60 (NS Standard)	Sq.m	1	२,१३०
२	Matrix Slab/Tile/Tack Tile Single Color with compressive strength M35 or above , Thickness 60 mm , Dimension 400*400*60 (NS Standard)	Sq.Ft	1	२,२७५
३	Matrix Slab/Tile/Tack Tile Single Color with compressive strength M35 or above , Thickness 40 mm , Dimension 400*400*40 (NS Standard)	Sq.Ft	1	२,११६

Electrical Works

क्र.स.	Description of Works	Unit	Quantity	म.अ.कर बाहेकको आ.व. ०८२/८३ को दररेट
१	Bed Switch	Nos	1	३०
२	Bulb Cover Umbrella	Nos	1	४४५
३	Safety Gloves	Pair	1	६००
४	Pendent holder screw type	Nos	1	३५
५	Pendent Holder Pin Type	Nos	1	३५
६	Metal Body street light bulb cover	Nos	1	९४५
७	Plastic Body street light bulb cover	Nos	1	७५०
८	Light Number plate (3*5) inches	Nos	1	५५
९	Day night sensor for auto on-off for street light	Nos	1	९२५
१०	20-30 watt printed circuit board (PCB) Osram, Philips or equivalent	Nos	1	७५०
११	40-50 watt printed circuit board (PCB) Osram, Philips or equivalent	Nos	1	१,३५०
१२	100-120 watt printed circuit board (PCB) Osram, Philips or equivalent	Nos	1	१,५९०
१३	20-30 watt high quality LED Power Driver	Nos	1	१,०८०
१४	40-50 watt high quality LED Power Driver	Nos	1	१,३२५
१५	100-120 watt high quality LED Power Driver	Nos	1	१,५७५
१६	street light Arms/stand, 0.5 to 0.7 mtr long	Nos	1	६८०
१७	Installation of Street light	Set	1	५८०
१८	Installation of street light (विद्युत् लाइट फिल्ड बाट झिकी ओर्कशोपमा लागी सामान्य मर्मत सुधार गरी पून फिल्डमा जडान)	Set	1	१,५००
१९	Dimming Street Light			
	Supply of LED AC street light with: auto on-off switch and auto dimming (Three Step Dimming or as per specific requirements.) operation including all accessories. (Connecting Cable 2.5 sq mm copper cable or 6 sq mm aluminium cable, Identity mark of street light etc.) 110V -270 volt, Aluminium die-cast with good heat sink fins, P.F≥0.95 (at full load), IP≥66, IK 09 or above, Flicker free, THD<10%, CRI>70, luminous efficiency ≥140 lm/watt, SPD-4 (Internal)/10KV(External), CCT 3500K to 4500K, Class-II, The Light should have provision for smart control (i.e. Centrally Control and Monitoring System, CCMS) having manufacture's warranted from authorized dealer/manufacture for minimum of 5 years:			
	50 Watt	Set	1	१३,२००
	80 Watt	Set	1	१७,२००
	100 Watt	Set	1	१९,२५०
	120 Watt	Set	1	२१,२५०
	150 Watt	Set	1	२३,३८०
२०	Feeder Panel			
	Supply, installation, Testing and commissioning of an outdoor feeder panel/control cabinet. The panel shall include Copper Bus Bar and a copper rod earthing system as per IS standards, with separate earthing for the body and the Surge Protection Device (SPD, appropriate size of SPD should be installed and should be earthing properly at coated price), ensuring proper grounding and corrosion protection for outdoor conditions. The cabinet shall be constructed from galvanized steel or powder-coated 2 mm thick CRCA sheet, with a minimum IP65 rating to ensure full protection against dust and water ingress. The design must include surge protection to safeguard electrical components, a tamper-resistant locking mechanism for security, and weatherproof cable glands at entry/exit points to prevent moisture ingress. Provisions for easy installation and visibility of an energy meter shall be incorporated, ensuring accessibility for readings and maintenance. Adequate ventilation or cooling will be provided to prevent overheating in direct sunlight, and the overall design will be suitable for the local climate, ensuring durability and reliability in harsh outdoor conditions.	Set	1	७५,०००
२१	Panel Accessories			
	10/16 Amp DP Contractor	Nos	1	२,४५०
	10/16 TP Contractor	Nos	1	२,९७५
	10/16 FP Contractor	Nos	1	३,३८०
	25 Amp DP Contractor	Nos	1	३,३३५
	32 Amp DP Contractor	Nos	1	७,४५०
	32 Amp TP Contractor	Nos	1	८,६५०
	32 Amp FP Contractor	Nos	1	१०,१७५
	40 Amp TP Contractor	Nos	1	१४,८५०
	40 Amp FP Contractor	Nos	1	१७,१००
	63 Amp TP Contractor	Nos	1	२१,४८०
	63 Amp FP Contractor	Nos	1	२६,२२०
	Astronomical Timer	Nos	1	११,८७५

[Handwritten signature]

सम्पदा तथा पर्यटन सँग सम्बन्धित




क्र.स.	Description	Specification		मु.अ.कर बाहेकको आ.व. ०८२/८३ को दररेट
१	ढुङ्गाको गजुर	३'४" डायमिटर, ४'४" उचाई	No.	१४५,०००
२	ढुङ्गाको गजुर	१' बेस डायमिटर, १'८" उचाई	No.	१९,०००
३	ढुङ्गाको गजुर	३'५" डायमिटर, ४'५" उचाई	No.	१४८,०००
४	ढुङ्गाको पिलर	८" * ८" * ७'८"	No.	९८,०००
५	ढुङ्गाको पिलरको बेस	१'४" * १'४" * ८"	No.	९,०००
६	ढुङ्गाको विम	८" * ८" * ६'१०"	No.	८९,०००
७	ढुङ्गाको विम	८" * ८" * ४'८"	No.	७८,०००
८	५" बाक्लो ढुङ्गा बाट स्लोप छाना बनाउने कार्य	ढुङ्गा को नाप १२" * १०" * ५"	R.ft.	४,९००
९	५" बाक्लो ढुङ्गा बाट (ट्वा ज्य) स्लोप छानाको किनारा बनाउने कार्य		R.ft.	४,९००
१०	५" बाक्लो ढुङ्गा खल नागोल कार्नेश बनाउने कार्य		R.ft.	४,९००
११	ढुङ्गा बाट ३" मोटाईको गोल नागोल बनाउने कार्य		R.ft.	३,९००
१२	ढुङ्गा बाट विभिन्न बुट्टेदार कार्नेश बनाउने कार्य	२" * ३" * ४"	R.ft.	६,९००
१३	ढुङ्गाको तोरण, फ्रेम बेस आदी सहित को ढोका	लम्बाई ४'२" * उचाई ६'४"	No.	२४८,०००
१४	ढुङ्गेधारा सानो (३' भन्दा सानो). बुट्टा कुदेको		No.	७०,०००
१५	ढुङ्गेधारा सानो ३' भन्दा ठुलो (४' भन्दा सानो). बुट्टा कुदेको		No.	१००,०००
१६	ढुङ्गेधारा ४' भन्दा ठुलो (५' भन्दा सानो). बुट्टा कुदेको		No.	१३०,०००
१७	ढुङ्गा मूर्ति	९" * १६"	No.	५०,०००
१८	ढुङ्गा मूर्ति	१२" * १८"	No.	६०,०००
१९	बारको स्तम्भको साइज (१८" x १२" x ४') मा प्रिक्स्ट ईटाको बुट्टा कुँदिएको र बुट्टाको काम, फिक्सिड गर्ने, सतह सफा गर्ने लगायत लेभल मिलाउने काम, डिजाइन रेखाचित्र अनुसार गर्ने काम		No.	६०,०००
२०	बारको स्तम्भको साइज (१५" x ११" x ३.५') मा प्रिक्स्ट ईटाको बुट्टा कुँदिएको र बुट्टाको काम, फिक्सिड गर्ने, सतह सफा गर्ने लगायत लेभल मिलाउने काम, डिजाइन रेखाचित्र अनुसार गर्ने काम		No.	५०,०००
२१	Stone sprout (Hiti Manga) : Constructions and fitting off carved hiti manga in black/grey stone (5' length, 9" breadth and 9" height) all complete		no.	२५०,०००
२२	Constructions and fitting of carved Hiti Manga of 4' length and section size less than 9" as per instruction of site engineer.		no.	२००,०००
२३	ढुङ्गाको मूर्ति	९" * १६"	no.	८९,०५०

(Handwritten signature)

संघ संस्थाबाट कार्य गर्दा लिइने सेवा र सामग्री

सि.नं.	खर्च विवरण		काठमाडौं महानगरपालिका कार्यपालिकाको कार्यालय चौमती प्रदेश, आ.ब. ०८२/८३ एकाई २०७३ को दररेट
१	प्रशिक्षण भत्ता कार्यपत्र सहित	बाह्य प्रशिक्षक	प्रति सेसन ३,४००
२	प्रशिक्षण भत्ता	आन्तरिक प्रशिक्षक	प्रति सेसन १,६००
३	सम्बन्धित विषयका विज्ञ प्रशिक्षकलाई प्रमुख प्रशासकीय अधिकृतबाट स्वीकृत गराई		प्रति सेसन ६,०००
४	यातायात खर्च (सार्वजनिक पदमा रही सवारी साधन पाउने बाहेक अनिवार्य नगरिएको अवस्था हेरी दिन सकिने, कर कट्टा गर्नु नपर्ने)		प्रति दिन १,०००
५	कार्यक्रम संयोजक १ जनालाई मात्र भुक्तानी हुने	७ दिन सम्मको अवधिको कार्यक्रमको लागि	प्रति दिन १,०००
६	कार्यक्रम संयोजक १ जनालाई मात्र भुक्तानी हुने	७ दिन भन्दा बढी अवधिको कार्यक्रमको हकमा थप दिनको लागि	प्रति दिन ५००
७	कार्यक्रम सहयोगी		प्रति दिन ५००
८	सहभागी यातायात खर्च		प्रति दिन २००
९	अपाङ्गता/अशक्त व्यक्तिहरुका लागि यातायात खर्च		प्रति दिन ५००
१०	अपाङ्गता/अशक्त व्यक्तिहरुका सहयोगीहरुलाई यातायात खर्च		२००
११	चिया तथा खाजा/पानी		प्रतिदिन/प्रतिव्यक्ति ३००
१२	खाना		प्रतिदिन/प्रतिव्यक्ति ५००
१३	सरसफाई खर्च		प्रति कार्यक्रम (३ दिन सम्मको) १,०००
१४	सरसफाई खर्च		प्रति कार्यक्रम (३ दिन भन्दा बढी जति दिन भए पनि प्रतिदिन थप) ३००
१५	सहभागी स्टेशनरी		प्रति सहभागी १५०
१६	कार्यक्रम उद्घाटन/समापन		प्रति कार्यक्रम/तालिम ३,०००
१७	प्रस्ताव लेखन		प्रति कार्यक्रम/तालिम २,५००
१८	प्रतिवेदन लेखन १ दिनको लागि		प्रति कार्यक्रम/तालिम १,५००
१९	प्रतिवेदन लेखन १ हप्ता सम्मको लागि		प्रति कार्यक्रम/तालिम २,५००
२०	प्रतिवेदन लेखन १ हप्ता भन्दा बढी अवधि सम्मको लागि		प्रति कार्यक्रम/तालिम ३,०००
२१	कार्यक्रमको व्यापार		प्रति कार्यक्रम/तालिम १,०००
२२	कार्यक्रम/तालिमको बैठक भत्ता (पूर्वतयारी छलफल/मध्य पृष्ठपोषण/सम्पन्न तालिम समीक्षा समेत), अनुगमन/निरीक्षण		प्रतिबैठक/प्रति व्यक्ति १,२००
२३	विभिन्न शैक्षिक संस्थाहरुबाट इन्टर्नेसिप तथा ओजेटी गर्न आउनेहरुलाई विभागको सिफारिसमा हाजिर भएको दिनको यातायात तथा खाजा खर्च वापत		दैनिक ५००

परामर्श सेवा



S.N.	Salary of Personnel	Basic Salary of Govt. Officials (Rs) for fical year 2082/83	Maximum Grade	Rate of Increment per year (Rs)	Total average Salary (Rs)	Social Cost (40%) (Rs)	Total (Rs)	Remarks
1a	Team Leader (Greater than or equals to 7 years experience)	56,787.00	7	1,893.00	70,038.00	28,015.20	98,053.20	Monthly basic salary is taken equivalent to basic salary Rs. 56787.00 of gazetted 1st class government officer combined with 7 years increment at the rate of Rs. 1893.00 per year
1b	Team Leader (6 yrs of experience)	56,787.00	6	1,893.00	68,145.00	27,258.00	95,403.00	Monthly basic salary is taken equivalent to basic salary Rs. 56787.00 of gazetted 1st class government officer combined with 6 years increment at the rate of Rs. 1893.00 per year
1c	Team Leader (at least 5 years of experience)	56,787.00	5	1,893.00	66,252.00	26,500.80	92,752.80	Monthly basic salary is taken equivalent to basic salary Rs. 56787.00 of gazetted 1st class government officer combined with 5 years increment at the rate of Rs. 1893.00 per year
2a	Regional Planner/Urban Planner(Deputy Team Leader)(Greater than 10 years experience)	48,737.00	8	1,625.00	61,737.00	24,694.80	86,431.80	Monthly basic salary is taken equivalent to basic salary Rs. 48737.00 of gazetted 2nd class government officer combined with 8 years increment at the rate of Rs. 1625.00 per year
2b	Regional Planner/Urban Planner(Deputy Team Leader)(Greater than 7 years experience)	48,737.00	7	1,625.00	60,112.00	24,044.80	84,156.80	Monthly basic salary is taken equivalent to basic salary Rs. 48737.00 of gazetted 2nd class government officer combined with 7 years increment at the rate of Rs. 1625.00 per year
2c	Regional Planner/Urban Planner(Deputy Team Leader)(Greater than 5 years experience)	48,737.00	5	1,625.00	56,862.00	22,744.80	79,606.80	Monthly basic salary is taken equivalent to basic salary Rs. 48737.00 of gazetted 2nd class government officer combined with 5 years increment at the rate of Rs. 1625.00 per year
3	Environmental Expert (Greater than 5 years experience)	48,737.00	5	1,625.00	56,862.00	22,744.80	79,606.80	Same as serial 2
4	Data Analyst/Statistician (Greater than 5 years experience)	48,737.00	5	1,625.00	56,862.00	22,744.80	79,606.80	Same as serial 2
5	GIS Expert (Master's in Geoinformatics or related field)	48,737.00	5	1,625.00	56,862.00	22,744.80	79,606.80	Same as serial 2
6	Economist/Financial Analyst(Greater than 5 years experience)	48,737.00	5	1,625.00	56,862.00	22,744.80	79,606.80	Same as serial 2
7	Sociologist/Community Development Expert(Greater than 5 years experience)	48,737.00	5	1,625.00	56,862.00	22,744.80	79,606.80	Same as serial 2
8	Structural Engineer (Greater than 5 years experience)	48,737.00	5	1,625.00	56,862.00	22,744.80	79,606.80	Same as serial 2
9	W/S and Sanitary Engineer (Greater than 5 years experience)	48,737.00	5	1,625.00	56,862.00	22,744.80	79,606.80	Same as serial 2
10	Geotechnical Engineer (Greater than 5 years experience)	48,737.00	5	1,625.00	56,862.00	22,744.00	79,606.00	Same as serial 2

11	HVAC Engineer (Greater than 5 years experience)	48,737.00	5	1,625.00	56,862.00	22,744.80	79,606.80	Same as serial 2
12	Transportation/Highway Engineer (Greater than 5 years experience)	48,737.00	5	1,625.00	56,862.00	22,744.00	79,606.00	Same as serial 2
13	Landscape Architect and other all Experts with Master's Degree except the listed above Engineer (Greater than 5 years experience)	48,737.00	5	1,625.00	56,862.00	22,744.00	79,606.00	Same as serial 2
14	Architect (Bachelor Degree)	43,689.00	5	1,456.00	50,969.00	20,387.60	71,356.60	Monthly basic salary is taken equivalent to basic salary Rs. 43689.00 of gazetted 3rd class government officer combined with 5 years increment at the rate of Rs. 1456.00 per year
15	Architect (Bachelor Degree)	43,689.00	3	1,456.00	48,057.00	19,222.80	67,279.80	Monthly basic salary is taken equivalent to basic salary Rs. 43689.00 of gazetted 3rd class government officer combined with 3 years increment at the rate of Rs. 1456.00 per year
16	Architect (Bachelor Degree)	43,689.00	1	1,456.00	45,145.00	18,058.00	63,203.00	Monthly basic salary is taken equivalent to basic salary Rs. 43689.00 of gazetted 3rd class government officer combined with 1 years increment at the rate of Rs. 1456.00 per year
17	Civil Engineer (Bachelor Degree)	43,689.00	5	1,456.00	50,969.00	20,387.60	71,356.60	Monthly basic salary is taken equivalent to basic salary Rs. 43689.00 of gazetted 3rd class government officer combined with 5 years increment at the rate of Rs. 1456.00 per year
18	Civil Engineer (Bachelor Degree)	43,689.00	3	1,456.00	48,057.00	19,222.80	67,279.80	Monthly basic salary is taken equivalent to basic salary Rs. 43689.00 of gazetted 3rd class government officer combined with 3 years increment at the rate of Rs. 1456.00 per year
19	Civil Engineer (Bachelor Degree)	43,689.00	1	1,456.00	45,145.00	18,058.00	63,203.00	Monthly basic salary is taken equivalent to basic salary Rs. 43689.00 of gazetted 3rd class government officer combined with 1 years increment at the rate of Rs. 1456.00 per year
20	GIS Engineer (Bachelor's Degree in Geomatics Engineering)	43,689.00	5	1,456.00	50,969.00	20,387.60	71,356.60	Monthly basic salary is taken equivalent to basic salary Rs. 43689.00 of gazetted 3rd class government officer combined with 5 years increment at the rate of Rs. 1456.00 per year
21	Senior Surveyor (Bachelor's Degree in Geomatics Engineering)	43,689.00	5	1,456.00	50,969.00	20,387.60	71,356.60	Monthly basic salary is taken equivalent to basic salary Rs. 43689.00 of gazetted 3rd class government officer combined with 5 years increment at the rate of Rs. 1456.00 per year
22	All officer level posts all with minimum 5 years work experiences (Managers, Administrators, Lawyers, Computer Engineer, It Officer etc.	43,689.00	5	1,456.00	50,969.00	20,387.60	71,356.60	Monthly basic salary is taken equivalent to basic salary Rs. 43689.00 of gazetted 3rd class government officer combined with 5 years increment at the rate of Rs. 1456.00 per year

23	All officer level posts all with minimum 3 years work experiences (Managers, Administrators, lawyers, Computer Engineer etc.)	43,689.00	3	1,456.00	48,057.00	19,222.80	67,279.80	Monthly basic salary is taken equivalent to basic salary Rs. 43689.00 of gazetted 3rd class government officer combined with 3 years increment at the rate of Rs. 1456.00 per year
24	All officer level posts all with minimum 1 years work experiences (Managers, Administrators, lawyers, Computer Engineer etc.)	43,689.00	1	1,456.00	45,145.00	18,058.00	63,203.00	Monthly basic salary is taken equivalent to basic salary Rs. 43689.00 of gazetted 3rd class government officer combined with 1 year increment at the rate of Rs. 1456.00 per year
Support Staff								
a.	Junior Surveyor (Diploma in Geomatics Engineering)	34,730.00	3	1,158.00	38,204.00	14,355.20	52,559.20	Monthly basic salary is taken equivalent to basic salary Rs. 34730.00 of non-gazetted 1st class government officer combined with 3 years increment at the rate of Rs. 1158.00 per year
b.	Office Manager/Computer Operator	34,730.00	3	1,158.00	38,204.00	14,355.20	52,559.20	Monthly basic salary is taken equivalent to basic salary Rs. 34730.00 of non-gazetted 1st class government officer combined with 3 years increment at the rate of Rs. 1158.00 per year
c.	Sub Engineer/CAD operator	34,730.00	3	1,158.00	38,204.00	14,355.20	52,559.20	Monthly basic salary is taken equivalent to basic salary Rs. 34730.00 of non-gazetted 1st class government officer combined with 3 years increment at the rate of Rs. 1158.00 per year

* The salary rate is calculated in such a way that it includes 40% Social Cost of Salary (Includes cost of staffs pension, medical and life insurance, staff Being sick or on a vacation) (Ref. PWD Part III 2002, RFP Consultant Services:16; ADB/ Handbook For Users of Consulting Services, 1993:47)

**Annual Average Quotation form of Hotel/Resort for analysis of rate for
purpose of training, Seminar
Interaction, Workshop and Welcoming for Internal and External Guest**

S.N	Item/Description	Unit	Rate for fiscal year 2082/83	Remarks
1	Single basis Standard Room or equivalent without Breakfast/Lunch/Dinner	per day per pax	3097	this rate applies only to hotels below 5 stars.
2	Sharing basis Standard Room or equivalent without Breakfast/Lunch/Dinner	per day per pax	1770	
3	Single basis Deluxe room or equivalent without Breakfast/Lunch/Dinner	per day per pax	3540	
4	Sharing basis Deluxe room or equivalent without Breakfast/Lunch/Dinner	per day per pax	2212	
5	Single basis ex-suite room or equivalent without Breakfast/Lunch/Dinner	per day per pax	3982	
6	Sharing basis ex-suite or equivalent without Breakfast/Lunch/Dinner	per day per pax	2655	
7	Single basis Standard Room or equivalent with Breakfast/Lunch/Dinner	per day per pax	4425	
8	Sharing basis Standard Room or equivalent with Breakfast/Lunch/Dinner	per day per pax	3097	
9	Single basis Deluxe room or equivalent with Breakfast/Lunch/Dinner	per day per pax	4867	
10	Sharing basis Deluxe room or equivalent with Breakfast/Lunch/Dinner	per day per pax	3540	
11	Single basis ex-suite room or equivalent with Breakfast/Lunch/Dinner	per day per pax	5310	
12	Sharing basis ex-suite or equivalent with Breakfast/Lunch/Dinner	per day per pax	4425	
13	Breakfast	per pax	442	
14	Tea-cookies	per pax	88	
15	Lunch	per pax	664	

16	Hi-Tea	per pax	221	
17	Dinner	per pax	664	
18	Mineral Water	per ltr/bottle	53	
19	Packet of Juice (Min. 1 ltr)	per ltr	398	
20	Fresh Juice	per glass	133	
21	Snacks	per pax.	487	
22	Projector	per day	442	
23	Seminar Hall (of capacity min 25 pax)	per day	10000	
24	Seminar Hall (of capacity 25-50 pax)	per day	15000	
25	Seminar Hall (of capacity 50-100 pax)	per day	25000	
26	Seminar Hall (of capacity >100 pax)	per day	35000	

[Handwritten signature]